

# 6 ft. (1.8 m) VGA to HDMI Adapter - USB-Powered - 1080p

Product ID: VGA2HDMM6



This VGA to HDMI adapter lets you connect the VGA output on your Desktop or Laptop directly to an HDMI input on a monitor or projector without any additional cables or adapters.

## High Definition Video

The VGA to HDMI converter with audio lets you adapt your VGA video output to accommodate the increasing number of displays and projectors that only offer HDMI connectors.

Not all VGA converters are created equal. This VGA to HDMI converter cable ensures you're harnessing the highest video quality from your VGA output, with support for resolutions up to 1920x1080 (1080p).

## **Hassle-Free Setup**

For hassle-free setup the VGA to HDMI video and audio cable allows for plug-and-play installation making it a portable solution for travel. Plus, with a built-in USB power cable the device is powered using the USB port on your computer. The VGA to HDMI adapter will work with any computer operating system but when working with a Windows® computer the adapter also supports native USB audio. This functionality allows you to output both audio and video over HDMI.

## **The Choice of IT Pros Since 1985**

StarTech.com conducts thorough compatibility and performance testing on all our products to ensure we are meeting or exceeding industry standards and providing high-quality products to IT Professionals. Our local StarTech.com Technical Advisors have broad product expertise and work directly with our StarTech.com Engineers to provide support for our customers both pre and post-sales.

The VGA2HDMM6 is backed by a StarTech.com 2-year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- Connect a legacy VGA-equipped device to a newer HDMI display
- Connect your VGA-equipped computer to an HDMI home theatre system
- Share video content from your VGA-equipped computer on an HDMI television or projector

### Features

- Supports video resolutions up to 1920x1080
- Plug-and-play installation
- USB powered
- USB Audio

<b>Hardware</b>	Warranty	2 Years
	Active or Passive Adapter	Active
	Audio	Yes
	AV Input	VGA
	AV Output	HDMI
	Chipset ID	Micro Silicon - MS9282
<b>Performance</b>	Audio Specifications	HDMI - 7.1 Channel Audio
	Supported Resolutions	HDMI: 1920x1080 (1080p) 60Hz <i>Lower resolutions and refresh rates may also be supported</i>
	Video Revision	HDMI 1.4
	Wide Screen Supported	Yes
<b>Connector(s)</b>	Connector A	1 - USB Type-A (4 pin) USB 2.0 Male Input 1 - VGA (15 pin, High Density D-Sub) Male Input
	Connector B	1 - HDMI (19 pin) Male Output
<b>Power</b>	Power Source	USB-Powered
<b>Environmental</b>	Humidity	5%-90% RH
	Operating Temperature	0°C to 70°C (32°F to 158°F)
	Storage Temperature	-10°C to 55°C (14°F to 131°F)
<b>Physical Characteristics</b>	Color	Black
	Material	Plastic
	Product Height	16.700
	Product Length	72 in [183 cm]
	Product Width	39.500
	Weight of Product	131.200
<b>Packaging Information</b>	Package Height	20.000
	Package Length	200.000
	Package Width	218.000
	Shipping (Package) Weight	136.200
<b>What's in the Box</b>	Included in Package	1 - VGA to HDMI Cable

Product appearance and specifications are subject to change without notice.