



GPS
INSTALLATIONS

This is Why



- ▶ BIG PAD FOR EDUCATION AND OFFICE MEETING ROOMS
- ▶ 65" (163,9CM) SIZE WITH 1920 X 1080 PIXELS
- ▶ FAST AND RESPONSIVE INFRARED (IR) 10 POINT TOUCH - UP TO 4 USERS
- ▶ TWO BUILT-IN STEREO LOUDSPEAKERS (2X10W) WHICH CLEARLY AND EFFECTIVELY FILL LARGER CLASSROOMS
- ▶ MINI OPS SLOT FOR FLEXIBLE ENHANCEMENT
- ▶ SHARP PEN SOFTWARE
- ▶ SHARP DISPLAY CONNECT FOR LATEST BYOD WIRELESS INTER-CONNECTIVITY

Sharp's BIG PAD PN-65SC1 has been developed for classrooms, higher education campuses as well as office meeting rooms and workspaces. Building on Sharp's expertise in advanced smart interactive display solutions, the PN-65SC1 offers flexible and powerful application enhancement opportunities via the Mini OPS slot extension.

Offering the latest on-screen collaboration capabilities with attractive price performance, Sharp's latest 65" BIG PAD interactive flat panel display can help you enhance communication and create the conditions for best collaboration.

Whether in a classroom or a meeting room, it can sometimes be a challenge to keep everyone focused and engaged. The generous full HD 65" touchscreen monitor lets you display, create and collaborate with ease and precision.

The fully featured and powerful Sharp Pen software opens up new ways for brainstorming, sharing ideas and finalizing decisions. The easy to use Freeze-Frame button also allows the presenter or teacher to maintain full content control, even when accessing sensitive information on an attached device.

Powerful, flexible and cost-effective, the latest Sharp BIG PAD PN-65SC1 provides an outstanding platform with easy connectivity via VGA, HDMI or DisplayPort inputs to either boost collaboration, enhance audience impact, or simply increase lesson effectiveness.

DISPLAY MODULE DATA

- ▶ Panel Technology: **a-Si TFT LCD**
- ▶ Native Resolution (Pixels): **1.920 x 1.080**
- ▶ Diagonal Size (inches / cm): **65/163,9**
- ▶ Aspect Ratio: **16:9**
- ▶ Backlight Technology: **LED, edge lit**
- ▶ Brightness (cd/m2): **350**
- ▶ Contrast Ratio: **4.000:1**
- ▶ Display Colours: **16.77 Million**
- ▶ Response Time (grey to grey avg) ms: **8**
- ▶ Pixel Pitch (mm H/V): **0,744 x 0,744**
- ▶ Active Screen Area (H/V) mm: **1.428 x 803**

TOUCH INTERFACE SPECIFICATION

- ▶ Technology: **IR**
- ▶ Number of Touch Points: **10**
- ▶ Number of Simultaneous Users: **4**
- ▶ Safety Glass Thickness (mm): **4.2**
- ▶ Coating / Filter: **AR**
- ▶ Pen Mode / Finger Mode: **✓**
- ▶ PC Connection Method: **USB 2.0**
- ▶ Operating System Compatibility: **Win8/8.1 (32/64bit)/Win10**

SAFETY AND ENVIRONMENT (EUROPE)

- ▶ CE, CB Report: **✓**
- ▶ Mercury Content (mg): **0**

INSTALLATION

- ▶ Landscape: **✓**
- ▶ Mounting (VESA/Number of Points/Pitch mm): **VESA/4/600x400**
- ▶ Mounting Screw Specification (Size/Max Length): **M6**

CONNECTIVITY (AUDIO/VIDEO) OUTPUT

- ▶ Audio/Headphone 3.5mm Jack: **1**

ACCESSORIES

- ▶ Remote Control Transmitter: **1 pc.**
- ▶ Installation Set-Up Manual: **1 pc.**
- ▶ Software: **SHARP Pen Software**
- ▶ Power Cord: **2x 1pc. UK/GER**
- ▶ USB Cable: **1pc. USB Extension cable**
- ▶ Pen: **1 pc.**
- ▶ Battery: **2pcs. Type AA (for remote control)**

KEY SPECIFICATIONS

- ▶ Limited Manufacturer's Warranty (yrs.): **3**
- ▶ Built in Speakers (W): **10 + 10**
- ▶ Computer Input - Plug and Play: **✓**
- ▶ Option Slot Interface: **✓**
- ▶ Cabinet Colour: **Black**
- ▶ Fanless: **✓**
- ▶ Screen Adjustment: **✓**

POWER SUPPLY AND OPERATING ENVIRONMENT

- ▶ Operating Voltage(ACV) / Frequency(Hz): **100-240,50/60**
- ▶ Power Consumption (W) (Operating MAX): **250**
- ▶ Power Consumption (W) (Standby): **0.5**
- ▶ Operating Temperature (oC): **5-35**
- ▶ Humidity (%): **20-80**
- ▶ Power consumption off mode (IEC 62301:2005): **0**

WEIGHTS AND MEASURES

- ▶ Bezel Size (L/R) mm: **46/46**
- ▶ Bezel Size (U/L) mm: **46/60**
- ▶ Product Dimensions (W/H/D) mm: **1.521/972/102**
- ▶ Product Weight Without Stand (Kg): **56**
- ▶ Shipping Weight (Kg): **TBD**

CONNECTIVITY (AUDIO/VIDEO) INPUT

- ▶ HDMI: **4**
- ▶ DisplayPort: **1**
- ▶ VGA: **1 (Mini D-SUB 15 pin)**
- ▶ Audio 3.5mm Jack: **1**

CONNECTIVITY (CONTROL/SERIAL DATA)

- ▶ RS232C IN: **1**
- ▶ LAN Port: **1**
- ▶ USB: **2**

www.sharp.co.uk

SHARP

SHARP ELECTRONICS (UK) LIMITED
4 FURZEGROUND WAY
STOCKLEY PARK
UXBRIDGE, MIDDLESEX UB11 1EZ. TEL. 0208 734 2000