


### Technical Specifications

#### HP Z24n G3 WUXGA Display




**Front**

1. Power button

### Technical Specifications

#### HP Z24n G3 WUXGA Display



1. OSD control
2. **Security cable slot**
3. **Master power switch**
4. **Power connector**
5. **HDMI port**
6. **DisplayPort™ connector**

#### Back

7. DisplayPort™ connector (out)
8. USB Type-B port (upstream)
9. USB port
10. USB port (Battery charging 1.2)
11. USB Port
12. USB Port (Battery charging 1.2)

### Technical Specifications

<b>Panel Specifications</b>	<b>Display Size (Diagonal)</b>	24"
	<b>Panel Technology</b>	IPS
	<b>Refresh Rate</b>	60 Hz
	<b>Panel Bit Depth</b>	8 bit (6bit + FRC)
	<b>Aspect Ratio</b>	16:10
	<b>Brightness (Typical)</b>	350 nits
	<b>Contrast Ratio (Static)</b>	1000:1
	<b>Dynamic Contrast Ratio</b>	10M:1
	<b>Flicker Free</b>	Yes
	<b>Pixel Pitch</b>	0.270mm
	<b>Pixels Per Inch (Ppi)</b>	96 PPI
	<b>Backlight Lamp Life Minimum (To Half Brightness - In Hours)</b>	30k
	<b>Backlight Type</b>	Edge-lit
	<b>Screen Treatment</b>	Anti-glare
	<b>Hardness</b>	3H
	<b>Haze</b>	25%
	<b>Response Time (Typical)</b>	5ms GtG (with overdrive)
	<b>Horizontal Viewing Angle (Typical Cr&gt;10)</b>	178°
	<b>Vertical Viewing Angle (Typical Cr&gt;10)</b>	178°
	<b>Panel Active Area (W X H)</b>	518.4(H)*324.0(V)
<b>NOTE:</b> Performance Specifications Represent The Typical Specifications Provided By HP's Component Manufacturers; Actual Performance May Vary Either Higher Or Lower.		
<b>Color Management</b>	<b>Factory Color Calibrated</b>	Yes
	<b>Calibrated Color Presets</b>	sRGB, BT.709, (Color Match)
	<b>RGB Channel Adjust</b>	Yes, Gain
	<b>Default Color Temperature</b>	sRGB
<b>Monitor Specifications</b>	<b>Bezel</b>	4-sided Micro Edge
	<b>Color</b>	(Head) Silver ; (Stand) Sliver
	<b>Tilt</b>	-5 to +20°
	<b>Swivel</b>	±45°
	<b>Pivot</b>	±90
	<b>Height Adjust Range</b>	150mm
	<b>Vesa Mounting</b>	100 mm x 100 mm (bracket included)
	<b>Security Lock Ready</b>	Standard Security Lock Slot
	<b>Detachable Stand</b>	Yes
	<b>Warranty (Number Of Years)</b>	3/3/0 for LA,NA,EMEA, APJ ; 3/3/3 for optional APJ
	<b>Low Blue Light Mode</b>	Yes (TÜV certified)
	<b>Display Management Software</b>	HP Display Center
	<b>On Screen Display</b>	Joystick
	<b>On Screen Controls</b>	Brightness +, Color, Image, Input, Power, Menu, Management, Information, Exit
	<b>Native Resolution</b>	WUXGA (1920 x 1200)
	<b>Maximum Resolution</b>	1920x1200 @ 60HZ
	<b>Preset Graphic Modes/Supported Resolutions</b>	640 x 480@60Hz 800 x 600@60Hz 1024 x 768@60Hz 1280 x 720@60Hz 1280 x 800@60Hz

### Technical Specifications

		1280 × 1024@60Hz
		1440 × 900@60Hz
		1600 × 900@60Hz
		1600 × 1200@60Hz
		1680 × 1050@60Hz
		1920 × 1080@60Hz
		1920 × 1200@60Hz
	<b>High Definition Video Formats</b>	720 × 480p@60Hz
		720 × 576p@50Hz
		1280 × 720p@50Hz
		1280 × 720p@60Hz
		1920 × 1080p@50Hz
		1920 × 1080p@60Hz
	<b>Minimum Vertical Scan Rate</b>	50 Hz
	<b>Maximum Vertical Scan Rate</b>	60 Hz
	<b>Minimum Horizontal Scan Rate</b>	30.0 kHz
	<b>Maximum Horizontal Scan Rate</b>	75.0 kHz
	<b>Maximum Pixel Clock</b>	170 MHz
	<b>User-Assignable Function Buttons</b>	Yes, 5 buttons
	<b>Languages</b>	10 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese and S-Chinese)
<b>Connector Types</b>	<b>DisplayPort™</b>	1 DisplayPort™ 1.2
	<b>DisplayPort™ Out</b>	1 DisplayPort™ 1.2-out
	<b>HDMI</b>	1 HDMI 1.4
	<b>USB- A</b>	4 USB-A 3.2 Gen 1
	<b>USB-B (Hub enablement)</b>	1 USB-B
<b>Special Features</b>	<b>Multi-Stream Transport (Mst)</b>	1
	<b>USER UPDATEABLE FIRMWARE</b>	Yes
<b>Power &amp; Operating Specs</b>	<b>Power Supply</b>	Internal
	<b>Power Source</b>	100 – 240 VAC 50/60 Hz
	<b>Power Consumption- MAX</b>	63 W
	<b>Energy Saving/Stand By Mode</b>	0.5 W
	<b>Power Consumption- Typical</b>	28 W
	<b>Power Cable Length</b>	1.9m
<b>ENERGY STAR Data</b>	<b>Operational Mode at 100 VAC</b>	14.92 W
	<b>Operational Mode at 115 VAC</b>	14.85 W
	<b>Operational Mode at 230 VAC</b>	14.84 W
<b>EU Energy Efficiency Class (Ec1062)</b>	<b>On-mode Power Consumption (EC 1062/2010)</b>	16.6 W
	<b>Annual Power Consumption (EC 1062/2010)</b>	25 kWh
	<b>Energy Efficiency Class (EC 1062/2010)</b>	A+
<b>Operating Conditions</b>	<b>Operating Temperature - Celsius</b>	5° – 35°C
	<b>Operating Temperature - Fahrenheit</b>	41° – 95°F
	<b>Non-Operating Temperature - Celsius</b>	–34° – 60°C
	<b>Non-Operating Temperature - Fahrenheit</b>	29° – 140°F
	<b>Operating Humidity</b>	20 – 80% Relative Humidity (non-condensing)
	<b>Non-Operating Humidity</b>	5 – 95%
	<b>Operating Altitude</b>	0 – 5,000 m (16,400 ft.)

### Technical Specifications

	<b>Non-operating Altitude</b>	0 – 12.192 m (40,000 ft.)		
<b>Environmental Features and Certifications</b>	<b>Mercury-free LED display backlighting</b>	Yes, Mercury-free LED backlighting		
	<b>Arsenic-Free Display Glass</b>	Yes		
	<b>Low Halogen</b>	Yes		
	<b>Agency Approvals And Certifications</b>	WW application CE,CB,KC/KCC/NOM/PSB/EAC/GS/TUV-S/ISO 9241-307/ Low Blue Light/ BIS/cTUVus/CCC/CEL/CECP/SEPA/Energy Star/TCO/TCO Certified Edge/VCCI/FCC/BSMI/WEEE/UAE/Ukraine		
	<b>Microsoft WHQL Certification</b>	Yes		
	<b>ENERGY STAR® Certified</b>	Yes		
	<b>EPEAT® Registered</b>	Yes		
	<b>Regions need to verify by country</b>	Yes		
	<b>China Energy Label</b>	CEL Grade 1		
	<b>TCO Certified Edge</b>	Yes		
<b>TCO Certified</b>	Yes			
<b>SmartWay Transport Partnership - NA only</b>	Yes (NA sku)			
<b>Contains Recycled Plastics</b>	<b>Contains Recycled Plastics</b>	81.07%		
	<b>Recyclable Packaging (Box, packing materials)</b>	86.68%		
<b>Unit Product/Package Specifications</b>	<b>Product Dimensions</b> (Unpacked with stand) (W x D x H)	53.17 x 19.5 x 52.14 cm	20.93 x 7.68 x 20.53 in	
	<b>Product Dimensions</b> (Packed) (W x D x H)	62.5 x 41.5 x 14.2 cm	24.61 x 16.34 x 5.59 in	
	<b>Display Head Dimensions</b> (Unpacked without stand) (W x D x H)	53.17 x 3.85 x 34.29 cm	20.93 x 1.52 x 13.5 in	
	<b>Base Area Footprint</b> (w x d mm)	232 X 195 mm	9.13 X 7.7 in	
	<b>Bezel Measurements - Metric</b>	Bottom Cover :521.33 mm	Bottom Cover :20.52 in	
	<b>Product Weight</b> (Unpacked with stand)	4.9 kg	10.8 lb	
	<b>Product Weight</b> (Packed)	7.6 kg	16.7 lb	
	<b>Product Weight</b> (Head Only)	3.7 kg	8.2 lb	
	<b>What's in the box?</b>	AC power cord (1.9m) 6.2ft		
		DP Cable (1.8m) 5.9 ft		
USB type A to B cable (1.8m) 5.9 ft				
<b>User Guide and Warranty Languages</b>	<b>User Guide Languages</b>	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.		
	<b>Warranty Languages</b>	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.		

### *Technical Specifications*

Copyright © 2020 HP Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

### Summary

#### Change Log

Change Log			
	V1 to V2		