

GUH3C41SD

USB-C Hub with Card Reader



- Expand your USB-C laptop/tablet's data & charging functionality
- Transfer files between devices at ultra-fast 10Gbps data rates
- 1x USB-C 3.1 Gen 2 port connects USB-C-enabled devices
- 4x USB 3.1 Type-A ports connect older existing peripherals
- 1x BC1.2 charging port (1.5A) charges smartphones or other devices

Expand your USB-C desktop, laptop or tablet's connectivity and quick charging functionality with IOGEAR's USB-C Hub with Card Reader. Designed to maximize desk space for a convenient, single connection point for all your devices, easily connect four existing peripherals even if your new laptop or tablet has eliminated these ports. Instantly attach multiple peripherals through a single USB-C cable and charge a mobile device through the featured BC1.2 charging port.

Dual-Access Memory Slots

This high-performing hub also includes a dual-access SD/MicroSD card reader which allows simultaneous access to both memory cards for fast read/write transfers.


5 SuperSpeed USB 3.1 Ports

Transfer files ultra-fast between your computer or tablet and your connected devices* at speeds reaching up to 10 Gbps via the hub's USB-C and USB-A ports. With its five SuperSpeed USB 3.1 ports, the hub allows for rapid syncing, saving and transfer of photos, video or documents.

Flexible Desktop

- Expand your USB-C laptop/tablet's data & charging functionality
- Transfer files between devices at ultra-fast 10Gbps data rates
- 1x USB-C 3.1 Gen 2 port connects USB-C-enabled devices
- 4x USB 3.1 Type-A ports connect older existing peripherals
- 1x BC1.2 charging port (1.5A) charges smartphones or other devices
- 1x SD/MicroSD card reader/writer adds dual-access memory expansion
- Perfect for use with Thunderbolt 3 (USB-C) laptops & tablets
- Optional AC (5V5A) power adapter ensures performance stability





Requirements

- USB-C (Thunderbolt 3 compatible) device
- Windows 7/8/8.1/10
- Mac OS X 10.7+
- Chrome OS

Package Contents

- 1 x GUH3C41SD
- 1 x 1m USB-C 3.1 G2 (3A) to USB-C Cable
- 1 x Warranty Card

Specifications

Function	GUH3C41SD	Dimensions	GUH3C41SD
Upstream Port		Unit Dimensions	
USB-C	USB-C 3.1 G2 (10Gbps)	Height	5.71" (14.5cm)
Downstream Port		Depth	0.98" (2.5cm)
USB-A	3 x USB-A 3.1 10G (@0.9A each), 1 x USB-A 3.1 10G (BC1.2@1.5A)	Length	3.19" (8.1cm)
USB-C	1 x USB-C 10G (data only) @ 1.5A	Inner Pack	
Card Reader	1 x SD 3.0 card slot @3.3V/800mA, 1 x Micro SD card slot@ 3.3V/400mA, Dual Access	Width	7.48" (19cm)
Operating System Requirements		Height	10.23" (26cm)
Mac	Mac OS X 10.7+	Length	14.17" (39cm)
Windows	Windows 7/8/8.1/10	Inner Pack Qty.	6
Chrome OS		Unit Package Dimensions	
Environment		Width	6.73" (17.1cm)
Humidity	10% to 90% RH	Height	7.7?(19.6cm)
Operation Temperature	0 ~ 45 Celsius	Depth	2.4? (6.2cm)
Storage Temperature	-10 ~ 70 Celsius	Master Carton	
		Width	16.14" (41cm)
		Height	21.26" (54cm)
		Depth	8.26" (21cm)
		Master Carton Qty.	12
		Weight	
		Master Carton Wt.	11.68lb (5.3kg)
		Inner Pack Wt.	5.5lb (2.5kg)
		Unit Pack Wt.	0.8lb (0.4kg)
		Unit Wt.	0.3lb (0.14kg)