

GT1070Xe

Convenient 100-inch
image from just over a
meter away

- Create a 100" Full HD 1080p image from just over a metre away
- Lights on viewing – 2800 ANSI Lumens
- Lightweight and portable (carry bag included)
- Easy connectivity - 2x HDMI and MHL support with built-in 10W speaker



GT1070Xe

Conveniently project a stunning 100 inch Full HD 1080p image from just over a meter from a flat surface or screen by placing your GT1070Xe on a coffee table. Bright and versatile this portable projector is ideal for gamers with its low input latency, live sports and home entertainment any time of day. It even comes with a carry bag so you can take it round to a friend's house for a sports event, movie night or games marathon to provide you with the best big screen experience anywhere with a flat surface.

An integrated speaker provides you with great sound and two HDMI inputs enables an easy setup. Perfect for connecting a laptop, PC, Blu-ray player, media streamer or games console. You can even turn it into a smart projector by connecting a HDMI dongle like the HDCast Pro (sold separately) or Apple TV™ to play games, stream videos and share photos on the big screen in the comfort of your own home.

GT1070Xe Specification

Display Technology	Single 0.65" DarkChip 3 1080p DLP® Technology by Texas Instruments
Native Resolution	1080p 1920 x 1080
Brightness ¹ (Bright Mode)	2800 ANSI Lumens
Contrast	23,000:1
Lamp Life ² Dynamic/Eco/Bright	6500/6000/5000 (hrs)
Throw Ratio	0.49:1
Zoom Type	Fixed
I/O Connectors	2 x HDMI (1.4a 3D support) + MHL v1.2, Audio Out 3.5mm, 12V trigger, 3D-Sync, USB service
Speaker (Watts)	10
Keystone Correction	± 40° Vertical
Weight (kg)	2.65
Dimensions (W x D x H) (mm)	315 x 224 x 114
Aspect Ratio	16:9 Native, 4:3 Compatible
Offset	116% ±5%
Projection Screen Size	1.15 - 7.67m (45.3" - 300") Diagonal 16:9
Projection Distance	0.5 - 3.35 metres
Projection Lens	F/2.8; f=7.42mm
Uniformity	80%
Maximum Resolution	Full HD 1920 x 1080
Computer Compatibility	UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac
Video Compatibility	PAL (B, D, G, H, I, M, N, 576i/p), NTSC (M, 4.43/3.58 MHz, 480i/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p)
3D Support	Ful 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification.
3D Compatibility	Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60
Input Lag (ms)	33
Horizontal Scan Rate	15.375~91.146 KHz
Vertical Scan Rate	24 ~ 85Hz (120Hz for 3D)
Displayable Colours	1073.4 Million
Noise Level (Eco mode)	26dB
Power Supply	100-240V, 50-60Hz
Power Consumption	233W Bright mode / 193W Eco mode (< 0.5W Standby)
Lamp Type	190W
Operating Conditions	5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m
Security	Security bar, Kensington lock, password protection
On Screen Display	27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian
Standard Accessories	Carry bag, lens cap, AC power cord, HDMI cable, remote control, 2x AA batteries, quick start card, CD user manual
Optional Accessories	Wireless 3D system, Wireless 3D glasses, DLP® Link™ 3D glasses, wireless, ceiling mount
Optional Wireless	Yes
Warranty	1
RoHS	Compliant

