3000 Lumens SVGA DLP (White) Projector



PJD5155L



The brand new LightStream Projector PJD5155L integrates elegant style and intuitive design, HDMI & VGA connectivity and best in class colour and sound performance thanks to exclsuive SuperColor and SonicExpert technology. The PJD5155L is equipped with 3,000 lumens brightness, a 6-segment color wheel, standard resolution 4:3 (SVGA 800 x 600) and 10,000:1 contrast ratio for great image quality even in spaces with high ambient light. Eco mode further reduces power consumption by up to 70% and extends the lamp life by up to 10,000 hours.



Premium Curved Design With Intuitive Keypad

With its dot texture finish and curved edges, this LightStream Projector stands out from the competition. A tactile keypad provides ease of use with raised and concave buttons, plus a central reference button. These assist in making set up easier in dark environments or if the projector is ceiling mounted.

HDMI for One-Cable Connectivity to HD Devices

The best and easiest way to connect to most modern devices is through an HDMI (High Definition Media Interface) cable. HDMI carries both video and sound thus limiting the requirement to attach an additional audio cable, as is often the case with other input options.





SuperColor™ projectors offer color accuracy levels



Conventional projectors offer low-quality images

SuperColor™ Best in Class Colour Accuracy

ViewSonic's exclusive SuperColor™ Technology delivers superior colour range than competitor projectors, ensuring that users enjoy more realistic and accurate colours. With an exclusive colour wheel design and dynamic lamp control capabilities, SuperColor™ Technology projects images with true-to-life colour performance in all scenarios, also reducing eye fatigue in bright and dark images.

SonicExpert™ Clear, Comfortable and Louder Sound

Following groundbreaking and exclusive speaker developments - transducer and chamber re-design - LightStream projectors deliver superior audio performance than competitor projectors. The compact yet powerful speakers sound stronger and enable sound to travel further, powerful enough to fill your meeting room with wall-to-wall sound.





Bright Images for Any Environment

Packed with 3,000 lumens the PJD5155L is guaranteed to produce bright images in any environment – even in rooms with high ambient light. The impressive 10,000:1 contrast ratio also ensures that dark and bright areas are more black and white and less grey in appearance.

Hide Unsightly Cables

An optional cable management hood connects onto the back of the projector to hide unsightly cable clutter and exposed ports.





Quickly Access Your Favourite Features With "My Button"

Finding a function through the on-screen menu can be time-consuming. The "My Button" button on the remote control is a programmable shortcut button that can be user-programmed to launch any desired function.

Auto Power On / Off

With 'Auto Power On' enabled, once a cable is connected and signal detected, LightStream projectors will power on automatically with effortless start-up. When no signal is detected, the projector will automatically power off after a user-defined amount of time – saving electricity cost, reducing energy consumption and extending the life of the projector.







3D Compatible for Exciting Visual Effects

You'll have amazing 120Hz 3D capabilities at your disposal with this LightStream Projector. All that's required to unlock this stunning 3D are optional ViewSonic 3D active shutter glasses (PGD-350) and a 3D source. Unleash a vivid 3D experience with the ViewSonic LightStream projectors today.

Technical Specifications

Product
Specification

Resolution SVGA (800 x 600)

Brightness (ANSI Lumens) 3,000
Contrast (with Dynamic 10,000:1

Contrast Ratio)

Lamp Hour (Normal / Eco / 4,500 / 6,000 / 10,000

DynamicEco)

Throw Ratio in Meters (Wide ~ 1.95 ~ 2.15

Tele)

Optical Zoom 1.1x
Digital Zoom 2.0x

Screen Size 30" ~ 300 " Projection Offset 130% +/-5%

Display Colours 1.07 Billion Colours

	Keystone Noise min (Normal / Eco) Speaker	+/- 40° (Vertical)	
		33dB / 30dB	
			2W x 1
Input Connectivity	HDMI In	1	
	VGA-in	1	
	Component Input	shared with VGA-in	
	S-Video	NA	
	Composite Input	NA	
	Audio-in (3.5mm)	NA	
	Audio-in (RCA pair)	NA	
	USB Type A	NA	
	USB Type B	NA	
	Mini USB	1 (Firmware, mouse control)	
	Microphone in (3.5mm)	NA	
	SD Card reader	NA	
Output Connectivity	VGA-out	NA	
	Audio-out (3.5mm)	NA	
Control	RS232 (9 pin)	1	
	Network Mangment (LAN cable)	NA	
	12V Power Trigger	NA	
PC / Mac	Video/Audio Streaming	NA	
	Extend/Mirror display	NA	
	4-in-1 Spilt screen	NA	
	1 to many projection	NA	
iOS / Android	DOC file streaming (read only)	NA	
	Live CAM	NA	
	Live Draw	NA	
	Clound service (Drop box)	NA	
	WiFi (single band or dual band)	NA	
	Miracast	NA	
	DLNA	NA	
	Bridge to ethernet	NA	
	Video/Media streaming	NA	
Advanced Features	3D Compatible (optional PGD- 350 3D glasses required)	Yes	

Interactive (optiona	I PJ-PEN-003	NΑ
----------------------	--------------	----

required)

Wireless Display

Low Power Standby < 0.5W

3 sec. on / 0 sec. off Yes

Network Control NA

Network Display NA

Auto Keystone NA Microsoft Office Viewer NA

Sleep Timer Yes

Presentation Timer Yes

Password Protection Yes

Security Bar Yes

Keypad Lock Yes

Customized Start-up Screen NA

DynamicEco / Movie mode /

Yes / Yes / Yes

NA

Contrast

Dimensions and

Power Dimension (WxDxH) 316 x 228 x 103.7 mm

> Net Weight 2.1kgs

Power Source 100V ~ 240V / 50~60Hz

Power Consumption 265W (Max)

Supplied

Accessories Power cord 1

> VGA cable 1

HDMI cable NA

Remote Control (with batteries) 1

Cable cover NA

Quick Start Guide & CD Yes

NA Carry bag

Optional

Accessories PGD-350 (3D glasses x1) Yes

PJ-PEN-003 (2x interactive pens

and infrared module)

NA

PJ-WMK-401 (wall mount kit for

Ultra Short Throw projectors)

PJ-WPD-200 (USB WiFi dongle) NA

WPG-300 (HDMI-MHL WiFi

NA

NA

dongle)

WPD-100 (USB WiFi dongle) NA

	DOX)	
Languages On Sci	On Screen Display	English, French, Spanish, Thai, Korean, German, Italian, Russian,
		Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese,
		Turkish Portuguese, Finnish, Indonesian, Indian, Arabic

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

WPG-370 (wireless presentation Yes

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.