

Smart printing. Brilliant color.

Lexmark C950de Color Printer

Designed for your busy workgroup, the Lexmark C950de features professional quality A3 color printing, flexible features, outstanding media handling, an intuitive touch screen and easy-to-use workflow solutions.



Color



Touch screen



Solutions





A3 / 11 x 17 Up to 50 ppm







Lexmark C950de Key Features



Features to optimize your work



1) Intuitive color touch screen

The large 4.3-inch color touch screen allows you to operate your printer with ease through intuitive navigation and easy access to workflow solutions and shortcuts.



2) Direct USB

The front USB port allows convenient walk-up printing and is compatible with many printable image file formats.



3) Flexible input capacity

Choose the configuration that best fits your needs, up to a maximum of 5,140 sheets.



4) Exceptional media handling

Ultra-reliable paper feeding lets you load up to six different types of media, including banner support up to 47.24-inches and weights up to 300 gsm.



5) Advanced finishing options

Easily create professional output in-house with flexible finishing options, including multi-position stapling, hole punching, expanded output stacking and booklet capability.



6) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.

Lexmark C950de Overview



Outstanding Color Output

Make a lasting impression on your customers and do more printing in-house with vibrant, professional-quality output on a wide variety of media. With the advanced technology of the C950de, you'll get high-performance A3 / 11 x 17 printing capability that produces consistent color from the first page to the last.

- 1200 x 1200 print resolution for rich vibrant colors and crisp black text.
- PANTONE® calibration for consistent color tones.
- Named Color Replacement for easy color matching.
- Lexmark Color Care Technology to manage color use and control costs.
- Create professional collateral materials ranging from saddle stitch booklets to folded brochures on media up to A3 / 11 x 17-inches.



Productive and Intuitive

The Lexmark C950de combines high-performance printing with easy-to-use features and time-saving workflow applications designed to boost your productivity.

- Print at speeds of up to 50 ppm black and 45 ppm color: time to first page as quick as 5.2 seconds.
- Easy to navigate 4.3-inch color touch screen provides audible feedback to make completing tasks intuitive.
- Preloaded applications help you drive greater efficiency in your workflow.
- Print Preview and Post Process Job Changes allow you to duplex, add finishing or select individual pages for printing.



Built for Business

The Lexmark C950de features a robust print engine designed to handle the most demanding workloads with the advanced features and flexibility you need to run your business.

- Strong, multi-layered security features help protect your devices, your documents, your information and your network infrastructure.
- Robust connectivity makes it easy to integrate into almost any network environment.
- Simplify device monitoring and administration through the embedded web server, Lexmark Universal Print Driver and Lexmark MarkVision Enterprise.
- Process graphic-intensive jobs easily with 1.2GHz processor and 1GB RAM standard.
- Choose from multiple input options to expand capacity up to 5,140 sheets.
- Easy-to-replace aftermarket cartridges provide yields of up to 32,000² pages black and up to 22,000² pages color.



True. Image. Always.

Lexmark is dedicated to designing and manufacturing products that deliver exceptional quality and reliability. Maximize the return on your investment, optimize the performance of your Lexmark printing equipment and make a lasting impression by always insisting on Lexmark Genuine Supplies, Service and Parts. The C950de is backed by Lexmark's 1-Year Limited Warranty; extended warranty plans are also available.

Lexmark C950de Productivity Made Easy

The right touch

The Lexmark e-Task color touch screen is a key access point to your printer. The customizable 4.3-inch interface gives you the ability to preview thumbnails of documents prior to printing, as well as to change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Easy-to-use, intuitive navigation provides fast access to the functions, shortcuts and workflows you use most. New interactive sensory features provide audible feedback, helping to guide you through each operation, confirming a touch has registered and indicating an action is transpiring.



Solutions

Save time and money through solutions

The C950de features the Lexmark Embedded Solutions Framework, our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

The following solutions are preloaded on the Lexmark C950de. A diverse portfolio of additional Lexmark solutions is available to help accommodate your workflow needs.



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Eco-Settings

Choose from multiple print settings that help reduce energy, paper and toner consumption.



Change Language³

Easily switch the language displayed on the touch screen – 18 languages supported.



Showroom

Display a customizable, scrolling slideshow on the color touch screen to promote your business or products, or to communicate important messages to your customers or employees.



Easy device management

Manage your output environment effectively with Lexmark MarkVision Enterprise. This free browser-based software gives you complete visibility into your entire fleet of network printers and MFPs regardless of manufacturer. MarkVision Enterprise makes it easy for administrators to configure, track, view, troubleshoot and proactively manage your devices throughout their lifecycle, from the moment you connect them to the network until the day you retire them.

Lexmark C950de Highlights

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend on average up to 6% of their revenue on printing and that active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.









Consistent color, every time

Produce professional documents confidently in-house knowing that the named colors of your company's brand and logo will print accurately and consistently every time. Through Lexmark Named Color Replacement, included standard with your device, users can enter specific color values for easy color matching, including PANTONE® Color and colors in the DIC Color Guide.



Protecting your information

From the data travelling through your network to the pages being printed, multilayered security features and built-in capabilities help you protect your devices, documents, data and network.

- Supports a variety of user authentication and authorization controls.
- Card reader option allows users to authenticate with proximity or swipe cards.
- Advanced hard disk encryption protects sensitive data on the printer's optional disk
- Automatic, scheduled or manual disk wiping removes latent data (hard disk optional).
- IPSec, SNMPv3 and 802.1x network security are supported.
- Security-audit logging tracks and identifies security risks.




Eco-responsible printing

The C950de makes it easy for you to print responsibly. Features include duplex to save paper, Eco-Mode to reduce paper and toner consumption, and a Sleep Button with hibernate mode to help you save energy. The C950de also helps you save energy through its instant warm-up fuser and specially designed toner, which fuses at a low temperature.

Lexmark C950de Ordering Information

Lexmark C950de



Compatible with the C950de

Part # Application Solutions 22Z0183 C950 Card for IPDS

Part #	Laser Toner/Print Cartridge	22Z0184 22Z0182	C950 Card for PRESCRIBE C950 Forms and Bar Cod
C950X2KG	C950 Black Extra High Yield Toner Cartridge	57X9000	Lexmark PrintCryption Ca
C950X2CG C950X2MG	C950 Cyan Extra High Yield Toner Cartridge C950 Magenta Extra High Yield Toner Cartridge	Part #	Connectivity
C950X2YG	C950 Yellow Extra High Yield Toner Cartridge	27X0025	MarkNet N8250 802.11b/
C950X71G C950X73G	C950, X95x Photoconductor Unit 1-Pack C950, X95x Photoconductor Unit 3-Pack	14F0037 14F0042	MarkNet N8120 Gigabit E MarkNet N8130 Fiber Eth
C950X76G	C950, X95x Waste Toner Bottle	14T0220	MarkNet™ N7020e Gigat
25A0013	Staple Cartridges (3 pack)	1021294	USB Cable (2-meter)
21Z0357	Booklet Saddle Staple Cartridges (4 pack)	14F0000 1021231	Parallel 1284-B Interface Parallel Cable (10-foot)
Part #	Memory Options	14F0100	RS-232C Serial Interface
1025041 1025042	256MB DDR2-DRAM 512MB DDR2-DRAM	Part #	User Replaceable Parts
1025043	1024MB DDR2-DRAM	40X7550	C950, X95x Fuser Mainte
14F0245	256MB Flash Card	40X7540	C950, X95x 160K Mainter
27X0014 30G0287	160+ GB Hard Disk Arabic Font Card		
30G0828	Japanese Font Card		
30G0825 30G0826	Korean Font Card Simplified Chinese Font Card		
30G0827	Traditional Chinese Font Card		

22Z0184 22Z0182 57X9000	C950 Card for PRESCRIBE Emulation C950 Forms and Bar Code Card Lexmark PrintCryption Card
Part #	Connectivity
27X0025	MarkNet N8250 802.11b/g/n Wireless Print Server
14F0037	MarkNet N8120 Gigabit Ethernet Print Server
14F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server
14T0220	MarkNet™ N7020e Gigabit Ethernet Print Server
1021294	USB Cable (2-meter)
14F0000	Parallel 1284-B Interface Card
1021231	Parallel Cable (10-foot)
14F0100	RS-232C Serial Interface Card
Part #	User Replaceable Parts
40X7550	C950, X95x Fuser Maintenance Kit, 320K, 110-120V
40X7540	C950, X95x 160K Maintenance Kit

Lexmark C950de Ordering Information

Lexmark C950de

Part #	Model	
22Z0000	Lexmark C950de	
Part #	Paper Handling	
22Z0014	C950, X95x 2520-Sheet Tandem Tray Module	
22Z0013	C950, X95x 3x520-Sheet Drawer Stand	
22Z0012	C950, X95x 520-Sheet Drawer Stand	
22Z0016	C950, X95x 3500-Sheet Finisher (3-Hole)	
22Z0017	C950, X95x Booklet Finisher (3-Hole)	
22Z0015	C950, X95x 2000-Sheet High Capacity Feeder	
Part #	Extended Warranties	
2354207	C950 2-Years Total Onsite Service, Next Business Day	
2354208	C950 3-Years Total Onsite Service, Next Business Day	
2354209	C950 4-Years Total Onsite Service, Next Business Day	
2354210	C950 5-Years Total Onsite Service, Next Business Day	
2354211	C950 1-Year Onsite Service Renewal, Next Business Day	
Part #	Installation Service	

In the box
Lexmark C950de color printer, Up to 11,000*-page color (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, Black, cyan, magenta, and yellow photoconductor units, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information
*Average continuous black or continuous composite

*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark C950de Product Specifications

	Lexmark C950de	
Printing	LOATINITY GOODGO	
Print Technology	Color LED	
Print Speed (Letter, Black): Up to	50 ppm	
Print Speed (Letter, Color): Up to	45 ppm	
Time to First Page (Black)	As fast as 5.2 seconds	
Time to First Page (Color)	As fast as 7.7 seconds	
Print Resolution, Black	1200 x 1200 dpi, 2400 Image Quality	
Print Resolution, Color	1200 x 1200 dpi, 2400 Image Quality	
Memory, Standard	1024 MB	
Memory, Maximum	2048 MB	
Print Noise Level, Operating	53 dBA	
Maximum Monthly Duty Cycle: Up to	225000 pages per month	
Recommended Monthly Page Volume	4000 - 33000 pages	
Supplies	4000 - 30000 pages	
Supplies Yield	22,0002-page color (CMY) Toner Cartridges, 32,0002-page Black Toner Cartridge	
Paper Handling	22,000-page color (Civir) for les Carringes, 32,000-page black for les Carringe	
Paper Handling Standard	500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 520-Sheet Input Tray	
Paper Handling Optional	2,000-Sheet High-Capacity Feeder, 3,500-Sheet Finisher, 3 x 520-Sheet Drawer Stand, Booklet Finisher, 2,520-Sheet	
Рарег напошну Ор понаг		
Denou Innuit Consoity Chandaudy Units	Tandem Tray Module, 520-Sheet Drawer Stand	
Paper Input Capacity, Standard: Up to	620 pages 20 lb or 75 gsm bond	
Paper Input Capacity, Maximum: Up to	5140 pages 20 lb or 75 gsm bond	
Media Types Supported	Card Stock, Envelopes, Glossy Paper, Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide	
General		
Product Warranty	1-Year Onsite Service, Next Business Day	
Size (in H x W x D)	22.24 x 25.20 x 26.97 in.	

Recommended Monthly Page Volume
«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product
offerings based on the average number of pages customers plan to print on the device each month. Lexmark
recommends that the number of pages per month be within the stated range for optimum device performance,
based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer

Maximum Monthly Duty Cycle - Maximum Monthly Duty Cycle - Is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Footnotes

- Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008
- Average continuous black, or composite CMV declared cartridge yield in accordance with ISO/IEC 19798.
 Change Language is an option during installation.
 Illustration shows enlarged description of touch screen.



Trademarks

Irademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE® is a registered trademark of Pantone, Inc. This product features Adobe® Flash® technology. For further information, visit http://www.adobe.com/software/flash/about/

