

#### GCS62HMDPKIT

# 2-Port HD Cable KVM with MiniDisplayPort Adapters Bundle



# **HD and Mini DisplayPort Mix & Match Solution**

IOGEAR's HD and Mini DisplayPort KVM Solution enables effortless control over two computers using a single USB keyboard, a USB mouse and a monitor with HDMI connection or HDTV. This bundle is perfect for a home office or small / medium size business, as it offers the flexibility of choosing between HDMI and/or Mini DisplayPort connections. Take advantage of your existing computers, and use the included Mini DisplayPort adapters to display your content on a large HDMI display or HDMI projector.

- Share a display with HDMI connection, a USB keyboard and mouse, with 2 USB computers
- Separate the Internet and Intranet with the click of a button
- Full 1080p and up to 1920 x 1200 @ 60Hz
- Digital Audio support
- HDCP Compliant
- · Multi OS platform support
- · Works with game consoles
- · Port switching via remote switch button, mouse or hotkeys
- Hotkeys allows independent KVM and audio switching between computers
- Includes 2.1 stereo sound and microphone support
- USB 2.0 Peripheral Sharing via mouse port. Connect a powered USB Hub to expand your USB connectivity\*
- USB mouse and keyboard emulation for error-free boot-up and instantaneous recognition when switching computers
- Power-On Detection If one of the computers is powered off, it will automatically switch to the next powered-on computer
- Re-programmable hotkey activation for keyboards without a scroll lock key
- Keyboard emulation can be disabled to support gaming keyboard's special keys

- Mouse emulation can be disabled to support mice with special keys
- · Mac and Sun keyboard support
- Firmware upgradeable
- Plug-n-play; no software required
- Mini DisplayPort to HD Adapters:
  - Converts your Mini DisplayPort to HD so you can connect to a HD projector, TV or monitor.
  - Works with Apple® iMac® or MacBook®
  - Compliant with Mini DisplayPort Specification 1.1a for both 1.62 Gbps and 2.7 Gbps
  - · Support full Mini DisplayPort link tracking
  - Supported resolutions:
    - Full HD 1080p
    - 1920x1200
  - · Compliant with HDMI up to 2.25Gbps
  - Support interrupt request output for expansion function
  - Supports Deep Sleep Mode (suspend mode)

\*IOGEAR's DynaSync provides the EDID support for Windows 7


\*\*Mouse emulation must be disabled for this feature to function correctly











#### Requirements

### **Package Contents**

#### Console:

- 1 HDMI display
- 1 set of USB keyboard and mouse

- 1 x 2-Port HD Cable KVM Switch
- 2 x MiniDisplay Port to HDMI Adapters
- 1 x Installation Guide
- 1 x Warranty Card

## Computers:

- 1 HDMI or MiniDisplayPort port
- 2 USB ports

### **Operating Systems:**

- Windows® XP, Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1, Windows® 10
- Mac OS® X 9 to 10.x
- Oracle® Solaris
- Linux®, Unix and other USB supported systems\*

\*Additional drivers and support may be needed \*\*IOGEAR's Display Emulation Technology provides the EDID support for Windows® 7



# **Specifications**

Function	GCS62HMDPKIT	D
Computer Connections		Р
Direct	2	1
Console Connectors		6
Monitor	1 x HDMI Female	U
Keyboard	1 x USB Type A Female	Н
Mouse	1 x USB Type A Female	D
Audio	1 x 3.5mm Mini Stereo Jack Female (Green)	L
Microphone	1 x 3.5mm Mini Stereo Jack Female (Pink)	u
CPU Connectors		٧
Monitor	2 x HDMI Male; 2 x Mini DisplayPort Male (with adapter)	Н
Keyboard	2 x USB Type A Male (Purple)	N
Mouse	2 x USB Type A Male (Black)	٧
Audio	2 x 3.5mm Mini Stereo Jack Male (Green)	H
Microphone	2 x 3.5mm Mini Stereo Jack Male (Pink)	D
LEDs		N
On Line	2 x Green	v
Emulation		N
Keyboard	USB	u "
Mouse	USB	U
Scan Interval	3, 5, 10 , 20 seconds (Default 5 seconds)	
Environment		
Storage Temperature	-20~60?C	
Operation Temperature	0~50?C	
Humidity	0~80%; Non-condensing	
Housing		
Case	Plastic	
Video Resolution	1080p; 1920x1200	
Port Selection	Remote Switch, Hotkey, and Mouse	

Dimensions	GCS62HMDPKIT
POP Information	
10" Peg Hook	5
6" Peg Hook	3
Unit Dimensions	
Height	2.5" (6.35cm)
Depth	1" (2.54cm)
Length	3.125" (7.93cm)
Unit Package Dimensions	
Width	6.5" (16.51cm)
Height	7.5" (19.05cm)
Depth	2.75" (6.99cm)
Master Carton	
Width	16" (40.64cm)
Height	7" (17.78cm)
Depth	9" (22.86cm)
Master Carton Qty.	6
Weight	
Master Carton Wt.	8.96lb (4.07kg)
Unit Pack Wt.	1.36lb (0.62kg)
Unit Wt.	1.00lb (0.45kg)