



## Dell Colour Multifunction Printer - E525w



### Versatility, value and ease for brilliant everyday performance

Simplify everyday printing and imaging tasks with a compact, 4-in-1 colour multifunction printer with essential productivity features that allow you to do more.

- Print wirelessly and easily scan, fax and copy. The convenient automatic document feeder (ADF) enables unattended copying and faxing for multi-page documents.
- Get set up easily using the Dell Printer Easy Installer.
- Simplify printing tasks and maintenance with the Dell Printer Hub<sup>2</sup>.

### Easy set-up

Get your Dell printer up and running easily using the Dell Printer Easy Installer<sup>1</sup> and allow flexible connectivity with WiFi<sup>1</sup>, USB and Ethernet options.

### Comprehensive productivity features

Print crisp text and vivid colours at excellent speeds of up to 18ppm<sup>3</sup> (black/colour), and quickly scan documents at up to 17/7ipm (black/colour).

Enhanced features enable you to do more:

- Copy both sides of an ID card on a single side of paper using the "ID Copy" button.
- Keep sensitive documents private using the Secure Print feature. With this security feature, print jobs are password protected and released using a valid user PIN.
- Rely on your E525w to handle everyday work demands with a duty cycle of up to 30,000 pages per month<sup>4</sup>.

### Print on-the-go

Print directly from compatible smartphones, tablets, and other mobile devices with the Dell Document Hub app, available on the App Store, Google Play and the Windows Store. The E525w also supports AirPrint<sup>5</sup>, Google Cloud Print and Mopria, so you can print from virtually anywhere.<sup>6</sup>



### One-stop solution to do more

Simplify your printing tasks and maintenance with the Dell Printer Hub<sup>2</sup>. This convenient, one-stop solution features an intuitive interface that integrates printer essentials and cloud connectivity for easy document management and control of your printer.

- 1-click to update printer firmware and software
- 1-click to execute customized scan shortcuts
- 1-click access to the Dell Document Hub cloud access solution, which also features cloud Optical Character Recognition to convert scans into editable, searchable files.

Get automatic alerts when firmware and software updates are available, or when the toner runs low. Conveniently re-order toner via Dell Printer Hub.

### Eco-conscious design

Low-melt toner technology means less heating, reduced warm-up times, and faster first-page-out time — all of which contribute to reduced energy consumption. The E525w meets the latest regulatory and environmental standards, including ENERGY STAR<sup>7</sup> qualification<sup>7</sup>, Restriction of Hazardous Substances (RoHS) compliance<sup>9</sup> and EPEAT Bronze registration<sup>9</sup>. The single drum/fuser unit is designed to last the life of the printer, so you'll have less maintenance.

### Comprehensive services

Contact technical support for any printing issues via phone or online during your standard 1-year Limited Hardware Warranty<sup>10</sup>, and enjoy 1-year Advanced Exchange<sup>11</sup> after Remote Diagnosis Service<sup>12</sup>.

Stay covered longer when you choose optional 2-, 3-, 4-, or 5-year extended Limited Hardware Warranty<sup>10</sup>. Dedicated support 24/7 is available with Dell ProSupport<sup>TM13</sup> service options.

[Learn more at Dell.com/printers](https://www.dell.com/printers)

## Dell Colour Multifunction Printer - E525w

<b>Printer specifications</b>	<b>Printer type</b>	Colour multifunction printer (print, copy, scan, fax)	
	<b>Print speed (Mono / Colour)<sup>3</sup></b>	Simplex (600 x 600 dpi) - Up to 18 ppm mono / Up to 18 ppm colour (A4)	
	<b>First page out time from Ready state</b>	As fast as 16 sec (mono) As fast as 22 sec (colour)	
	<b>Print resolution</b>	600 x 600 dpi	
	<b>Operation panel</b>	4 Lines 20 Character Graphic Bitmap LCD. 35 Buttons, 10 LEDs	
	<b>Print language</b>		
	Printer driver language	PCL 6, PostScript™ Level 3 Emulation	
	Printer data stream	PCL 6, PostScript™ Level 3 Emulation	
	Fonts	HP PCL® 6 Emulation: 81 scalable fonts, PostScript 3: 81 scalable fonts	
	<b>Processor speed</b>	525 MHz	
	<b>Memory, standard</b>	512 MB RAM	
	<b>Mobile printing support</b>	Dell Document Hub (for Android, iOS and Windows 8 and later), AirPrint <sup>5</sup> , Google Cloud Print, Mopria-certified	
	<b>Usage rate</b>	<b>Duty cycle</b>	Up to 30,000 pages per month <sup>4</sup>
<b>Recommended monthly print volume</b>		250 - 700 pages per month	
<b>Scan specifications</b>	<b>Scan type</b>	Flatbed, ADF / Contact Image Sensor (CIS)	
	<b>Scan speed</b> (Single-page document, 600 x 300 dpi)	Up to 17 ipm mono / up to 7 ipm colour	
	<b>Scan resolution</b>	1200 x 1200 dpi, up to 4800 x 4800 dpi (software enhanced)	
	<b>Scan depth (Colour)</b>	24-bit	
	<b>Scan depth (Mono)</b>	1 bit for lineart and 8 bit for gray scale	
	<b>Scan size (max)</b>	Flatbed : 216 mm x 297 mm ADF: 216 mm x 356 mm	
	<b>Scan to media (file format)</b>	PDF, TIFF, JPEG	
	<b>Walk-up scan to</b>	SMB (Network folder), FTP (Network server), Email, USB Host, Application	
	<b>Copy specifications</b>	<b>Copy speed</b> (Single-page document, 600 x 600 dpi)	Up to 18 cpm mono/ up to 18 cpm colour
<b>Maximum copies</b>		99	
<b>Enlarge</b>		25 to 400% (increment: 1%)	
<b>Copy settings</b>		Auto Exposure, Collate, Multiple-Up (2-in-1 only), Sharpness, Density, ID Copy, Frame Erase	
<b>Fax specifications</b>	<b>Fax transmission speed</b>	Up to 33.6 Kbps	
	<b>Speed dial</b>	Up to 99 entries	
	<b>Memory size</b>	2 MB	
	<b>Fax feature</b>	Transmit: Broadcast, Delay/Schedule, Forward, Fax Forward To Email Receive: Secure, Remote, Polling	
<b>Paper handling</b>	<b>Input sources</b>	Standard - 150-sheet standard tray Maximum - 150 sheets	
	<b>Automated Document Feeder (ADF) Specifications</b>		
	Capacity	15 sheets	
	Media size	Max: 215.9 mm x 355.6 mm Min: 139.7 mm x 139.7 mm	
	Types	Cut paper, Plain paper	
	<b>Output destinations</b>	Standard - 100-sheet bin Maximum - 100 sheets	
	<b>Standard tray</b>		
	Types and weights supported	Plain paper (60 -90gsm), Thicker paper (91 -105gsm); Cover (106-163g/m <sup>2</sup> ); Coated paper (106-163g/m <sup>2</sup> ); Label; Envelope; Recycled Paper	
	Sizes	A4 Short Edge Feed (SEF), US letter, B5 SEF, A5 SEF, Executive SEF, Folio SEF, US legal, Com-10 SEF, Monarch/DL, C5 SEF Custom paper size: Width: 76.2 to 215.9mm, Length: 127 to 355.6mm	
	<b>Duplexer</b>	Manual	
	<b>Page layout options</b>	Portrait or Landscape orientation, Multiple copies, Multi-page printing (N-up), Manual duplex printing (only for Windows and Mac Driver), Poster (only for Windows Driver), Booklet printing (only for Windows Driver), Watermarks (only for Windows Driver), Collate, Rotation	
	<b>Printable area</b>	207.9 mm x 347.6 mm	

<b>Connectivity</b>	<b>Interfaces</b>	USB2.0 High speed supported, 10/100 BASE-T Ethernet, Front USB port
	<b>Wireless</b>	WiFi (b/g/n), WPA2.0 (Personal), WPS 2.0, WiFi Direct
<b>Operating systems</b>	<b>Windows</b>	Microsoft® Windows® 8.1 32bit/64bit Microsoft® Windows® 8 32bit/64bit Microsoft® Windows® 7 32bit/64bit Windows Vista® 32bit/64bit Windows Server 2012 64bit, Windows Server 2012 R2 64bit Windows Server 2008 32bit/64bit, Windows Server 2008 R2 Windows XP 32bit/64bit (Home & Pro) Windows 2003 Server 32bit/64bit
	<b>Macintosh</b>	Apple Mac OS®: 10.6 ~ 10.10
	<b>Others</b>	SUSE Linux Enterprise Desktop 11.3 (32/64 bit) Red Hat Enterprise Linux 6.4 Desktop (32/64bit) Ubuntu 12.04 (32/64 bit)
	<b>Printer dimensions</b> (W x D x H)	410 mm x 398 mm x 353 mm
<b>Physical specifications</b>	<b>Printer weight</b>	16.4 kg (with consumables)
	<b>Shipping dimensions</b> (W x D x H)	561 mm x 549 mm x 520 mm
	<b>Shipping weight</b>	19.4kg
	<b>Operating environment</b>	Temperature: 5°C to 32°C; Relative Humidity: 15% to 85% RH, non-condensing; Altitude: ≤ 3,100 m
	<b>Storage (packaged)</b>	Temperature: 0°C to 35°C (32°F to 95°F); Relative Humidity: 15% to 80% RH; Altitude: ≤ 3,100 m
	<b>Acoustics (Pressure - LpAm) / Power - LwAd)<sup>14</sup></b>	Printing - (mono/colour) 64.5 dB / 6.75 B; Standby - 3.76 dB / 4.06 B
	<b>Voltage</b>	230 vac model - 220 to 240 vac ± 10 %, 50 ± 3 Hz / 60 ± 3 Hz nominal
<b>Power specifications</b>	<b>Power consumption</b>	Printing mode: 280W Standby mode : 40W Power Saver mode (Sleep) : ≤ 10W Power Saver mode (Deep Sleep) : ≤ 2W
	<b>Average power consumption</b>	5A @ 220V-240V
<b>Consumables</b>	<b>Ship-with toner capacity<sup>15</sup></b>	Up to 700 pages (Black); up to 700 pages (Cyan, Magenta, Yellow)
	<b>Toner capacity<sup>15</sup></b>	Up to 2,000 pages (Black); up to 1,400 pages (Cyan Magenta, Yellow)
<b>Product certifications</b>	<b>Safety:</b> EN 60950-1/IEC 60950-1, CE Mark (EU), NOM (Mexico); SABS/ICASA (South Africa) <b>EMC:</b> EN 55022 (Class B); EN55024; EN61000-3-2 (Class A); EN 61000-3-3; R&TTE Directive (EU); UL 60950-1 / CAN/CSA-C22.2 No. 60950-1-07; ICES-003 (Canada), US CFR Title 47, FCC Part 2 and 15 Class B; FDA/DHHS (21CFR, Chapter 1, Subchapter J); GB4943.1, GB9254, GB17625.1 <b>Others:</b> ROHS Compliant <sup>8</sup> , ENERGY STAR <sup>7</sup> , WEEE, ErP Lot 4, Lot 6 and Lot 26, REACH, MEL (Mexico), Blue Angel (Germany), EPEAT Bronze <sup>9</sup>	
<b>Supported languages</b>	English, French, German, Italian, Spanish, Danish, Norwegian, Dutch, Swedish	
<b>Printer management</b>	Dell Printer Hub; Dell ColorTrack 1.0, Standard Printer MIB	
<b>Contents in box</b>	Dell Colour Multifunction Printer - E525w, Software and Documentation CD, Ship-With Black Cartridge (700 page yield <sup>15</sup> ), Ship-With Colour Cartridges (700 page yield <sup>15</sup> ), Power Cord, USB Cable, RJ11 Cable, Setup Guide	

### Available consumables & accessory



E525w series  
Black Toner Cartridge,  
2,000-page yield<sup>15</sup>



E525w series  
Cyan Toner Cartridge,  
1,400-page yield<sup>15</sup>



E525w series  
Magenta Toner Cartridge,  
1,400-page yield<sup>15</sup>



E525w series  
Yellow Toner Cartridge,  
1,400-page yield<sup>15</sup>

1. For wireless printing information, please refer to [www.dell.com/support/wireless\\_printing](http://www.dell.com/support/wireless_printing)
2. Supports Windows 7, 8 and later only.
3. Actual print speed may vary with use. Measured in accordance with ISO/IEC 24734 methodology.
4. Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This number can be used to compare potential workload capabilities of different Dell printers and multifunction printers.
5. AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.
6. The printer and the mobile device must be connected on the same network.
7. For details on energy efficiency of ENERGY STAR® qualified products, refer to: [www.energystar.gov](http://www.energystar.gov).
8. Meets the requirements of the EU RoHS Directive 2011/65/EU on the Restriction of the use of certain Hazardous Substances (RoHS).
9. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.
10. For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).
11. Replacement system or replacement part will be dispatched, if necessary, following phone-based troubleshooting, in advance of receipt of returned defective part or system. Replacements may be refurbished. Defective unit must be returned. Availability varies. Other conditions apply.
12. Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of unit and multiple or extended sessions. If issue is covered by Limited Hardware Warranty and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
13. Availability and terms of Dell Services vary by region. For more information, visit [Dell.com/servicecontracts/global](http://Dell.com/servicecontracts/global). Subject to parts availability, geographical restrictions and terms of service contract. Service timing dependent upon time of day call placed to Dell. Defective unit must be returned.
14. Tested in accordance with ISO 7779 and reported in accordance with ISO 9296. Acoustics - Declared noise emission values of computer and business equipment.
15. Black and colour toner yield based on testing in accordance with ISO/IEC 19752. Yields vary with usage and environmental conditions.

©2015 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks or trademarks of Microsoft Corporation. Android and Google Cloud Print are registered trademarks of Google Inc. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK. Product availability varies by country. Please contact your Dell representative for more information.

Specifications are subject to change without notice. Dell cannot be responsible for errors and omissions in typography or photography.

