



Philips Brilliance
LCD monitor with Pivot
base, USB, Audio

24" (61 cm) P-line

WUXGA

Brilliance

240P2ES



Professional ergonomic display boosts productivity

Large eco-friendly Philips Professional 240P2 display with Smart Ergo Base, Stereo Audio and USB port boosts your productivity

Sustainable Eco-friendly solution

- Energy Star for energy efficiency and low power consumption
- Eco-friendly materials meets major International standards
- EPEAT Silver ensures lower impact on environment

Ergonomic design

- 110mm height adjustment for ideal sitting position
- 90 degree screen rotation and smart cable management
- Tilt and swivel adjustment for an ideal viewing angle

Outstanding display performance

- SmartImage: Optimized user friendly display experience
- SmartContrast: For incredible rich black details
- TrueVision: Laboratory quality display performance

Great convenience

- Built in stereo audio for multimedia experience
- USB port for convenient peripheral connections

PHILIPS
sense and simplicity

LCD monitor with Pivot base, USB, Audio
24" (61 cm) P-line WUXGA

Highlights

Built-in stereo audio

A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

110mm height adjustment

The Super Ergo Base is a 'people friendly' Philips monitor base that tilts, swivels, is height adjustable and Pivots to 90degree, so each user can position the monitor for maximum viewing comfort and efficiency


Screen tilt and swivel

Screen tilt and swivel is a mechanism built into the base permits the monitor to swivel and tilt backward or forward.

ScreenRotate

ScreenRotate makes it possible to use a monitor in either the landscape and portrait mode; to change orientation for a better view of a selected document or image, the monitor is rotated to the desired orientation.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Image,

Entertainment, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

TrueVision



TrueVision is industry-leading, proprietary Philips testing and algorithm technology for monitor adjustment and fine tuning, an extensive process that ensures ultimate display performance in compliance with a standard four-times more stringent than Microsoft's Vista requirements from each and every monitor that leaves the factory - not just a few review samples. Only Philips goes to these lengths to deliver this exacting level of color accuracy and display quality in every new monitor.


EPEAT Silver

Philips EPEAT Silver certified monitors ensure protection for human health and environment, and are highly energy efficient ensuring low emissions of climate changing green house gases. EPEAT program helps purchasers evaluate, compare and select Monitors based on 51 environmental criteria supported by US EPA. EPEAT Silver is valid only where Philips registers

240P2ES/00

the product. Please visit www.epeat.net for registration status in your country.

USB 2.0 port



USB port allows user to conveniently connect their plug and play multimedia devices such as USB memory devices, camera, portable HDD, Web camera, PDA, Printer and many other devices which has USB connection available. The conveniently located USB 2.0 port on the monitor allows USB 2.0 signals to pass thru to the computer. Note that many devices like cameras and HDD may need to be powered On independently, as they have higher power requirements than the monitor USB port can provide

Eco-friendly materials

With sustainability as a strategic driver of its business, Philips is committed to use eco-friendly materials across its new product range. Lead-free materials are used across the range. All body plastic parts, metal chassis parts and packing material uses 100% recyclable material. 50% reduction in mercury content in lamps has been achieved. We strictly adhere to RoHS standards which ensure that all hazardous material is removed, and only environmentally friendly material is used. You can read more about sustainability and Philips @ <http://www.asimpleswitch.com/global/>



Specifications

Picture/Display

- LCD panel type: TFT-LCD
- Panel Size: 24 inch / 61 cm
- Aspect ratio: 16:10
- Optimum resolution: 1920 x 1200 @ 60Hz
- Response time (typical): 5 ms
- Brightness: 300 cd/m²
- SmartContrast: 500,000:1
- Pixel pitch: 0.270 x 0.270 mm
- Viewing angle: 178° (H) / 178° (V), @ C/R > 5
- Picture enhancement: SmartImage
- Display colors: 16.7 M
- Scanning Frequency: 24 -94 kHz (H) / 48 -85 Hz (V)
- sRGB

Connectivity

- Signal Input: VGA (Analog), DVI-D (digital, HDCP)
- USB: USB 2.0 x 1
- Sync Input: Separate Sync, Sync on Green
- Audio In/Out: Stereo Audio

Convenience

- Built-in Audio: 1.5Wx2
- User convenience: SmartImage, Volume, Brightness, Menu, Auto, Power On/Off
- OSD Languages: English, French, German, Italian, Portuguese, Russian, Simplified Chinese, Spanish
- Other convenience: VESA mount (100x100mm), Kensington lock
- Plug & Play Compatibility: DDC/CI, Windows 7/ Vista/XP, Mac OS X, sRGB

Stand

- Height adjustment: 110 mm
- Pivot
- Swivel: -65/65 degree
- Tilt: -5/20 degree

Power

- ECO mode: <30.7 W
- On mode: <34.8 W (EnergyStar 5.0 test method)
- Standby mode: <0.8 W
- Off mode: <0.5 W
- Power LED indicator: Operation - White, Standby mode- White (blinking)
- Power supply: Built-in, 100-240VAC, 50/60Hz

Dimensions

- Product with stand (mm): 559 x 512 x 220 mm
- Product without stand (mm): 559 x 381 x 75 mm
- Packaging in mm (WxHxD): 690 x 456 x 277 mm

Weight

- Product with stand (kg): 7.61 kg
- Product without stand (kg): 5.41 kg
- Product with packaging (kg): 10.30 kg

Operating conditions

- Temperature range (operation): 0°C to 40°C °C
- Temperature Range (storage): -20°C to 60°C °C
- Relative humidity: 20%-80 %
- MTBF: 50,000 hour(s)

Sustainability

- Environmental and energy: RoHS, EPEAT Silver, EnergyStar 5.0
- Recyclable packaging material: 100 %

Compliance and standards

- Regulatory Approvals: BSMI, CE Mark, FCC, Class B, GOST, SEMKO, TCO 5.0, TUV/GS, TUV Ergo, UL/ cUL

Cabinet

- Color: Silver/Black
- Finish: Texture



Issue date 2010-07-15

Version: 3.0.2

12 NC: 8670 000 66041
EAN: 87 12581 55589 4

© 2010 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com