

USB to DVI External Dual or Multi Monitor Video Adapter

Product ID: USB2DVIE2




The USB2DVIE2 USB DVI Multi Monitor External Video Adapter turns an available USB 2.0 port into an external video card DVI port - providing high quality dual-display or multi-monitor capability that can be used in a variety of laptop or desktop applications to increase your productivity.

The device also offers the option of running up to five additional displays simultaneously (using five USB2DVIE2 Multi Monitor External Video Cards). Each connected adapter can be used to further extend the desktop or mirror the image shown on the existing display - all without having to open the computer case to install an additional video card.

Application Diagram







Backed by a StarTech.com 2-year warranty and free lifetime technical support.





Certifications, Reports and Compatibility









Applications

- Add a secondary display adapter and extend your desktop display without taking apart your computer to install a new video card
- Add multiple (up to five) monitors / projectors to your computer setup using one USB2DVIE2 device for each additional display
- View large or multiple spreadsheets across multiple displays
- A compact, lightweight solution for traveling business associates using laptop PCs enabling connection to a secondary display
- Connect multiple monitors to a single computer to create engaging multimedia presentations
- Use the adapter to connect your PC to your television for showing family pictures and movies
- Increase productivity by running multiple applications on different screens, check your email on one display and work on a document in the other
- Great for researchers and writers offering the ability to have reference material on one display and a working document copy on the other

Features

- Optimal performance at 1440x900 (higher resolutions supported) and ideal for use with 17" to 19" monitors or smaller
- Works with desktop and laptop computers
- No power adapter required, easy installation
- Includes easy to use software that allows for screen rotation, multidisplay management and EDID monitor detection for increased compatibility with displays
- Supports the use of DVI to VGA or DVI to HDMI adapters



Data Sheet

| | Warranty | 2 Years |
|---------------------------------|-------------------------------|--|
| Hardware | AV Input | USB 2.0 |
| | AV Output | DVI |
| | Chipset ID | MCT - Trigger 1+ |
| | Memory | 16MB SDRAM |
| | USB Pass-Through | No |
| Performance | General Specifications | This USB video adapter uses a Trigger family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, please avoid using devices with a DisplayLink or Fresco family chipset. |
| | Supported Resolutions | Widescreen(16/32 bit): 1680x1050, 1440x900, 1280x800, 1280x768 |
| | | Standard(16/32 bit): 1600x1200, 1400x1050, 1280x1024, 1280x960, 1152x864, 1024x768, 800x600 |
| Connector(s) | Connector A | 1 - USB Type-A (4 pin) USB 2.0 Male |
| | Connector B | 1 - DVI-I (29 pin) Female |
| Software | OS Compatibility | Windows® 10 (32/64) Windows 8 / 8.1 (32/64) Windows 7(32/64) Windows Vista (32/64) Windows XP (32/64) |
| Special Notes / Requirements | System and Cable Requirements | One available USB 2.0 port |
| Physical Characteristics | Color | Black |
| | Product Height | 0.7 in [18 mm] |
| | Product Length | 3.6 in [91 mm] |
| | Product Weight | 3.8 oz [108 g] |
| | Product Width | 2.1 in [53 mm] |
| Packaging Information | Shipping (Package) Weight | 0.6 lb [0.3 kg] |
| What's in the Box | Included in Package | 1 - USB to DVI Adapter |
| | | 1 - Driver and Software CD |
| | | 1 - Instruction Manual |

Product appearance and specifications are subject to change without notice.