

BE AT THE FOREFRONT OF

BUSINESS WITH HIGH SPEED OUTPUT



THE HL-5450DN IS THE PROFESSIONAL PRINT PARTNER COMBINING
HIGH SPEED OUTPUT WITH ROBUST
RELIABILITY TO MEET YOUR
BUSINESS REQUIREMENTS

Features to optimise your workflow

- High speed output at up to 38ppm
- First page out in less than 8.5 seconds
- Standard total paper capacity of 300 sheets
- Up to 8,000¹ page high yield toner cartridges
- Ethernet network connectivity
- 1,200 x 1,200 dpi resolution
- Standard automatic 2-sided printing with booklet feature

THE HIGH PERFORMANCE PRINTER

Regardless of your business size Brother understands that your business runs on information. The HL-5450DN is packed with a range of easy-to-use, cost effective output solutions that are designed to deliver outstanding results time after time.

PRODUCTIVE

A first page out time of less than 8.5 seconds and an impressive print speed of up to 38ppm ensures large volume print jobs are handled with ease and deadlines are met.

FLEXIBLE

High volume printing requires professional paper handling. The 50 sheet multi-purpose tray offers the flexibility of printing on a range of media types including envelopes and thicker paper. The standard 250 sheet lower tray can be further enhanced by adding the optional 500 sheet lower tray.

COST EFFECTIVE

A range of cost saving features including toner save mode and booklet printing allow significant reductions on print costs. The optional 8,000' page high yield toner cartridge together with the separate drum unit means you can be sure of exceedingly low running costs.



PROFESSIONAL

Thanks to the 1,200 x 1,200 dpi print resolution you'll get sharp crisp text and accurate reproduction of even the finest details on the page. With automatic 2-sided and booklet printing as standard you can produce professional reports and presentations and reduce paper consumption by up to 75%.

INTEGRATED

Wired networked connectivity allows seamless integration into existing office infrastructure.PCL6 and BR-Script3 ready (Postscript®3™ Language Emulation) with support for, barcode printing as standard enables instant compatibility with business critical systems and applications including SAP.

RELIABLE

Capable of handling up to 3,500 pages every month with ease, the HL-5450DN delivers exceptional quality and performance, consistently meeting the needs of the most demanding business environments.

BROTHER'S DEVICE MANAGEMENT SOLUTIONS

The HL-5450DN is compatible with a range of utilities for device administration and management:

- **BRAdmin Professional** A device management utility for remotely monitoring and configuring your printer fleet across multiple locations.
- Remotely diagnose user issues and setup automatic email alerts for instant notification of printer downtime enabling you to solve potential problems before they impact on productivity.
- Web Based Management Manage and configure a single device by creating a direct connection through a standard web browser.
- Central Deployment Deployable printer drivers that can be distributed and then automatically installed to multiple computers from one central location.

DATA SECURITY 1

• Compatible with high level security protocols such as PEAP & MS CHAPv2 enables the HL-5450DN to connect to the most robust network environments, ensuring that your productivity levels are sustained.



HL-5450DN Environmentally Friendly Printing

Our commitment to the environment is brought to life with a range of eco friendly features and the attainment of a range of environmental labels and awards:

- Separate Toner & Drum: Less wastage and reduced print costs.
- Toner Save: The Eco feature uses less toner, which can help you to reduce your print spend.
- 2-Sided, N-in1 & Booklet Print: Reduce paper consumption by up to 75% by printing multiple pages onto a single
- Deep Sleep Mode: Consumes less than 1 watt of power when not in use, which is 9 times less energy when compared to the standard ready mode
- Quiet Mode: Reduces the noise level so the device can be used in intellectual areas as recommended by Blue Angel.

GENERAL

Technology Laser Classification Standard Print Speed (Simplex) 2-Sided Print Speed (Duplex) Warm Up Time First Print Out Time Resolution Processor

Memory Capacity 64MB (expandable up to 320MB using 1 x 144 pin, 16bit DDR2 DIMM)) Hi-Speed USB2.0 Local Interface Ethernet (10Base-T/100Base-TX) Network Interface

Print Languages Embedded Fonts (PCL) Embedded Fonts (PS)

Embedded Barcodes (PCL)

LED Display

66 scalable fonts, 12 bitmap fonts 66 scalable fonts Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128(set A, set B, set C)

Toner LED, drum LED, paper LED, back cover LED

PAPER HANDLING

Paper Input

250 sheet standard paper tray 50 sheet multi-purpose tray

Electrophotographic laser printer

Up to 38ppm (pages per minute) Up to 18ipm (images per minute)

Class 1 laser product (IEC 60825-1:2007)

Less than 1 second (from sleep mode) Less than 8.5 seconds (from ready mode)

1,200 x 1,200dpi, HQ1200 (2,400 x 600dpi quality), 600 x 600dpi

PCL6, BR-Script3 (Postscript®3™ Language Emulation), IBM Proprinter XL & Epson FX-850

500 sheet optional paper tray (maximum of 1) 150 sheets face down

Paper Output 1 sheet face up (straight paper path)

MEDIA SPECIFICATIONS

Media Types & Sizes Media Weights

Standard / Optional Paper Tray - Plain & recycled paper (between 60 - 105 g/m2 (16 - 28 lb)) Multi-Purpose Tray - Plain, recycled & bond paper (between 60 - 163g/m2 (16 to 43lb)) Standard / Optional Paper Tray - A4, Letter, B5(ISO/JIS), A5, A5(Long Edge), B6(ISO), A6, Executive, Legal, Folio (A4 only supported in automatic duplex print mode) Multi-Purpose Tray - Width: 76.2mm to 215.9mm (3" to 8.5") x Length: Multi-Purpose riay - who is 7 section (2 to 14")")

Yes, from Multi-Purpose (MP) Tray (accuracy & reliability will depend on the quality &

Envelope & Label Printing

type of media used)

SUPPORTED OPERATING SYSTEMS

Windows 7^{\otimes} (32 & 64 bit editions), Windows Vista $^{\otimes}$ (32 & 64 bit editions), Windows $^{\otimes}$ XP Professional (32 & 64 bit editions), Windows $^{\otimes}$ XP Home Windows[®]

Edition, Windows® Server 2008R2, Windows® Server 2008 (32 & 64 bit editions), Windows® Server 2003 (32 & 64 bit editions)

Mac OS X 10.5.8, 10.6.x, 10.7.x CUPS, LPD/LPRng (x86/x64 environment) Macintosh Linux

MOBILE PRINTING

Google Cloud Print

iPrint&Scan

Print JPG & PDF files from a Microsoft®, Apple® or Android® smart phone / tablet (Microsoft[®] is JPG only)
Print most common file types from any Google Cloud Print[®] enabled application

PRINTER DRIVER FUNCTIONS

N-up Printing² Poster Printing³ Watermark Printing³ Macro Printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages Watermark your documents with predefined text or with your own user-defined messages

Create & embed custom templates, for example a company logo, which

ID Printing³

create a embed custom reinjanes, for example a company logo, which automatically prints on all of your printed documents. Add identification to your printed documents and identification to your printed documents. Of the strength of the st Booklet Printing³ Quite Mode

Skip Blank Page³ Ignores any pages blank pages in your documents Print the last document that was sent to the machine **NETWORK UTILITIES / PROTOCOLS** Web Based Management

Driver Deployment Wizard BRAdmin Professional Print Log to Network

F-mail Notifications

IPv4 Supported Protocols

IPv6 Supported Protocols

Web browser based management software

A quick & easy way to deploy Brother printer drivers on a networked Windows® PC For LAN / WAN management (Downloadable from http://solutions.brother.com) Records printing activities from individual users

Automatic alerts sent via e-mail when the device needs attention, e.g. toner low TCP/IP (IPv4 & IPv6)

ARP, BARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPP/LPD, Custom Raw Port/Port9100, IPP/ IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTP client NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client,

SECURITY FEATURES

Security Protocols

Secure Function Lock v2 Secure Printing with SSL

IP Filter

802.1x (Wired Network Access Control)

APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3, Kerberos, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)

Restrict print activities to selected users and assign optional page limits IPP based encryption, already widely used in e-commerce to protect financial &

sensitive information IP address based access restriction (IPv4 only)

Supported Protocols - EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS

SUPPLIES / ACCESSORIES

In-box Toner Standard Toner High Yield Toner Drum Optional Lower Trav Approx. 3,000 pages¹
TN-3330 - Approx. 3,000 pages¹
TN-3380 - Approx. 8,000 pages¹
DR-3300 - Approx. 30,000 pages (one job per page)

499(w) x 478(d) x 380(h) mm / 12.4kg

LT-5400 - Up to 500 sheets



WEIGHTS & DIMENSIONS

371(w) x 384(d) x 245(h) mm / 10.5kg

Without Carton

ENVIRONMENT

Typical Electrical Consumption Power Consumption Sound Pressure Sound Power Power Save

1.93kWh / week 700W active, 4.8W ready, 0.5W deep sleen

59dBA active, 54dBA quiet mode, 34dBA ready 6.79BA active, 6.4BA quiet mode, 4.7BA ready Consume less energy when not in use Reduces toner usage







DUTY CYCLE

Toner Save

Recommended Monthly Maximum Monthly Volume 500 to 3,500 pages 50.000 pages

Declared yield value in accordance with ISO/IEC19752, Windows® & Mac® only, Windows® only, 4 Maximum number of printed pages per month and can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.



Reprint³



Brother International Europe Ltd

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE Tel:+44(0)161-330 6531 Fax:+44(0)161-330 5520

Website: www.brother.com

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companie