


### Overview

---



---

### Models

DG954A

---

### Introduction

The HP 4-port USB 2.0 Hub expands the number of hubs on your computer. It allows you to connect up to 4 USB devices simultaneously with true plug and play connectivity. You can add or remove devices such as mice, keyboards and digital drives at any time - no need to power down or restart your computer. The hub is self-powered and provides sufficient power for cascading devices. By connecting devices using additional hubs, you can connect up to 127 USB devices to a single port on this hub. The HP 4-port USB hub transfers data at a rate of 480-Mbps to each port instead of sharing the bandwidth across the 4 ports. This hub is backwards compatible with USB 1.1-compliant computers.

**NOTE:** The supplied AC power adapter must be used at all times during hub operation. The hub will not function without the AC power adapter.

---

### Key Benefits

- Works with all USB 2.0 and USB 1.1 devices
  - Transfers data at up to 480-Mbps for USB 2.0 devices
  - Acts as a port replicator to help connect USB devices like mice, keyboard, iPAQ cradles, digital drives etc.
  - Supports "hot-swapping" of USB devices
- 

### Compatibility

The HP 4-port USB 2.0 Hub is compatible with all desktop, notebook and docking products.

**NOTE:** Not all models are available in all regions.

---

### Overview

### Service and Support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option.

**NOTE:** [Certain restrictions and exclusions apply.](#)

4-port USB 2.0 Hub Option Service Spares Kit

353053-001

### Technical Specifications

<b>Dimensions (H x L x W)</b>	6 x 4 x 4 in (15.24 x 10.16 x 10.16 cm)	
<b>Weight</b>	0.079 lb (36 g)	
<b>System requirements</b>	Windows® 2000, Windows XP Home and Windows XP Professional Available USB port	
<b>Ports</b>	<b>Upstream</b>	1
	<b>Downstream</b>	4
<b>Environmental Design</b>	<b>Operating Temperature</b>	41° to 140° F (5° to 60° C)
	<b>Storage Temperature</b>	-4° to 140° F (-20° to 60° C)
<b>Power Supply</b>	<b>Output</b>	5V 3A
	<b>Per-port Voltage</b>	DC +5V
	<b>Per-port Current</b>	500 mA (max)
	<b>Mode</b>	Self-powered
<b>Option Kit Contents</b>	HP 4-port USB 2.0 Hub, 3-ft high-speed USB 2.0 cable, AC power adapter, documentation CD	

© Copyright 2008 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

Windows is a US registered trademark of Microsoft Corporation.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.