

Overview

HP 78XL Ink Cartridge, tri-color

Clear, vivid color images every time you print. Patented, dye-based HP color inks and ink cartridge technology are designed together with the printer to make professional-quality printing easy and reliable for an excellent value.

Outstanding color

Patented, dye-based color HP ink formulations for clear, vivid images every time you print

Easy to use and maintain

Simple to install and easy to replace for low maintenance, trouble-free printing

HP reliability delivers value

The HP 78 was 50 times more reliable, on average, than the leading remanufactured brands tested[1]

[1] 2003 Inkjet Cartridge Reliability Comparison Study test results provided by QualityLogic, Inc., and commissioned by HP. Tests were performed under laboratory conditions and actual performance may vary. See http://www.hp.com/go/suppliesreliability for full details.

Specifications

Ink types	Dye-based
Color(s) of printing supplies	Tri-color
Print Technology	Ink
Supply type	Cartridges
Ink drop	5 pl
Print head nozzles	408
Print cartridge volume delivered	38 ml
Operating temperature range	-15 to 35°C
Storage temperature range	-40 to 60°C
Print Resolution Technologies	TIJ 2.5
Compatibility	HP Deskjet 920, 930, 932, 935, 940, 948, 950, 952, 955, 959, 960, 970, 980, 990, 995, 1180, 1220, 3810, 3816, 3820, 3822, 6122, 6127, and 9300 Printers, HP Photosmart p1000, p1100, 1115, 1215, 1218, and 1315 Printers, HP Color Copier 180, 190, 280, and 290, Inkjet Fax 1220, HP Digital Copier 310, PSC 720, 750, 760, 920, and 950, and HP Officejet g55, g85, g95, k60, k80, v30, v40 and v45
Product count per unit	1
Case or master carton quantity	24
Quantity per pallet	2592
Count of carton in pallet	108
UPC number	(140) 88698993033
Pallet barcode	(140) 30088698993034
Minimum dimensions (W x D x H)	118.36 x 41.15 x 157.23 mm
Minimum dimensions (W x D x H)	4.66 x 1.62 x 6.19 in
Package dimensions (W x D x H)	118.36 x 41.15 x 157.23 mm
Package dimensions (W x D x H)	4.66 x 1.62 x 6.19 in
Case or master carton dimensions (W x D x H)	375.92 x 248.92 x 198.12 mm
Case dimensions (case or master carton)	14.8 x 9.8 x 7.8 in
Pallet dimensions (W x D x H)	1016 x 1219.2 x 1910.08 mm
Pallet dimensions	40 x 48 x 75.2 in
Case weight (case or master carton)	4.54 kg
Package weight	0.2 kg
Package weight	0.44 lb

Pallet weight	629.59 kg
Pallet weight	1388 lb
Page Yield	1200
What's in the box	Ink cartridge
Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

Additional specifications

Coutuid on Colour	Tui salan
Cartridge Colors	Tri-color
Case weight (case or master carton, imperial)	10 lb
Count of cartons per pallet layer	12
Count of layers in pallet	9
Country of origin	Made in Singapore
Customer segment	Color for effectiveness
Inner pack ITF-14 unit code	(140) 20088698993037
Operating temperature range	5 to 95°F
Package count	1
Page yield (color)	~1,200 pages
Page yield footnote	Tested in HP Deskjet 930c Printer. Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
Print technology	HP Thermal Inkjet
Product subgroup	High Capacity Ink Cartridges
Quantity per box	4
Recycled material content	60%
Selectability	78
Smaller master carton barcode	(140) 10088698993030
Stacking number for pallet	1
Storage temperature range	-40 to 140°F
Subgroup	High Capacity Cartridges
UNSPSC code	44103105
Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site http://www.hp.com/support for a list of support phone numbers and conditions or return to your point of purchase.

Generated by Dynamic Collateral Tool – (ww-en) – Jun 19, 2018 7:29 AM UTC+0000