



4XEM's 3-in-1 USB-C Docking Station with 4K HDMI and USB 3.0

4XEM Part- 4XUSBCHUB01



4XEM's 3-in-1 USB-C Docking station creates a high functioning centre for any tech space. Fitted with an HDMI port, USB 3.0 port with USB-C connectors this Docking station is a premier central hub for multiple devices. The station offers the ability to charge with the USB 3.0 Power delivery while simultaneously connect HDMI monitors with 4K video resolution.

**Problem it solves:** Complete multiple functions with 4XEM's 3-in-1 USB-C Docking Station. The Docking Station enables charging and transferring with USB-C and USB power delivery, it also allows you to connect 4K HDMI monitors with only one device.

**4XEM Products Are Available At Your Favorite Online Retailers** 

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





## **Features**

- USB-C connector and port
- HDMI port
- USB power delivery port
- Supports resolution up to 4K
- Transfers data at 5Gbps
- Supports Mac OS, Windows

## **Application**

- Home
- Office
- Networks
- Charging
- Transferring

4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



## **DATA SHEET**

Warranty Information Warranty 3 Years

Hardware Yes 4K Support Nο Fast-Charge Port(s)

Displays Supported Interface **USB 3.0** USB-C Bus Type **HDMI 1.3** Industry Standards USB 3.0

Power Delivery (PD 3.0)

Chipset ID Parade - PS176

Host Connector USB Type-C (5Gbps) Connector(s) Host Connector Type Fixed Attached Cable

1x HDMI 1.3 (10.2 Gbps) Connector Type(s)/Rate(s) 1x USB 3.0 Type-A (5 Gbps)

1x USB Type-C (For Power Delivery Input Only)

3840 x 2160 @ 30Hz Performance Maximum Digital Resolutions

Windows® 10 Software OS Compatibility Mac OS® 11

**Bus Powered** 

Power Source PD Pass-Through - Max 100W Power Delivery

**Physical Characteristics** Weight of Product 1.55 oz [44 g] Grey, White Color

Aluminum, Plastic, PVC Material Cable Length 2.95 in [75.0 mm] Product Height 0.60 in [15.3 mm] Product Width 2.93 in [74.3 mm]

1.29 in [38.2 mm] (incl cable - 6.07 in [154.2 mm]) Product Length

Packaging Information Shipping (Package) Weight 1.83 oz [52 g]

9.84 in [250.0 mm] Package Height 5.02 in [127.4 mm] Package Width Package Length 0.61 in [15.5 mm]

What's in the Box Included in Package 1x USB-C Hub

A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support USB Power Delivery and DP alt mode) Notes

Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery and DP alt mode.

Optional: USB-C power adapter (for example, your laptop's USB-C based power adapter)

The adapter can connect to a host laptop's USB-C port that doesn't support USB Power Delivery 2.0. However, in this configuration if a power adapter is connected to the multifunction adapter, it will not pass power through to your host laptop.

A 4K-capable display is required to achieve 3840 x 2160p resolution (4K is also known as 4K x 2K)

USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps.

Your laptop might have specific charging requirements. For example, if your laptop requires exactly 60W of power and an adapter consumes some of the 60W, your

laptop might not recognize that it is getting enough power. For more information about Power Delivery, refer to the manufacturer of your hardware.

## 4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Power

**Contact Todd Schaus 4XEM sales Rep** 1-866-999-4936 Ext.104 tschaus@4xem.com



<sup>\*</sup> Product appearance and specifications are subject to change without notice

<sup>\*</sup> Same day shipping is only available for orders shipping within the United States