

# MSRP Price List

**RICOH**  
imagine. change.

**Suggested Retail Price List**

July 2016

## B&W & COLOR PRINTERS | PROJECTORS



## B&W & COLOR MFP'S | UCS & IWB

**1-800-RICOH-43 (1-800-742-6443)**

**[www.ricoh-usa.com](http://www.ricoh-usa.com)**

# Table of Contents

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

### Black & White Printers

SP 213Nw.....	1
SP 311DNw.....	2
SP 3500N/SP 3510DN.....	3
SP 3600DN.....	4
SP 4510DN.....	5
SP 6430DN.....	6
SP 5200DN/SP 5210DN.....	7
SP 8300DN.....	8

### Color Printers

SG 3110DNw.....	9
SP C250DN.....	10
SP C252DN.....	11
SP C320DN.....	12
SP C435DN.....	13
SP C440DN.....	14
SP C830DN/SP C831DN.....	15

### Multifunction Printers

Color	
SG 3100SNw/SG 3110SFNw.....	16
SP C250SF.....	17
SP C252SF.....	18
Black & White	
SP 213SNw.....	19
SP 213SFNw.....	20
SP 311SFNw.....	21
SP 3500SF/SP 3510SF.....	22
SP 3600SF/SP 3610SF.....	23
SP 4510SF.....	24
SP 5200S/SP 5210SF.....	25
MP 501SPF/MP 601SPF.....	26

### TAA Compliant Products

Black & White Multifunction	
SP 5200SG/SP 5210SFG/SP 5210SRG.....	27

### Healthcare Optimized Printers

Black & White	
SP 5210DNHW/SP 5210DNHT.....	28
Black & White Multifunction	
SP 5200SHW/SP 5200SHT.....	29
SP 5210SFHW/SP 5210SFHT.....	30
<b>Minimum Advertised Price (MAP) &amp; Guidelines</b> .....	31
<b>Warranty</b> .....	32

### Projectors/UCS/IWB

PJ WXC1110.....	33
PJ S2340.....	34
PJ X2340.....	35
PJ WX2240.....	36
PJ X3351N.....	37
PJ WX3351N.....	38
PJ X4241N.....	39
PJ WX4241N.....	40
PJ XL4540.....	41
PJ WXL4540.....	42
PJ WX4152N/PJ WX4152NI.....	43
PJ X5460.....	44
PJ WX5460.....	45
PJ HD5450.....	46
PJ HDC5420.....	47
PJ X5371N.....	48
PJ WX5361N.....	49
PJ WU5570.....	50
PJ X6180N.....	51
PJ WX6181N.....	52
PJ WU6181N.....	53
PJ X6180N/PJ WX6181N/PJ WU6181N Lens Specifications.....	54
PJ WXL6280/PJ WUL6280.....	55
PJ KU12000.....	56
UCS P3500.....	57
D5510.....	58
D6500.....	59
<b>Projectors/UCS/IWB Minimum Advertised Price (MAP) &amp; Guidelines</b> .....	60
<b>Projectors/UCS/IWB Warranty</b> .....	61
<b>MSRP Price List Update Log</b> .....	62

# SP 213Nw

## Black & White Printers

### RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 213Nw	(1)	407587	\$145

(1) Ricoh SP 213Nw 23-ppm Black & White Desktop Laser Printer provides print only capability. Ships with standard/maximum 128 MB RAM. Standard 150-Sheet Paper Tray plus 1-sheet Bypass Tray; embedded Wi-Fi.



Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 201LA	1,500*	407259	\$64.99
All-In-One Black Print Cartridge SP 201HA	2,600*	407258	\$82

The Ricoh SP 213Nw ships with a starter All-In-One print cartridge yielding approximately 700 pages.

\*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.

SP 213Nw	
Compact, worry-free Wi-Fi laser printing	
Description	Black & White Desktop Laser Printer
Order Number	407587
Print Speed	23-ppm black & white
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 600 dpi
CPU Speed	360 MHz
Standard Memory	128 MB
Maximum Memory	128 MB
Print Languages	PCL 6
Connectivity Standard	High-speed USB 2.0 Type B, 10/100BASE-TX Ethernet, IEEE 802.11b/g/n Wireless LAN (Ad Hoc and infrastructure modes)
Connectivity Option	Not available
Duty Cycle	Up to 20,000 pages/month
Input Capacity Std.	150-Sheet Paper Tray + 1-Sheet Bypass Tray
Input Capacity Max.	151 sheets
Media Type	Plain, Recycled, Thin, Thick
Duplexing	Manual
Dimensions (WxDxH)	15.8" x 14.2" x 6.5" (402 x 360 x 165 mm)
Weight	15.8 lb. (7.2 kg) (includes AIO)
Optional Finishing	Not available
ENERGY STAR	N/A

#### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 213Nw 1-Year Advanced Exchange Extended Warranty	008030MIU-PS1	\$99
Ricoh SP 213Nw 2-Year Advanced Exchange Extended Warranty	008031MIU-PS1	\$178

# SP 311DNw

## Black & White Printers

### RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 311DNw	(1)	407234	\$200

(1) Ricoh SP 311DNw 30-ppm Black & White Desktop Laser Printer provides print only capability. Ships with standard/maximum 128 MB RAM. Integrated duplex; 250-Sheet Paper Tray; 50-Sheet Bypass Tray; Wi-Fi connectivity.



Consumables	Yield	Part No	SRP
All-In-One Print Cartridge SP 311HA	3,500*	407245	\$106.50

The Ricoh SP 311DNw ships with a starter All-In-One print cartridge yielding approximately 1,000 pages.

\*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.

SP 311DNw	
The Convenience of Wi-Fi, The Simplicity of AIO Printing Technology	
Description	Black & White Desktop Laser Printer
Order Number	407234
Print Speed	30-ppm black & white
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 600 dpi
CPU Speed	360 MHz
Standard Memory	128 MB
Maximum Memory	128 MB
Print Languages	PCL 6, PCL 5e*
Connectivity Standard	High-speed USB 2.0 Type B, 10/100BASE-TX Ethernet, IEEE 802.11 b/g/n Wireless LAN (Ad Hoc and infrastructure modes)
Connectivity Option	Not available
Duty Cycle	Up to 20,000 pages/month
Input Capacity Std.	250-Sheet Tray x 1 + 50-Sheet Bypass
Input Capacity Max.	300 sheets
Media Type	<b>Standard Tray:</b> Thin, Thick, Plain, & Recycled papers <b>Bypass Tray:</b> Thin, Thick, Plain, & Recycled papers plus Labels and Envelopes (Com10, Monarch, C5, C6, and DL Envelopes)
Duplexing	Standard
Dimensions (WxDxH)	14.6" x 15.5" x 10.4" (370 x 392 x 262 mm)
Weight	28 lb. (12.7 kg) (including Starter AIO)
Optional Finishing	Not available
ENERGY STAR	N/A

\*PCL 5e does not ship with the product, but the controller can receive PCL 5e data from the host PC.

#### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 311DNw 1-Year Advanced Exchange Extended Warranty	007195MIU-PS1	\$76
Ricoh SP 311DNw 2-Year Advanced Exchange Extended Warranty	007196MIU-PS1	\$124

# SP 3500N/SP 3510DN

Black & White  
Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 3500N	(1)	406957	\$239
Ricoh SP 3510DN	(2)	406962	\$299

(1) Ricoh SP 3500N 30-ppm Black & White Desktop Laser Printer is user/service installable. Ships with standard/maximum 64 MB RAM, 250-Sheet Paper Tray, 50-Sheet Bypass Tray.

(2) Ricoh SP 3510DN 30-ppm Black & White Desktop Laser Printer is user/service installable with duplex printing/copying (copying is from 1-sided documents to 2 sided). Ships with standard/maximum 64 MB RAM, 250-Sheet Paper Tray, 50-Sheet Bypass Tray. Same as the SP 3500N but with duplex printing/copying.

Optional Accessories	Notes	Part No	SRP
250-Sheet Paper Feed Unit TK1080	(3)	406496	\$149
SX-2500CG Wireless Adapter	(4)	100118FNG	\$179

(3) User/Service Installable. 250-Sheet Optional Paper Tray. Only one additional tray can be installed. Letter or Legal size paper.

(4) IEEE 802.11b/g Wireless Adapter replaces the Network Interface Board that comes with the printer. Cannot use both.

Consumables	Yield	Part No	SRP
All-In-One Print Cartridge SP 3500XA	6,400*	406989	\$139
All-In-One Print Cartridge SP 3400LA	2,500*	406464	\$86

The Ricoh SP 3500N and SP 3510DN ships with a starter All-In-One toner cartridge yielding approximately 1,500 pages. Note: Replacement cartridge yield: 2,500 or 6,400 page cartridge yield available.

\*Declared yield value in accordance with ISO/IEC 19752.

The above high yield toner is new and is shared with other currently launching models (SP 3500SF/SP 3510SF) ONLY. All new supply items are marked as "New" under the EDP/Order Code, unmarked items are existing. The above low yield toner is shared with the following pre-existing models: SP 3400N/SP 3410DN, the high yield toner will not work with these models.



	SP 3500N	SP 3510DN
	<b>Affordable Network Laser Printer</b>	
Description	Black & White Desktop Laser Printer	
Order Number	406957	406962
Print Speed	30-ppm black & white	
Maximum Paper Size	8.5" x 14"	
Maximum Resolution	True 1,200 x 1,200 dpi output (@ 50% productivity)	
CPU Speed	295 MHz	
Standard Memory	64 MB	
Maximum Memory	64 MB	
Print Languages	PCL 6, PostScript 3 emulation	
Connectivity Standard	High-Speed USB 2.0, 10/100BASE-TX Ethernet	
Connectivity Option	Not available	
Duty Cycle	Up to 35,000 pages/month	
Input Capacity Std.	250-Sheet* Tray + 50-Sheet* Bypass Tray	
Input Capacity Max.	550 sheets	
Media Type	Standard Tray: Plain Paper, Recycled Paper, Cardstock Bypass Tray: Plain Paper, Recycled Paper, Envelopes, Cardstock, Labels	
Duplexing	Manual	Automatic
Dimensions (WxDxH)	14.57" x 15.43" x 10.41" (370 x 392 x 262 mm)	
Weight	25.8 lb. (11.7 kg) (including consumables)	28 lb. (12.7 kg) (including consumables)
Optional Finishing	Not available	
ENERGY STAR	N/A	

\*Using 20 lb. Bond paper.

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 3500N/SP 3510DN 1-Year Advanced Exchange Extended Warranty	007066MIU-PS1	\$74
Ricoh SP 3500N/SP 3510DN 2-Year Advanced Exchange Extended Warranty	007067MIU-PS1	\$121

# SP 3600DN

Black & White  
Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 3600DN	(1)	407314	\$355

(1) Ricoh SP 3600DN 31-PPM Black & White Desktop LED Printer. Main unit includes a 4-line LCD Panel, 250-Sheet Paper Tray, 100-Sheet Bypass Tray, 256 MB RAM and integrated Duplex. Genuine Adobe® PostScript® 3™, Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 1,500 prints (ISO/IEC 19752).

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit PB1060	(2), (3), (4)	407230	\$169
Paper Feed Unit PB1070	(2), (3), (5)	407229	\$305
Adjustable Height Cabinet Type G	(6)	161200	\$235

(2) A maximum of One (1) Optional Paper Feed Units may be added for a maximum paper capacity of 850 sheets, including the Standard Paper Tray and Bypass Tray.

(3) Supports paper sizes up to 8.5" x 14" and paper weights up to 43 lb. Bond/90 lb. Index.

(4) 250-Sheet Paper Feed Unit.

(5) 500-Sheet Paper Feed Unit.

(6) Raises the system to an optimal height for floor placement. This versatile cabinet is adjustable and supports all approved Main Unit/Paper Tray configurations. Provides added storage for paper and extra supplies.

Consumables	Yield	Part No	SRP
Print Cartridge SP 4500A	6,000*	407319	\$78
Print Cartridge SP 4500LA	3,000*	407321	\$63
Photoconductor Unit SP 4500	20,000	407324	\$62
Maintenance Kit SP 3600	120,000	407327	\$299

The Ricoh SP 3600DN ships with a Starter Toner cartridge yielding approximately 1,500 pages.

\*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.



SP 3600DN	
Superior Image Quality LED Printing for Small Workgroups	
Description	Black & White Desktop LED Printer
Order Number	407314
Print Speed	31-ppm black & white
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 1,200 dpi
CPU Speed	500 MHz
Standard Memory	256 MB
Maximum Memory	256 MB
Print Languages	PCL 5e, PCL 6, Genuine Adobe® PostScript® 3™
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet
Connectivity Option	Not Available
Duty Cycle	50,000 pages
Input Capacity Std.	250-Sheet Paper Tray + 100-Sheet Bypass Tray
Input Capacity Max.	850 sheets
Media Type	Plain, Recycled, Thick, OHP (Transparency), Letterhead, Preprinted, Labels, Envelopes
Duplexing	Standard
Dimensions (WxDxH)	14.6" x 15.4" x 10.5" (370 x 392 x 268 mm)
Weight	32 lb. (14.5 kg)
Optional Finishing	Not Available
ENERGY STAR	2.0

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 3600DN On-Site Installation	008045MIU-PS1	\$125
Ricoh SP 3600DN 1-Year Advanced Exchange Extended Warranty	008046MIU-PS1	\$75
Ricoh SP 3600DN 2-Year Advanced Exchange Extended Warranty	008047MIU-PS1	\$145
Ricoh SP 3600DN 3-Year Advanced Exchange Extended Warranty	008048MIU-PS1	\$215

# SP 4510DN

Black & White  
Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh SP 4510DN	(1)	407311	\$725

(1) Ricoh SP 4510DN 42-ppm A4 Black & White Desktop LED Printer. Main unit includes a 4-line LCD Panel, 500-Sheet Paper Tray, 100-Sheet Bypass Tray, 512 MB RAM and integrated Duplex. Genuine Adobe® PostScript® 3™, Gigabit Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 6,000 prints (ISO/IEC 19752).

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit PB1060	(2), (3), (4)	407230	\$169
Paper Feed Unit PB1070	(2), (3), (5)	407229	\$305
Adjustable Height Cabinet Type G	(6)	161200	\$235
IEEE 1284 Interface Board Type A	(7), (8)	411699	\$134
IEEE 802.11 Interface Unit Type O	(7), (9)	407113	\$400
Hard Disk Drive Option Type P1	(10)	MX407348RA	\$300
Memory Unit Type N 1.0 GB	(11)	007150MIU	\$300
XPS Direct Print Option Type P1	(12)	407351	\$95
VM Card Type W	(13)	407218	\$109
IPDS Unit Type P1	(14)	407349	\$570

(2) A maximum of two (2) Optional Paper Feed Units may be added for a maximum paper capacity of 1,600 sheets including the standard Paper Tray and Bypass Tray.

(3) Supports paper sizes up to 8.5" x 14" and paper weights up to 43 lb Bond/90 lb Index.

(4) 250-Sheet Paper Feed Unit.

(5) 500-Sheet Paper Feed Unit.

(6) Raises the system to an optimal height for floor placement. This versatile cabinet is adjustable and supports all approved Main Unit/Paper Tray configurations. Provides added storage for paper and extra supplies.

(7) One open interface board slot is available. Wireless LAN or Parallel Interface may be installed.

(8) For environments that require Parallel connectivity.

(9) This option allows you to connect the device to an IEEE 802.11 a/b/g/n Wireless LAN.

(10) The Hard Disk Drive (HDD) transforms the Printer into an information portal. The HDD is required for Locked/Hold/Store Print. Data Overwrite and HDD Encryption are available when the HDD is installed.

(11) Increases the memory to 1.5 GB and enables extended features.

(12) This option enables direct printing of XPS format documents.

(13) The VM Card enables the installation of embedded software applications. HDD and additional Memory must also be installed.

(14) For use in AS/400 environments. Additional Memory and Hard Disk Drive required.

Consumables	Yield	Part No	SRP
Print Cartridge SP 4500HA	12,000*	407316	\$95
Print Cartridge SP 4500A	6,000*	407319	\$78
Print Cartridge SP 4500LA	3,000*	407321	\$63
Photoconductor Unit SP 4500	20,000	407324	\$62
Maintenance Kit SP 4500	120,000	407329	\$299

The Ricoh SP 4510DN ships with a starter toner that yields approximately 6,000 prints (ISO/IEC 19752).

\*Declared yield values in accordance with ISO/IEC 19752. Actual yields may vary based on images printed and other factors.

SP 4510DN	
High Speed/High Image Quality Printing for Busy Workgroups	
Description	Black & White Desktop LED Printer
Order Number	407311
Print Speed	42-ppm black & white
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 1,200 dpi
CPU Speed	533 MHz
Standard Memory	512 MB
Maximum Memory	1 GB
Print Languages	Standard: PCL 5e, PCL 6, Genuine Adobe® PostScript® 3™, PDF Direct Print Optional: XPS, IPDS
Connectivity Standard	10/100/1000BASE-TX Gigabit Ethernet, USB 2.0 Hi-Speed Type B, Dual Rear USB 2.0 Host Type A ports
Connectivity Option	IEEE 802.11a/b/g/n Wireless LAN, IEEE 1284/ECP Parallel Interface
Duty Cycle	Up to 150,000 pages/month
Input Capacity Std.	500-Sheet Paper Tray + 100-Sheet Bypass Tray
Input Capacity Max.	1,600 sheets
Media Type	Plain, Recycled, Thick, OHP (Transparency), Letterhead, Preprinted and Envelopes
Duplexing	Standard
Dimensions (WxDxH)	14.6" x 15.4" x 12" (370 x 392 x 306 mm)
Weight	34.2 lb. (15.5kg)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 4510DN On-Site Installation	008037MIU-PS1	\$210
Ricoh SP 4510DN 1-Year On-Site Service Extended Warranty	008038MIU-PS1	\$95
Ricoh SP 4510DN 2-Year On-Site Service Extended Warranty	008039MIU-PS1	\$175
Ricoh SP 4510DN 3-Year On-Site Service Extended Warranty	008040MIU-PS1	\$255

# SP 6430DN

Black & White  
Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh SP 6430DN	(1)	407482	\$1,729

(1) Ricoh SP 6430DN 38-ppm A3 Black & White Desktop LED Printer. Mainframe includes a 4-Line LCD Panel, 500-Sheet Paper Tray, 100-Sheet Bypass Tray, 512 MB RAM, and integrated Duplex. Genuine Adobe® PostScript® 3™, Gigabit Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 6,000 prints (ISO/IEC 19752).

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK2010	(2)	407489	\$449
Adjustable Height Cabinet Type D	(3)	52401	\$225
Memory Unit Type N 1.0 GB	(4)	007150MIU	\$300
Hard Disk Drive Option Type P4	(5)	MX40750ORA	\$419
IEEE 1284 Interface Board Type A	(6), (7)	411699	\$134
IEEE 802.11 Interface Unit Type O	(6), (8)	407113	\$400
VM Card Type W	(9)	407218	\$109
XPS Direct Print Option Type P4	(10)	407506	\$95
USB Device Server Option Type M12	(6), (11)	417084	\$270

(2) 500 sheet capacity. Up to 3 TK2010 Paper Feed Units can be installed for a maximum paper capacity of 2,100 sheets including the standard Paper Tray and Bypass Tray.

(3) Raises the system to an optimal height for floor placement. This versatile cabinet is adjustable and supports all approved main unit/paper tray configurations. Provides storage for paper and replacement supplies.

(4) One Memory slot is available. Replace the standard 512 MB DIMM with the 1 GB Memory DIMM to enable extended features (ie: "Rotate Printing").

(5) The Hard Disk Drive (HDD) transforms the printer into an information hub. The HDD is required for Locked/Hold/Store Print, Data Overwrite and HDD Encryption are available when the HDD is installed.

(6) One open interface board slot is available. Parallel Interface, Wireless LAN or USB Device Server may be installed. Only one of these additional connectivity options can be installed on the printer.

(7) For environments that require parallel connectivity.

(8) This option allows you to connect the device to an IEEE 802.11 a/b/g/n Wireless LAN.

(9) The VM Card enables the installation of embedded Java based software applications. The HDD and 1 GB memory must be installed.

(10) This option enables direct printing of XPS format documents.

(11) This option can hold an additional IP address which allows the printer to reside on two networks simultaneously.

Consumables	Notes	Yield	Part No	SRP
Print Cartridge SP 6430A		10,000*	407507	\$89
Drum Unit SP 6430		25,000	407511	\$139
Maintenance Kit Type SP 6430	(12)	90,000	407512	\$225

(12) Maintenance Kit consists of the Fusing Unit and Transfer Roller.

The Ricoh SP 6430DN ships with a starter toner cartridge that yields approximately 6,000 prints (ISO/IEC 19752).

\*Declared yield value in accordance with ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.

SP 6430DN	
11" x 17" Desktop Printing	
Description	Black & White Desktop LED Printer
Order Number	407482
Print Speed	38-ppm black & white
Maximum Paper Size	11" x 17"
Maximum Resolution	1,200 x 1,200 dpi
CPU Speed	533 MHz
Standard Memory	512 MB
Maximum Memory	1 GB
Print Languages	Standard: PCL 5e, PCL 6, Genuine Adobe® PostScript® 3™, PDF Direct Print Optional: XPS
Connectivity Standard	10/100/1000BASE-TX Gigabit Ethernet, USB 2.0 Hi-Speed Type B, Dual Rear USB 2.0 Host Type A Ports
Connectivity Option	IEEE 802.11a/b/g/n Wireless LAN, IEEE 1284/ECP Parallel Interface, USB Device Server Type M12
Duty Cycle	Up to 150,000 pages/month
Input Capacity Std.	500-Sheet Paper Tray + 100-Sheet Bypass Tray
Input Capacity Max.	2,100 sheets
Media Type	Plain, Recycled, Thick, OHP (Transparency), Letterhead, Preprinted, and Envelopes
Duplexing	Standard
Dimensions (WxDxH)	18.1" x 15.4" x 13.7" (459 x 392 x 348 mm)
Weight	46.3 lb. (21 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 6430DN On-Site Installation	008063MIU-PS1	\$159
Ricoh SP 6430DN 1-Year On-Site Service Extended Warranty	008064MIU-PS1	\$139
Ricoh SP 6430DN 2-Year On-Site Service Extended Warranty	008065MIU-PS1	\$249
Ricoh SP 6430DN 3-Year On-Site Service Extended Warranty	008066MIU-PS1	\$379



# SP 5200DN/SP 5210DN

Black & White  
Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 5200DN	(1)	406722	\$1,235
Ricoh SP 5210DN	(2)	406726	\$1,535

(1) Ricoh SP 5200DN 47-ppm Black & White Desktop Laser Printer ships with standard 256 MB RAM, Integrated Duplex; 550-Sheet Paper Tray; 100-Sheet Bypass Tray.

(2) Ricoh SP 5210DN 52-ppm Black & White Desktop Laser Printer ships with standard/maximum 768 MB RAM, Integrated Duplex; 550-Sheet Paper Tray; 100-Sheet Bypass Tray; 80 GB Hard Disk Drive with DataOverwrite and Encryption.

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1120	(3, 4, 5)	406730	\$360
Paper Feed Unit TK1130 with Casters	(3, 5, 6)	406732	\$390
Hard Disk Drive Type 4310	(7, 8)	407105	\$400
Memory Unit Type I 512 MB	(7, 9)	003905MIU	\$336
Memory Unit Type G 256 MB	(7, 9)	007094MIU	\$516
VM Card Type O	(7, 11)	406678	\$119
IEEE 802.11a/g Interface Unit Type L	(10)	403000	\$692
Gigabit Ethernet Board Type C	(10)	406914	\$408
IEEE 1284 Interface Board Type A	(10)	411699	\$134
IPDS Unit Type 5200	(12)	406804	\$558
SD Card for Netware Printing Type E	(13)	406736	\$102
Tall Cabinet Type A	(14)	100464FNG	\$246
Medium Cabinet Type B	(15)	100465FNG	\$234

(3) 550 sheet capacity. Up to 4 Optional Paper Feed Units may be installed for a maximum paper capacity of 2,850 sheets.

(4) No more than 3 Optional Paper Feed Unit TK1120 may be installed at one time.

(5) The assistance of a technician is required when installing all 4 Optional Paper Feed Units.

(6) TK1130 with Casters must be installed anytime the device will be placed directly on the floor.

(7) This option is for the SP 5200DN only.

(8) Hard Disk Drive includes DOSS and Data Encryption.

(9) One available slot. Maximum capacity is 768 MB.

(10) One optional Interface port is available.

(11) Required to run Java based applications.

(12) For use in AS/400 environments.

(13) For use in environments running Novell Network.

(14) Tall Cabinet Type A is recommended for use with standard mainframe when no Optional Paper Feed Units are installed.

(15) Medium Cabinet Type B is recommended for use when mainframe is configured with 1 or 2 Optional Paper Feed Units.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 5200HA	25,000*	406683	\$181
Maintenance Kit SP 5200	120,000*	406686	\$168

The Ricoh SP 5200DN and SP 5210DN ships with a starter All-In-One toner cartridge yielding approximately 6,000 pages.

\*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.



	SP 5200DN	SP 5210DN
	<b>The Value of Maximum Productivity</b>	
Description	Black & White Desktop Laser Printer	
Order Number	406722	406726
Print Speed	47-ppm black & white	52-ppm black & white
Maximum Paper Size	8.5" x 14"	
Maximum Resolution	1,200 x 600 dpi equivalent	
CPU Speed	533 MHz	
Standard Memory	256 MB	768 MB
Maximum Memory	768 MB	
Print Languages	PCL 5e, PCL 6, XPS, Genuine Adobe® PostScript® 3™, PDF Direct, IPDS (optional)	
Connectivity Standard	10/100BASE-TX Ethernet, USB 2.0 Host (Type B), USB 2.0 Host (Type A)	
Connectivity Option	Gigabit Ethernet (1000BASE-T), IEEE 802.11a/g Wireless LAN, Bluetooth	
Duty Cycle	Up to 200,000 pages/month	
Input Capacity Std.	550-Sheet Paper Tray + 100-Sheet Bypass Tray	
Input Capacity Max.	2,850 sheets	
Media Type	Plain, Recycled, Middle Thick, Thick and Thin Paper; Transparency, Letterhead, Labels, Color, Preprinted, & Envelopes	
Duplexing	Standard	
Dimensions (WxDxH)	16.2" x 17.1" x 15.75" (411 x 435 x 400 mm)	
Weight	51 lb. (23 kg)	
Optional Finishing	Not available	
ENERGY STAR	2.0	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 5200DN/SP 5210DN On-Site Installation	006903MIU-PS1	\$215
Ricoh SP 5200DN/SP 5210DN 1-Year On-Site Service Extended Warranty	006904MIU-PS1	\$345
Ricoh SP 5200DN/SP 5210DN 2-Year On-Site Service Extended Warranty	006905MIU-PS1	\$625
Ricoh SP 5200DN/SP 5210DN 3-Year On-Site Service Extended Warranty	006906MIU-PS1	\$855

# SP 8300DN

## Black & White Printers

### RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh SP 8300DN	(1)	407836	\$3,060

(1) Ricoh SP 8300DN 50-ppm Black & White Console Laser Printer is user/service installable. Requires two people to lift printer. Includes 4.3" color touch screen display; integrated USB 2.0 Type A host port and SD Card slot; 2 x 550-Sheet Paper Trays; 100-Sheet Bypass Tray; automatic duplexing; 500-Sheet Output Tray; standard 512 MB RAM; 10/100BASE-TX Ethernet; High-speed USB 2.0; 2 USB Host Interfaces; full 36,000 yield toner cartridge.

Optional Accessories	Notes	Part No	SRP
2-Tray Paper Feed Unit PB3130	(2)	415793	\$1,650
2,000-Sheet Large Capacity Tray PB3140	(3)	415795	\$1,960
1,200-Sheet Side Large Capacity Tray RT3020	(4)	415984	\$1,910
1,000-Sheet Finisher SR3090	(5)	415804	\$1,930
3,000-Sheet Finisher SR3120	(6)	416008	\$3,550
Bridge Unit BU3060	(7)	415988	\$220
Punch Unit PU3030 NA	(8)	430719	\$980
Output Jogger Type 9002A	(9)	415903	\$470
FAC 56 Cabinet Stand	(10)	416407	\$290
512 MB Memory Unit Type L	(11)	007121MIU	\$258
Hard Disk Drive Option Type 8300	(12)	007120MIU	\$504
IEEE 802.11a/g Interface Unit Type L	(13)	403000	\$692
Gigabit Ethernet Interface Type C	(14)	406914	\$408
IEEE 1284 Parallel Interface Board Type A	(15)	411699	\$134
VM Card Type U	(16)	416163	\$200
IPDS Unit Type 8300	(17)	407039	\$767

- (2) User/Service installable. Requires two people to lift printer and sit on the printer's Paper Feed Unit. 2 x 550-Sheet Paper Trays. Holds up to 11" x 17" paper. Cannot be installed with 2,000-Sheet Large Capacity Tray. Cannot be used with FAC 56 Cabinet.
- (3) User/Service installable. Requires two people to lift printer and sit on the 2,000-Sheet Large Capacity Tray. Contains two side-by-side 1,000-Sheet Paper Trays, each fixed for letter-size paper. Can be installed with 1,200-Sheet Large Capacity Tray. Cannot be installed with 550 x 2 Paper Feed Unit or FAC 56 Cabinet.
- (4) Installed on right-side of the printer. Requires configuration with 2,000-Sheet Large Capacity Tray or 550 x 2 Paper Feed Unit.
- (5) Requires configuration with Bridge Unit (BU3060) and Two Tray Paper Feed Unit (PB3130), Large Capacity Tray (PB3140), or FAC 56 Cabinet.
- (6) User/Service installable. May require two people to lift finisher. Requires configuration with Bridge Unit (BU3060) and Two Tray Paper Feed Unit (PB3130), Large Capacity Tray (PB3140), or FAC 56 Cabinet.
- (7) The Bridge Unit (BU3060) is a required accessory when the main unit is to be configured with either Finisher. The Bridge Unit transports papers from the printer's standard exit area into a Finisher for online stapling, punching, and/or folding.
- (8) The Hole Punch Unit Type PU3030 NA is optional for the 3,000-Sheet Finisher Type SR3120 only and installs inside the Finisher.
- (9) The Output Jogger Unit Type 9002A is optional for the 3,000-Sheet Finisher Type SR3120 only. It taps sheets in the Shift Tray into aligned sets for stacking or off-line binding.
- (10) Installs beneath main unit. FAC 56 Cabinet Stand must be selected when the printer main unit is to be configured with a Finisher, but not a paper supply option.
- (11) Service installable. Expands RAM to 1.0 GB memory. Required if an IPDS Option is installed.
- (12) Service installable. 120 GB provides for retention of documents in the printer. Documents can be printed on-demand without sending original to the PC. HDD is required for USB/SD Card printing and if an IPDS Option is installed.
- (13) Service installable. For Wireless LAN connection. Cannot be installed with Gigabit Ethernet Board or IEEE 1284 Interface Board at the same time.
- (14) Service installable. Cannot be installed with the IEEE 1284 Interface Board at the same time.
- (15) Service installable. For use when a Parallel connection is required. Cannot be installed with the Gigabit Ethernet Board or IEEE 802.11a/g Interface Unit at the same time.
- (16) Allows for running of Java-based applications. Cannot be installed with the DataOverwriteSecurity Unit.
- (17) For use in AS/400 environments. Additional 512 MB memory and the Hard Disk Drive Option is required.

Consumables	Yield	Part No	SRP
Black Toner Type SP 8200A	144,000*	820076	\$256
Printer Maintenance Kit SP 8300A	160,000	407057	\$688.65
Printer Maintenance Kit SP 8200B	160,000	402961	\$545.08
Staple Type K SR3090 Finisher	5,000	410801	\$45.32
Staple Type K Refill for SR3090/SR3130 Finishers	15,000	410802	\$79.83

The Ricoh SP 8300DN ships with a full 36,000 yield toner cartridge.  
\*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.

SP 8300DN	
Versatile Print Performance for Fast-paced Workgroups	
Description	Black & White Console Laser Printer
Order Number	407285
Print Speed	50-ppm black & white
Maximum Paper Size	11" x 17"
Maximum Resolution	600 x 600 dpi
CPU Speed	RM7035C @ 533 MHz
Standard Memory	512 MB
Maximum Memory	1 GB
Print Languages	Standard: Genuine Adobe® PostScript® 3™, PCL 5e, PCL 6, PDF Direct Print, Direct Media Print (JPEG/TIFF) Optional: Genuine IPDS, XPS, Universal Driver
Connectivity Standard	High-speed USB 2.0 Type B, 10/100BASE-TX Ethernet, Dual USB 2.0 Host Type A, USB 2.0 Type A/SD Card Slot integrated into Control Panel
Connectivity Option	Gigabit Ethernet (1000BASE-T), IEEE 802.11a/g Wireless LAN, IEEE 1284/ECP Parallel
Duty Cycle	300,000
Recommended Volume	12,000 - 53,000 pages/month
Input Capacity Std.	550-Sheet x 2 Paper Feed Unit + 100-Sheet Bypass Tray
Input Capacity Max.	4,400 sheets
Media Type	Standard & Optional Trays 1-4: Plain, Recycled, Color, Letterhead, Bond, Special Paper 1-3, Preprinted, Prepunched, Envelopes Bypass Tray: Plain, Recycled, Color, Letterhead, Bond, Special Paper
Duplexing	Standard
Dimensions (WxDxH)	26.3" x 26.9" x 25.2" (670 x 684 x 641 mm)
Weight	160.9 lb. (73 kg) (Main unit only)
Optional Finishing	Available
ENERGY STAR	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 8300DN On-Site Installation	007141MIU-PS1	\$662
Ricoh SP 8300DN 1-Year On-Site Service Extended Warranty	007142MIU-PS1	\$610
Ricoh SP 8300DN 2-Year On-Site Service Extended Warranty	007143MIU-PS1	\$1,019

# SG 3110DNw

GELJET Color Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SG 3110DNw	(1)	405753	\$225

(1) Ricoh SG 3110DNw 29-ppm Color and Black & White Desktop Inkjet Printer ships with standard/maximum 128 MB memory; Integrated duplex; 250-Sheet Paper Tray; wireless connectivity.



Optional Accessories	Notes	Part No	SRP
Multi-Bypass Tray BY1040	(2)	405759	\$140
Paper Feed Unit TK1160	(3)	405760	\$153
USB 2.0 A/B Cable 6ft		004051MIU	\$8

(2) 100 sheet capacity. Required for feeding thick media up to 68 lb. Bond/140 lb. Index and Banner media up to 51".

(3) 250 sheet capacity. Up to 2 Optional Paper Feed Units may be installed.

Consumables	Yield	Part No	SRP
Print Cartridge GC41K	2,500*	405761	\$41
Print Cartridge GC41C	2,200*	405762	\$39
Print Cartridge GC41M	2,200*	405763	\$39
Print Cartridge GC41Y	2,200*	405764	\$39
Waste Ink Collection Unit IC 41	27,000*	405783	\$25

\*Declared yield values based on ISO/IEC 24711 Inkjet Test Process. Actual yields may vary based on types of images printed and other factors. Yields are approximate and are based on standard (Speed Priority) mode.

	SG 3110DNw
	An Affordable, Fast Color Business Printer with Standard Duplexing
Description	Color Desktop Inkjet Printer
Order Number	405753
Print Speed	29-ppm color, 29-ppm black & white
Maximum Paper Size	8.5" x 14"; Up to 8.5" x 51" (via Bypass)
Maximum Resolution	3,600 x 1,200 dpi equivalent
CPU Speed	PowerPc 464FP
Standard Memory	128 MB
Maximum Memory	128 MB
Print Languages	RPCS, PCL 5c, PCL 6
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet, IEEE 802.11b/g/n Wireless LAN
Connectivity Option	Not Available
Duty Cycle	Up to 10,000 pages/month
Input Capacity Std.	250-Sheet Paper Tray
Input Capacity Max.	850 sheets
Media Type	Plain, Inkjet, Glossy, Postcards, Inkjet Postcards, Envelopes, Thick Paper
Duplexing	Standard
Dimensions (WxDxH)	15.7" x 17.2" x 8.4" (399 x 436.5 x 212.5 mm)
Weight	23.1 lb. (10.5 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SG 3110DNw 1-Year Advanced Exchange Extended Warranty	007060MIU-PS1	\$104
Ricoh SG 3110DNw 2-Year Advanced Exchange Extended Warranty	007061MIU-PS1	\$177
Ricoh SG 3110DNw Upgrade to On-Site Service Extended Warranty from 1-Year Advanced Exchange*	007062MIU-PS1	\$67
Ricoh SG 3110DNw 1-Year On-Site Service Extended Warranty	007063MIU-PS1	\$116
Ricoh SG 3110DNw 2-Year On-Site Service Extended Warranty	007064MIU-PS1	\$198

\*When upgrading from Advanced Exchange, this package must be purchased. By itself, it upgrades the original 1 Year Advanced Exchange Warranty to 1 Year On-Site. Then an additional Extended Warranty (1 Year or 2 Year) may also be purchased if desired.

# SP C250DN

## Color Printers

### RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP C250DN	(1)	407519	\$300

(1) Ricoh SP C250DN 21-ppm Color and Black & White Desktop Laser Printer ships with standard/maximum 128 MB RAM. Integrated duplex; 250-Sheet Paper Tray; 1-Sheet Bypass Tray; IEEE 802.11b/g/n; PictBridge™ support.

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1010	(2)	406019	\$179

(2) 500-Sheet Paper Tray. Only one Paper Feed Unit may be added to the mainframe.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP C250A	2,300*	407539	\$63
All-In-One Cyan Print Cartridge SP C250A	2,300*	407540	\$105
All-In-One Magenta Print Cartridge SP C250A	2,300*	407541	\$105
All-In-One Yellow Print Cartridge SP C250A	2,300*	407542	\$105
Waste Toner Bottle Type SP C220	25,000*	406043	\$19.47

The Ricoh SP C250DN ships with a set of four All-In-One print cartridges yielding approximately 1,000 pages each.

\*Declared yield value in accordance with ISO/IEC 19798. Actual yields will vary based on types of images printed and other factors.



SP C250DN	
Bold Color and Mobile Freedom	
Description	Color Desktop Laser Printer
Order Number	407519
Print Speed	21-ppm black & white / color
Maximum Paper Size	8.5" x 14"
Maximum Resolution	2,400 x 600 dpi
CPU Speed	350 MHz
Standard Memory	128 MB
Maximum Memory	128 MB
Print Languages	PCL 5c, PCL 6, PostScript 3 emulation
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet, USB Host Interface for PictBridge™, IEEE 802.11b/g/n
Connectivity Option	Not Available
Duty Cycle	Up to 1,500 pages/month
Input Capacity Std.	250-Sheet Paper Tray + 1-Sheet Bypass Tray
Input Capacity Max.	751 sheets
Media Type	Standard & Bypass Trays: Plain, Middle Thick, Recycle, Envelopes, Thick, Labels, Thin, Color, Prepunched, Letterhead, Bond, Cardstock, Preprinted (std. Tray only) Optional Paper Feed Unit: Plain, Middle Thick, Recycle, Thick, Thin, Color, Preprinted, Prepunched, Letterhead
Duplexing	Standard
Dimensions (WxDxH)	15.7" x 17.7" x 12.6" (400 x 450 x 320 mm)
Weight	52.5 lb. (23.8 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

#### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP C250DN On-Site Installation	008021MIU-PS1	\$139
Ricoh SP C250DN 1-Year On-Site Service Extended Warranty	008014MIU-PS1	\$89
Ricoh SP C250DN 2-Year On-Site Service Extended Warranty	008015MIU-PS1	\$169
Ricoh SP C250DN 3-Year On-Site Service Extended Warranty	008016MIU-PS1	\$240

# SP C252DN

## Color Printers

### RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP C252DN	(1)	407521	\$550

(1) Ricoh SP C252DN 21-ppm Color and Black & White Desktop Laser Printer ships with standard/maximum 128 MB RAM. Integrated duplex, 250-Sheet Paper Tray; 1-Sheet Bypass Tray; IEEE 802.11b/g/n; PictBridge™ support.



Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1010	(2)	406019	\$179

(2) 500-Sheet Paper Tray. Only one Paper Feed Unit may be added to the mainframe.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP C252HA	6,500*	407653	\$114
All-In-One Cyan Print Cartridge SP C252HA	6,000*	407654	\$142
All-In-One Magenta Print Cartridge SP C252HA	6,000*	407655	\$142
All-In-One Yellow Print Cartridge SP C252HA	6,000*	407656	\$142
Waste Toner Bottle Type SP C220	25,000*	406043	\$19.47

The Ricoh SP C252DN ships with a set of four starter All-In-One print cartridges yielding approximately 1,000 pages each.

\*Declared yield value in accordance with ISO/IEC 19798. Actual yields will vary based on types of images printed and other factors.

SP C252DN	
Bold Color and Mobile Freedom	
Description	Color Desktop Laser Printer
Order Number	407521
Print Speed	21-ppm black & white / color
Maximum Paper Size	8.5" x 14"
Maximum Resolution	2,400 x 600 dpi
CPU Speed	350 MHz
Standard Memory	128 MB
Maximum Memory	128 MB
Print Languages	PCL 5c, PCL 6, PostScript 3 emulation
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet, USB Host Interface for PictBridge™, IEEE 802.11b/g/n
Connectivity Option	Not available
Duty Cycle	Up to 3,000 pages/month
Input Capacity Std.	250-Sheet Paper Tray + 1-Sheet Bypass Tray
Input Capacity Max.	751 sheets
Media Type	Standard & Bypass Trays: Plain, Middle Thick, Recycle, Envelopes, Thick, Labels, Thin, Color, Prepunched, Letterhead, Bond, Cardstock, Preprinted (std. Tray only) Optional Paper Feed Unit: Plain, Middle Thick, Recycle, Thick, Thin, Color, Preprinted, Prepunched, Letterhead
Duplexing	Standard
Dimensions (WxDxH)	15.7" x 17.7" x 12.6" (400 x 450 x 320 mm)
Weight	52.5 lb. (23.8 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

#### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP C252DN On-Site Installation	008021MIU-PS1	\$139
Ricoh SP C252DN 1-Year On-Site Service Extended Warranty	008014MIU-PS1	\$89
Ricoh SP C252DN 2-Year On-Site Service Extended Warranty	008015MIU-PS1	\$169
Ricoh SP C252DN 3-Year On-Site Service Extended Warranty	008016MIU-PS1	\$240

# SP C320DN

## Color Printers

### RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP C320DN	(1)	406790	\$599

(1) Ricoh SP C320DN 26-ppm Color and Black & White Desktop Laser Printer ships with standard 384 MB memory. Integrated duplex; 500-Sheet Paper Tray; 100-Sheet Bypass Tray.



Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1010	(2)	406019	\$179
Memory Unit Type G 256MB	(3)	007094MIU	\$516
Memory Unit Type I 512 MB	(4)	003905MIU	\$336
IEEE 1284 Interface Board Type A	(5)	411699	\$134
IEEE 802.11a/g Interface Unit Type L	(6)	403000	\$692
Gigabit Ethernet Board Type A	(7)	402547	\$559
VM Card Type O	(8)	406678	\$119
Hard Disk Drive Option Type C320	(9)	407801	\$402

(2) 500 sheet capacity. Only one tray may be added.

(3) Optional 256 MB memory module can be added. Only one slot is available. Optional Memory or HDD is required for Collation.

(4) Optional 512 MB memory module can be added. Only one slot is available. Optional Memory or HDD is required for Collation.

(5) Option for Parallel connections. Only one optional interface may be installed.

(6) Wireless LAN option. Supports IEEE 802.11a/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.

(7) Optional Gigabit Ethernet Interface. The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.

(8) Required to run Java based applications. Memory Unit Type I (512 MB) is required.

(9) 80 GB Hard Disk Drive. Data Overwrite and HDD Encryption are available when the HDD is installed. HDD is required for Job Spooling, Sample/Locked/Hold/Store Print. HDD or Optional Memory is required for Collation.

Consumables	Notes	Yield	Part No	SRP
Print Cartridge Black SP C310A		2,800*	406344	\$84
All-In-One Cyan Print Cartridge SP C310A		2,800*	406345	\$109
All-In-One Magenta Print Cartridge SP C310A		2,800*	406346	\$109
All-In-One Yellow Print Cartridge SP C310A		2,800*	406347	\$109
High Yield All-In-One Black Print Cartridge SP C310HA		7,200*	406475	\$125
High Yield All-In-One Cyan Print Cartridge SP C310HA		6,600*	406476	\$163
High Yield All-In-One Magneta Print Cartridge SP C310HA		6,600*	406477	\$163
High Yield All-In-One Yellow Print Cartridge SP C310HA		6,600*	406478	\$163
Waste Toner Bottle Type SP C310		55,000	406066	\$20
Transfer Unit Type SP C310		90,000	406067	\$95
Maintenance Kit Type SP C320	(10)	90,000	406794	\$273

(10) Maintenance Kit consists of the Fusing Unit and Transfer Roller.

The Ricoh SP C320DN ships with standard yield All-In-One print cartridges (2,800 prints for all colors).

\*Declared yield value in accordance with ISO/IEC 19798. Actual yields will vary based on images printed and other factors.

SP C320DN	
Powerful Printer for Budget-Conscious Small Offices and Workgroups	
Description	Color Desktop Laser Printer
Order Number	406790
Print Speed	26-ppm black & white / color
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 1,200 dpi
CPU Speed	533 MHz
Standard Memory	384 MB
Maximum Memory	768 MB
Print Languages	PCL 5c, PCL 6, PostScript 3 emulation
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet
Connectivity Option	IEEE 802.11a/g Wireless, IEEE 1284 Parallel, Gigabit Ethernet
Duty Cycle	Up to 75,000 pages/month
Input Capacity Std.	500-Sheet Paper Tray + 100-Sheet Bypass Tray
Input Capacity Max.	1,100 sheets
Media Type	Plain, Recycled, Middle Thick, Thick, Color, Letterhead, Preprinted, Thin, Coated (Glossy), Coated (Malted), Special, Labels
Duplexing	Standard
Dimensions (WxDxH)	15.8" x 18.9" x 15.2" (400 x 480 x 387 mm)
Weight	63.9 lb. (29 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

#### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP C320DN On-Site Installation	003329MIU-PS1	\$145
Ricoh SP C320DN 1-Year On-Site Service Extended Warranty	003340MIU-PS1	\$130
Ricoh SP C320DN 2-Year On-Site Service Extended Warranty	003341MIU-PS1	\$215
Ricoh SP C320DN 3-Year On-Site Service Extended Warranty	003342MIU-PS1	\$315

# SP C435DN Color Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh SP C435DN	(1), (4)	407997	\$1,069

(1) Ricoh SP C435DN 37-PPM A4 Color Laser Printer. Main unit has a 4-line LCD Panel with 12-key alphanumeric keypad, 550-Sheet Paper Tray, 100-Sheet Bypass Tray, integrated Duplex and 1 GB RAM. Genuine Adobe® PostScript® 3™, Gigabit Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 3,000 prints @5% coverage, 2 pages/job.

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit PB1020	(2), (3), (5)	406681	\$390
Tall Cabinet Type C430	(4)	52121	\$260
Medium Cabinet Type C430	(5)	52111	\$245
Caster Table Type C	(3)	406755	\$199
IEEE 1284 Interface Board Type A	(6), (7)	411699	\$134
IEEE 802.11 Interface Unit Type O	(6), (8)	407113	\$400
USB Device Server Option Type M12	(6), (9)	417084	\$270
Hard Disk Drive Option Type P7	(10)	MX407776RA	\$399
VM Card Type P7	(11)	407784	\$119
IPDS Unit Type P7	(12)	407777	\$569

(2) 550-Sheet capacity. Supports paper sizes up to 8.5" x 14" and paper weights up to 59 lb. Bond/120 lb. Index. A maximum of 3 Paper Feed Units may be added to the mainframe for a maximum paper capacity of 2,300 sheets.

(3) Caster Table Type C (406755) is required when the maximum of three (3) optional Paper Feed Units (Type PB1020) are installed.

(4) Raises the SP C435DN to a comfortable height for floor-standing configuration. For use with printer base unit only.

(5) Raises the SP C435DN to a comfortable height for floor-standing configuration. Recommended when configuring the printer with one or two optional 550-Sheet Paper Feed Units.

(6) One open interface board slot is available. Wireless LAN, Parallel Interface or USB Device Server may be installed.

(7) For environments that require Parallel connectivity.

(8) This option allows you to connect the device to an IEEE 802.11 a/b/g/n Wireless LAN.

(9) USB Device Server allows a user to connect the device to two (2) LANs simultaneously.

(10) The Hard Disk Drive (HDD) transforms the Printer into an information portal. The HDD is required for Locked/Hold/Stored Print. Data Overwrite and HDD Encryption are available when the HDD is installed.

(11) The VM Card enables the installation of embedded software applications. Hard Disk Drive required.

(12) For use in AS/400 environments. Hard Disk Drive required.

Consumables	Yield	Part No	SRP
Print Cartridge Black SP C435A	11,000*	821243	\$85
Print Cartridge Yellow SP C435A	13,000*	821244	\$215
Print Cartridge Magenta SP C435A	13,000*	821245	\$215
Print Cartridge Cyan SP C435A	13,000*	821246	\$215
Intermediate Transfer Unit SP C430	100,000**	406664	\$147.29
Waste Toner Bottle SP C430	50,000**	406665	\$24.72
Fusing Unit SP C430	120,000**	406666	\$233.81
Black Photoconductor Unit SP C430	50,000**	407018	\$161.71
Color Photoconductor Unit SP C430	50,000**	407019	\$484.10

The Ricoh SP C435DN ships with a set of four starter print cartridges yielding approximately 3,000 pages per color based on 5% coverage, 2 pages/job.

\*Declared yield value based in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors.

\*\* Based on 5% coverage, 2 pages/job. Actual yields may vary based on images printed and other factors.

SP C435DN	
High-end Capabilities Without the High-end Price	
Description	Color Desktop Laser Printer
Order Number	407997
Print Speed	37-ppm black & white / color
Maximum Paper Size	8.5" x 14" (Up to 8.5" x 49.6" via Bypass Tray)
Maximum Resolution	1,200 x 1,200 dpi
CPU Speed	533 MHz
Standard Memory	1 GB
Maximum Memory	1 GB
Print Languages	Genuine Adobe® PostScript® 3™, PCL 6, PCL 5c, PDF Direct Print
Connectivity Standard	10/100/1000BASE-TX Gigabit Ethernet, USB 2.0 Type B, Rear USB 2.0 Host Type A, SD Card Slot
Connectivity Option	IEEE 802.11a/b/g/n Wireless LAN, IEEE 1284 Parallel, USB Device Server
Duty Cycle	80,000 pages/month
Input Capacity Std.	550-Sheet Paper Tray + 100-Sheet Bypass Tray
Input Capacity Max.	2,300 sheets
Media Type	Plain, Recycled, Thick and Thin Paper, OHP (Transparency), Letterhead, Labels, Coated Paper (Glossy/Semi-Gloss/Matte), Waterproof, Preprinted, and Envelopes
Duplexing	Standard
Dimensions (WxDxH)	17.5" x 25.9" x 19.3" (444 x 658 x 490 mm)
Weight	126 lb. (57 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP C435DN On-Site Installation	008099MIU-PS1	\$219
Ricoh SP C435DN 1-Year On-Site Service Extended Warranty	008100MIU-PS1	\$129
Ricoh SP C435DN 2-Year On-Site Service Extended Warranty	008101MIU-PS1	\$249
Ricoh SP C435DN 3-Year On-Site Service Extended Warranty	008102MIU-PS1	\$349



# SP C440DN Color Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP C440DN	(1), (4)	407773	\$1,499

(1) Ricoh SP C440DN 42-ppm Color Laser Printer. Main unit has a 4-line LCD Panel with 12-key alphanumeric keypad, 550-Sheet Paper Tray, 100-Sheet Bypass Tray, integrated Duplex and 1 GB RAM. Genuine Adobe® PostScript® 3™, Gigabit Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 3,000 prints at 5% coverage, 2 pages per job.



Optional Accessories	Notes	Part No	SRP
Paper Feed Unit PB1020	(2), (3), (5)	406681	\$390
Tall Cabinet Type C430	(4)	52121	\$260
Medium Cabinet Type C430	(5)	52111	\$245
Caster Table Type C	(3)	406755	\$199
IEEE 1284 Interface Board Type A	(6), (7)	411699	\$134
IEEE 802.11 Interface Unit Type O	(6), (8)	407113	\$400
USB Device Server Option Type M12	(6), (9)	417084	\$270
Hard Disk Drive Option Type P7	(10)	MX407776RA	\$399
XPS Direct Print Option Type P7	(11)	407781	\$95
VM Card Type P7	(12)	407784	\$119
IPDS Unit Type P7	(13)	407777	\$569

(2) 550-Sheet capacity. Supports paper sizes up to 8.5" x 14" and paper weights up to 59 lb. Bond/120 lb. Index. A maximum of 3 Paper Feed Units may be added to the mainframe for a maximum paper capacity of 2,300 sheets.

(3) Caster Table Type C (406755) is required when the maximum of three (3) optional Paper Feed Units (Type PB1020) are installed.

(4) Raises the SP C440DN to a comfortable height for floor-standing configuration. For use with printer base unit only.

(5) Raises the SP C440DN to a comfortable height for floor-standing configuration. Recommended when configuring the printer with one or two optional 550-Sheet Paper Feed Units.

(6) One open interface board slot is available. Wireless LAN, Parallel Interface or USB Device Server may be installed.

(7) For environments that require Parallel connectivity.

(8) This option allows you to connect the device to an IEEE 802.11 a/b/g/n Wireless LAN.

(9) USB Device Server allows a user to connect the device to two (2) LANs simultaneously.

(10) The Hard Disk Drive (HDD) transforms the Printer into an information portal. The HDD is required for Locked/Hold/Store Print. Data Overwrite and HDD Encryption are available when the HDD is installed.

(11) This option enables direct printing of XPS format documents.

(12) The VM Card enables the installation of embedded software applications. Hard Disk Drive required.

(13) For use in AS/400 environments. Hard Disk Drive required.

Consumables	Yield	Part No	SRP
Black Toner Bottle SP C430A	21,000*	821105	\$86.52
Yellow Toner Bottle SP C430A	24,000*	821106	\$226.60
Magenta Toner Bottle SP C430A	24,000*	821107	\$226.60
Cyan Toner Bottle SP C430A	24,000*	821108	\$226.60
Intermediate Transfer Unit SP C430	100,000**	406664	\$147.29
Waste Toner Bottle SP C430	50,000**	406665	\$24.72
Fusing Unit SP C430	120,000**	406666	\$233.81
Black Photoconductor Unit SP C430	50,000**	407018	\$161.71
Color Photoconductor Unit SP C430	50,000**	407019	\$484.10

The Ricoh SP C440DN ships with starter toner cartridges yielding 3,000 pages per color based on 5% coverage, 2 pages/job.

\*Declared yield value based in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors.

\*\* Based on 5% coverage, 2 pages/job. Actual yields may vary based on images printed and other factors.

SP C440DN	
The Best Overall Value and Performance in its Class	
Description	Color Desktop Laser Printer
Order Number	407773
Print Speed	42-ppm black & white / color
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 1,200 dpi
CPU Speed	533 MHz
Standard Memory	1 GB
Maximum Memory	1 GB
Print Languages	Standard: Genuine Adobe® PostScript® 3™, PCL 6, PCL 5c, PDF Direct Print Optional: XPS
Connectivity Standard	10/100/1000BASE-TX Gigabit Ethernet, USB 2.0 Type B, Rear USB 2.0 Host Type A
Connectivity Option	IEEE 802.11a/b/g/n Wireless LAN, IEEE 1284 Parallel, USB Device Server
Duty Cycle	150,000 pages/month
Input Capacity Std.	550-Sheet Paper Tray + 100-Sheet Bypass Tray
Input Capacity Max.	2,300 sheets
Media Type	Plain, Recycled, Thick and Thin Paper; OHP (Transparency), Letterhead, Labels, Coated Paper (Glossy/Semi-Gloss/Matte), Waterproof, Preprinted, and Envelopes
Duplexing	Standard
Dimensions (WxDxH)	17.5" x 25.9" x 19.3" (444 x 658 x 490 mm)
Weight	126 lb. (57 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
SP C440DN On-Site Installation	008091MIU-PS1	\$285
SP C440DN 1-Year On-Site Service Extended Warranty	008092MIU-PS1	\$145
SP C440DN 2-Year On-Site Service Extended Warranty	008093MIU-PS1	\$305
SP C440DN 3-Year On-Site Service Extended Warranty	008094MIU-PS1	\$445



# SP C830DN/SP C831DN

## Color Printers

### RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP C830DN	(1)	407802	\$3,884
Ricoh SP C831DN	(2)	407803	\$4,934

- (1) Ricoh SP C830DN 45-ppm Color and Black & White Console Laser Printer ships with standard 512 MB memory, Integrated duplex; 2 x 550-Sheet Paper Tray; 100-Sheet Bypass Tray; USB Host Interface.  
 (2) Ricoh SP C831DN 55-ppm Color and Black & White Console Laser Printer ships with standard 512 MB memory, Integrated duplex; 2 x 550-Sheet Paper Tray; 100-Sheet Bypass Tray; USB Host Interface; 250 GB Hard Disk Drive.



Optional Accessories	Notes	Part No	SRP
550 x 1 Paper Feed Unit PB3120	(3)	415794	\$760
550 x 2 Paper Feed Unit PB3130	(4)	415793	\$1,650
2,000-Sheet Large Capacity PB3140	(5)	415795	\$1,960
1,200-Sheet Side Large Capacity Tray RT3020	(6)	415984	\$1,910
2,000-Sheet Booklet Finisher SR3110	(7)	416007	\$5,110
3,000-Sheet Finisher SR3120	(8)	416008	\$3,550
Bridge Unit BU3060	(9)	415988	\$220
Punch Unit Kit Type PU3030 N/A	(10)	430719	\$980
Output Jogger Type 9002A	(11)	415903	\$470
4-Bin Mailbox Type CS3000	(12)	407088	\$1,049
1GB Memory Unit Type O	(13)	007097MIU	\$503
250 GB Hard Disk Drive Type C830	(14)	007098MIU	\$336
IEEE 802.11a/g Interface Unit Type L	(15)	403000	\$692
IEEE 1284 Parallel Interface Board Type A	(16)	411699	\$134
Gigabit Ethernet Interface Type D	(17)	407087	\$483
VM Card Type U	(18)	416163	\$200
IPDS Unit Type C830	(19)	407081	\$639
Camera Direct Print Card Type J	(20)	416006	\$270
Caster Table Type D	(21)	415811	\$270
FAC 56 Cabinet Stand	(22)	52194	\$250

Consumables	Yield	Part No	SRP
Black Print Cartridge SP C830DNHA	23,500*	821181	\$67.21
Yellow Print Cartridge SP C830DNHA	27,000*	821182	\$216.72
Magenta Print Cartridge SP C830DNHA	27,000*	821183	\$216.72
Cyan Print Cartridge SP C830DNHA	27,000*	821184	\$216.72
Black Drum Unit SP C830DN	60,000**	407095	\$298.29
Color Drum Unit SP C830DN	60,000**	407096	\$894.23
Transfer Unit SP C830DN	200,000**	407097	\$298.08
Fusing Unit SP C830DNA	200,000**	407098	\$441.60
Waste Toner Bottle SP C830DN	40,000**	407100	\$21.34
Staple Type K for SR3120 Finisher	5,000	410801	\$45.32
Staple Type K Refill for SR3120/SR3110	15,000	410802	\$79.83
Staple Type S for SR3110 (Saddle Stitch)	5,000	412874	\$51.50

\*The Ricoh SP C830DN/SP C831DN ship with starter print cartridges (11.5K for Black, 12.5K for Yellow, Magenta, and Cyan).  
 \*\*Declared yield values in accordance with ISO/IEC 19798.

- (3) 1 x 550-Sheet capacity Paper Feed Unit. May be added to the SP C830DN and SP C831DN.  
 (4) 2 x 550-Sheet capacity Paper Feed Unit.  
 (5) 2,000-Sheet Large Capacity Tray. Supports Letter/A4 paper size.  
 (6) 1,200-Sheet Side LCT. Supports Letter paper size. May be added to the SP C830DN and SP C831DN with PB3130 or PB3140 only.  
 (7) 2,000-Sheet Booklet Finisher. Requires the Bridge Unit and PB3130 2 Tray Paper Feed Unit, PB3140 LCT or FAC 56 Cabinet Stand.  
 (8) 3,000-Sheet Finisher. Requires the Bridge Unit and PB3130 2 Tray Paper Feed Unit, PB3140 LCT, or FAC 56 Cabinet Stand.  
 (9) Required to install Finisher options.  
 (10) 2/3-hole Punch compatible with both Finishers.  
 (11) Attaches to Finisher SR3120. Taps sets into alignment for easy transfer to off-line finishing equipment.  
 (12) 4-bin Mailbox provides individual bins for separate users or jobs. Can be configured with base unit or with either Finisher.

pg. 15

July 2016

	SP C830DN	SP C831DN
<b>Everything Looks Better in Color</b>		
Description	Color Console Laser Printer	
Order Number	407802	407803
Print Speed	45-ppm black & white / color	55-ppm black & white / color
Maximum Paper Size	8.5" x 11" via Tray 1 & LCTs, 11" x 17" via Tray 2 & PFUs, 12" x 18" via Bypass Tray (up to 12" x 49.6" Banners in SP Mode)	
Maximum Resolution	600 x 600 dpi (1 bit), 600 x 600 dpi (2 bit), 600 x 600 dpi (4 bit), 1,200 x 1,200 dpi (1 bit)	
CPU Speed	600 MHz	1.0 GHz
Standard Memory	512 MB	
Maximum Memory	1.5 GB	
Print Languages	PCL 5c, PCL 6, Genuine Adobe® PostScript® 3™, PDF Direct, Direct Media Print (JPEG/TIFF)	
Connectivity Standard	High-Speed USB 2.0 Type B, 10/100BASE-TX Ethernet, Dual USB 2.0 Host Type A, USB 2.0 Type A/SD Card Slot integrated into Control Panel (for print from portable media)	
Connectivity Option	IEEE 802.11a/g Wireless LAN, Gigabit Ethernet (1000BASE-T), IEEE 1284/ECP Parallel, IPDS	
Duty Cycle	Up to 200,000 pages/month	
Input Capacity Std.	550 x 2 Paper Tray + 100-Sheet Bypass Tray	
Input Capacity Max.	4,400 sheets	
Media Type	All Sources: Plain, Recycled, Color, Letterhead, Special Paper 1-3, Cardstock, Bond, Preprinted; Envelopes (Com10 and C5 can be fed using Standard Tray 2, Bypass Tray, and the Optional Paper Feed Units) Bypass Tray Only: Labels, OHP Coated, Envelopes (Com10, Monarch, C5, C6, DL)	
Duplexing	Standard	
Dimensions (WxDxH)	26.4" x 26.9" x 25.2" (670 x 684 x 640 mm)	
Weight	213 lb. (97 kg) (Base Model)	
Optional Finishing	2,000-Sheet Booklet Finisher, 3,000-Sheet Finisher w/ Optional Hole Punch, 4-Bin Mailbox	
ENERGY STAR	2.0	

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP C830DN/SP C831DN On-Site Installation	007144MIU-PS1	\$600
Ricoh SP C830DN/SP C831DN 1-Year On-Site Service Extended Warranty	007145MIU-PS1	\$590
Ricoh SP C830DN/SP C831DN 2-Year On-Site Service Extended Warranty	007146MIU-PS1	\$1,180

- (13) One slot is accessible. Additional memory is recommended for duplex printing Legal and A3 documents at high resolutions as well as printing banners at high resolutions. Additional memory is required for Job Spooling and Sub Paper Size support. A maximum of 1.5 GB may be installed.  
 (14) One slot is accessible. Additional memory is recommended for duplex printing Legal and A3 documents at high resolutions as well as printing banners at high resolutions. Additional memory is required for Job Spooling and Sub Paper Size support. A maximum of 1.5 GB may be installed. HDD is required for USB/SD Card printing only for the SP C830DN.  
 (15) Wireless LAN option. Supports IEEE 802.11a/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.  
 (16) A maximum of one (1) optional interface board can be installed.  
 (17) The Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.  
 (18) Permits for the design and implementation of customized and specialized work-flow applications.  
 (19) For use in AS/400 environments.  
 (20) Connect your PictBridge™ enabled digital still camera directly to the printer without the need for a PC.  
 (21) Recommended when the printer main unit is configured with the PB3120 1 Tray Paper Feed Unit.  
 (22) Raises the height of the SP C830DN and SP C831DN for configuration with a Finisher.

**RICOH**  
 imagine. change.

# SG 3100SNw/SG 3110SFNw

**GELJET Color  
Multifunction  
Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SG 3100SNw	(1)	405777	\$249
Ricoh SG 3110SFNw	(2)	405780	\$271

(1) Ricoh SG 3100SNw 29-ppm Color and Black & White Desktop Inkjet Multifunctional Printer provides print, copy, and scan capability. Ships with standard/maximum 192 MB RAM. Integrated duplex; 250-Sheet Paper Tray; standard wireless connectivity.

(2) Ricoh SG 3110SFNw 29-ppm Color and Black & White Desktop Inkjet Multifunctional Printer provides print, copy, scan, and fax capability. Ships with standard 256 MB RAM. Integrated duplex; 250-Sheet Paper Tray; standard wireless connectivity.

Optional Accessories	Notes	Part No	SRP
Multi-Bypass Tray BY1040	(3)	405759	\$140
Paper Feed Unit TK1160	(4)	405760	\$153
USB 2.0 A/B Cable 6ft		004051MIU	\$8

(3) 100 sheet capacity. Required for feeding thick media up to 68 lb. Bond/140 lb. Index and Banner media up to 51".

(4) 250 sheet capacity. Up to 2 Optional Paper Feed Units may be installed.

Consumables	Yield	Part No	SRP
Print Cartridge GC41K	2,500*	405761	\$41
Print Cartridge GC41C	2,200*	405762	\$39
Print Cartridge GC41M	2,200*	405763	\$39
Print Cartridge GC41Y	2,200*	405764	\$39
Waste Ink Collection Unit IC 41	27,000*	405783	\$25

\*Declared yield values based on ISO/IEC 24711 Inkjet Test Process. Actual yields may vary based on types of images printed and other factors.



	SG 3100SNw	SG 3110SFNw
	<b>Everything Looks Better in Color</b>	
Description	Color Desktop Inkjet Multifunction Printer	
Order Number	405777	405780
Print Speed	29-ppm black & white, 29-ppm color	
Maximum Paper Size	8.5" x 14"; Up to 8.5" x 51" (via Bypass Tray)	
Maximum Resolution	3,600 x 1,200 dpi equivalent	
CPU Speed	800 MHz	
ADF/ARDF/SPDF	ADF - 35 sheets	
Standard Memory	192 MB	256 MB
Maximum Memory	192 MB	256 MB
Print Languages	RPCS	PCL 5c, PCL 6, RPCS
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet, IEEE 802.11b/g/n Wireless LAN, USB Host (SG 3110SFNw only)	
Connectivity Option	Not available	
Duty Cycle	Up to 10,000 pages/month	
Input Capacity Std.	250-Sheet Paper Tray	
Input Capacity Max.	850 sheets	
Media Type	Plain, Inkjet, Glossy, Postcards, Inkjet Postcards, Envelopes, Thick	
Duplexing	Standard	
Dimensions (WxDxH)	15.7" x 17.2" x 12.9" (399 x 436.5 x 329.5 mm)	
Weight	33.8 lb. (15.3 kg)	
Optional Finishing	Not available	
ENERGY STAR	2.0	

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SG 3100SNw/SG 3110SFNw 1-Year Advanced Exchange Extended Warranty	007085MIU-PS1	\$122
Ricoh SG 3100SNw/SG 3110SFNw 2-Year Advanced Exchange Extended Warranty	007086MIU-PS1	\$230
Ricoh SG 3100SNw/SG 3110SFNw Upgrade to On-Site Service Extended Warranty from 1-Year Advanced Exchange*	007087MIU-PS1	\$85
Ricoh SG 3100SNw/SG 3110SFNw 1-Year On-Site Service Extended Warranty	007088MIU-PS1	\$140
Ricoh SG 3100SNw/SG 3110SFNw 2-Year On-Site Service Extended Warranty	007089MIU-PS1	\$265

\*When upgrading from Advanced Exchange, this package must be purchased. By itself, it upgrades the original 1-Year Advanced Exchange Warranty to 1-Year On-Site. Then an additional Extended Warranty (1 Year or 2 Year) may also be purchased if desired.

# SP C250SF

Color  
Multifunction  
Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP C250SF	(1)	407523	\$499

(1) Ricoh SP C250SF 21-ppm Color and Black & White Desktop Laser Multifunctional Printer provides print, copy, color scan, and fax capability. Ships with standard/maximum 256 MB RAM. Integrated duplex; 35-Sheet ADF; 250-Sheet Paper Tray; 1-Sheet Bypass Tray; IEEE 802.b/g/n; PictBridge™ support.

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1010	(2)	406019	\$179

(2) 500-Sheet Paper Tray. Only one Paper Feed Unit may be added to the mainframe.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP C250A	2,300*	407539	\$63
All-In-One Cyan Print Cartridge SP C250A	2,300*	407540	\$105
All-In-One Magenta Print Cartridge SP C250A	2,300*	407541	\$105
All-In-One Yellow Print Cartridge SP C250A	2,300*	407542	\$105
Waste Toner Bottle Type SP C220	25,000*	406043	\$19.47

The Ricoh SP C250SF ships with a set of four All-In-One print cartridges yielding approximately 1,000 pages each.

\*Declared yield value in accordance with ISO/IEC 19798. Actual yields will vary based on types of images printed and other factors.



SP C250SF	
Versatile Performance and Mobile Freedom	
Description	Color Desktop Laser Multifunction Printer
Order Number	407523
Print Speed	21-ppm black & white / color
Maximum Paper Size	8.5" x 14"
Maximum Resolution	2,400 x 600 dpi
CPU Speed	400 MHz
ADF/ARDF/SPDF	ADF - 35 sheets
Standard Memory	256 MB
Maximum Memory	256 MB
Print Languages	PCL 5c, PCL 6, PostScript 3 emulation
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet, USB Host Interface for PictBridge™, IEEE 802.11b/g/n
Connectivity Option	Not available
Duty Cycle	Up to 1,500 pages/month
Input Capacity Std.	250-Sheet Paper Tray + 1-Sheet Bypass Tray
Input Capacity Max.	751 sheets
Media Type	<b>Standard &amp; Bypass Trays:</b> Plain, Middle Thick, Recycle, Envelopes, Thick, Labels, Thin, Color, Prepunched, Letterhead, Bond, Cardstock, Preprinted (std. Tray only) <b>Optional Paper Feed Unit:</b> Plain, Middle Thick, Recycle, Thick, Thin, Color, Preprinted, Prepunched, Letterhead
Duplexing	Standard
Dimensions (WxDxH)	16.5" x 19.4" x 18.1" (420 x 493 x 460 mm)
Weight	64 lb. (29 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP C250SF On-Site Installation	008020MIU-PS1	\$155
Ricoh SP C250SF 1-Year On-Site Service Extended Warranty	008017MIU-PS1	\$130
Ricoh SP C250SF 2-Year On-Site Service Extended Warranty	008018MIU-PS1	\$249
Ricoh SP C250SF 3-Year On-Site Service Extended Warranty	008019MIU-PS1	\$350

# SP C252SF

Color  
Multifunction  
Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP C252SF	(1)	407525	\$899

(1) Ricoh SP C252SF 21-ppm Color and Black & White Desktop Laser Multifunctional Printer provides print, copy, color scan, fax, and iFax capability. Ships with standard/maximum 256 MB RAM; Integrated duplex; 35-Sheet ADF; 250-Sheet Paper Tray; 1-Sheet Bypass Tray; IEEE 802.11b/g/n; PictBridge™ support.

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1010	(2)	406019	\$179

(2) 500-Sheet Paper Tray. Only one Paper Feed Unit may be added to the mainframe.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP C252HA	6,500*	407653	\$114
All-In-One Cyan Print Cartridge SP C252HA	6,000*	407654	\$142
All-In-One Magenta Print Cartridge SP C252HA	6,000*	407655	\$142
All-In-One Yellow Print Cartridge SP C252HA	6,000*	407656	\$142
Waste Toner Bottle Type SP C220	25,000*	406043	\$19.47

The Ricoh SP C252SF ships with a set of four starter All-In-One print cartridges yielding approximately 1,000 pages each.

\*Declared yield value in accordance with ISO/IEC 19798. Actual yields will vary based on types of images printed and other factors.



SP C252SF	
Versatile Performance and Mobile Freedom	
Description	Color Desktop Laser Multifunction Printer
Order Number	407525
Print Speed	21-ppm black & white / color
Maximum Paper Size	8.5" x 14"
Maximum Resolution	2,400 x 600 dpi
CPU Speed	400 MHz
ADF/ARDF/SPDF	ADF - 35 sheets
Standard Memory	256 MB
Maximum Memory	256 MB
Print Languages	PCL 5c, PCL 6, PostScript 3 emulation
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet, USB Host Interface for PictBridge™, IEEE 802.11b/g/n
Connectivity Option	Not available
Duty Cycle	Up to 3,000 pages/month
Input Capacity Std.	250-Sheet Paper Tray + 1-Sheet Bypass Tray
Input Capacity Max.	751 sheets
Media Type	Standard & Bypass Trays: Plain, Middle Thick, Recycle, Envelopes, Thick, Labels, Thin, Color, Prepunched, Letterhead, Bond, Cardstock, Preprinted (std. Tray only) Optional Paper Feed Unit: Plain, Middle Thick, Recycle, Thick, Thin, Color, Preprinted, Prepunched, Letterhead
Duplexing	Standard
Dimensions (WxDxH)	16.5" x 19.4" x 18.1" (420 x 493 x 460 mm)
Weight	64 lb. (29 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP C252SF On-Site Installation	008020MIU-PS1	\$155
Ricoh SP C252SF 1-Year On-Site Service Extended Warranty	008017MIU-PS1	\$130
Ricoh SP C252SF 2-Year On-Site Service Extended Warranty	008018MIU-PS1	\$249
Ricoh SP C252SF 3-Year On-Site Service Extended Warranty	008019MIU-PS1	\$350

# SP 213SNw

**Black & White  
Multifunction  
Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 213SNw	(1)	407630	\$195

(1) Ricoh SP 213SNw 23-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, and scan capability. Ships with standard/maximum 128 MB RAM. Standard 150-Sheet Paper Tray plus 1-sheet Bypass Tray; 35-Sheet ADF; embedded Wi-Fi.



Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 201LA	1,500*	407259	\$64.99
All-In-One Black Print Cartridge SP 201HA	2,600*	407258	\$82

The Ricoh SP 213SNw ships with a starter All-In-One print cartridge yielding approximately 700 pages.

\*Declared yield value in accordance with ISO/IEC 19752. Actual yields will vary based on images printed and other factors.

SP 213SNw	
Print, copy, and scan with simplified Wi-Fi connectivity and more	
Description	Black & White Desktop Laser Multifunction Printer
Order Number	407630
Print Speed	23-ppm black & white
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 600 dpi
CPU Speed	360 MHz
ADF/ARDF/SPDF	ADF - 35 sheets
Standard Memory	128 MB
Maximum Memory	128 MB
Print Languages	PCL 6
Connectivity Standard	High-speed USB 2.0 Type B, 10/100BASE-TX Ethernet, IEEE 802.11b/g/n Wireless LAN (Ad Hoc and infrastructure modes)
Connectivity Option	Not available
Duty Cycle	Up to 20,000 pages/month
Input Capacity Std.	150-Sheet Paper Tray + 1-Sheet Bypass Tray
Input Capacity Max.	151 sheets
Media Type	Plain, Recycled, Thick, Thin
Duplexing	Manual
Dimensions (WxDxH)	15.8" x 14.2" x 11.5" (402 x 360 x 293 mm)
Weight	24.4 lb. (11.1 kg) (includes AIO)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 213SNw 1-Year Advanced Exchange Extended Warranty	008032MIU-PS1	\$99
Ricoh SP 213SNw 2-Year Advanced Exchange Extended Warranty	008033MIU-PS1	\$178

# SP 213SFNw

**Black & White  
Multifunction  
Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 213SFNw	(1)	407592	\$245

(1) Ricoh SP 213SFNw 23-ppm Black & White Desktop Laser Multifunctional Printer provides print, copy, scan, and fax capabilities. Ships with standard/maximum 128 MB RAM. Standard 150-Sheet Paper Tray plus 1-sheet Bypass Tray; 35-Sheet ADF; embedded Wi-Fi.



Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 201LA	1,500*	407259	\$64.99
All-In-One Black Print Cartridge SP 201HA	2,600	407258	\$82

The Ricoh SP 213SFNw ships with a starter All-In-One print cartridge yielding approximately 700 pages.

\*Declared yield value in accordance with ISO/IEC 19752. Actual yields will vary based on images printed and other factors.

SP 213SFNw	
4-in-1 versatility with the convenience of Wi-Fi connectivity and more	
Description	Black & White Desktop Laser Multifunction Printer
Order Number	407592
Print Speed	23-ppm black & white
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 600 dpi
CPU Speed	360 MHz
ADF/ARDF/SPDF	ADF - 35 sheets
Standard Memory	128 MB
Maximum Memory	128 MB
Print Languages	PCL 6
Connectivity Standard	High-speed USB 2.0 Type B, 10/100BASE-TX Ethernet, IEEE 802.11b/g/n Wireless LAN (Ad Hoc and infrastructure modes)
Connectivity Option	Not available
Duty Cycle	Up to 20,000 pages/month
Input Capacity Std.	150-Sheet Paper Tray + 1-Sheet Bypass Tray
Input Capacity Max.	151 sheets
Media Type	Plain, Recycled, Thick, Thin
Duplexing	Manual
Dimensions (WxDxH)	15.8" x 14.2" x 11.5" (402 x 360 x 293 mm)
Weight	24.4 lb. (11.1 kg) (includes AIO)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 213SFNw 1-Year Advanced Exchange Extended Warranty	008034MIU-PS1	\$99
Ricoh SP 213SFNw 2-Year Advanced Exchange Extended Warranty	008035MIU-PS1	\$178

# SP 311SFNw

**Black & White  
Multifunction  
Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 311SFNw	(1)	407240	\$378

(1) Ricoh SP 311SFNw 30-ppm Black & White Desktop Laser Multifunctional Printer provides print, copy, scan, and fax capabilities. Ships with standard/maximum 128 MB RAM. Integrated duplex; 35-Sheet ADF; 250-Sheet Paper Tray; 50-Sheet Bypass Tray; Scan-to-Email/Folder FTP; wireless capability.



Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 311HA	3,500*	407245	\$106.50

The Ricoh SP 311SFNw ships with a starter All-In-One toner cartridge yielding approximately 1,000 pages.

\*Declared yield value in accordance with ISO/IEC 19752. Actual yields will vary based on images printed and other factors.

SP 311SFNw	
Versatile Multifunctionality Plus the Convenience of Wireless	
Description	Black & White Desktop Laser Multifunction Printer
Order Number	407240
Print Speed	30-ppm black & white
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 600 dpi
CPU Speed	360 MHz
ADF/ARDF/SPDF	ADF - 35 sheets
Standard Memory	128 MB
Maximum Memory	128 MB
Print Languages	PCL 5e*, PCL 6
Connectivity Standard	High-Speed USB 2.0, 10/100BASE-TX Ethernet, IEEE 802.11b/g/n Wireless LAN (Ad Hoc and infrastructure modes)
Connectivity Option	Not available
Duty Cycle	Up to 20,000 pages/month
Input Capacity Std.	250-Sheet Paper Tray + 50-Sheet Bypass Tray
Input Capacity Max.	300 sheets
Media Type	<b>Standard Tray:</b> Plain, Recycled, Thick, Thin <b>Bypass Tray:</b> Plain, Recycled, Thick, Thin, Labels, Envelopes (Com10, Monarch, C5, C6, DL)
Duplexing	Standard
Dimensions (WxDxH)	15.9" x 15.5" x 15.3" (405 x 392 x 390 mm)
Weight	38.6 lb. (17.5 kg) (including AIO cartridge)
Optional Finishing	Not available
ENERGY STAR	2.0

\*PCL 5e does not ship with the product, but the controller can receive PCL 5e data from the host PC.

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 311SFNw On-Site Installation	007197MIU-PS1	\$180
Ricoh SP 311SFNw 1-Year Advanced Exchange Extended Warranty	007199MIU-PS1	\$171
Ricoh SP 311SFNw 2-Year Advanced Exchange Extended Warranty	007200MIU-PS1	\$332
Ricoh SP 311SFNw Upgrade to On-Site Service Extended Warranty from 1-Year Advanced Exchange*	007201MIU-PS1	\$91
Ricoh SP 311SFNw 1-Year On-Site Service Extended Warranty	007202MIU-PS1	\$240
Ricoh SP 311SFNw 2-Year On-Site Service Extended Warranty	007203MIU-PS1	\$385

\*When upgrading from Advanced Exchange, this package must be purchased. By itself, it upgrades the original 1-Year Advanced Exchange Warranty to 1-Year On-Site. Then an additional Extended Warranty (1 Year or 2 Year) may also be purchased if desired.

# SP 3500SF/SP 3510SF

**Black & White  
Multifunction  
Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 3500SF	(1)	406967	\$419
Ricoh SP 3510SF	(2)	406971	\$479

(1) Ricoh SP 3500SF 30-ppm Black & White Desktop Laser Multifunctional Printer provides print, copy, scan, and fax capabilities. Ships with standard/maximum 128 MB RAM. 35-Sheet ADF; 250-Sheet Paper Tray; 50-Sheet Bypass Tray; Scan-to-Email/Folder/FTP/USB.

(2) Ricoh SP 3510SF 30-ppm Black & White Desktop Laser Multifunctional Printer provides print, copy, scan, and fax capabilities. Ships with standard/maximum 128 MB RAM. Integrated duplex; 50-Sheet ADF; 250-Sheet Paper Tray; 50-Sheet Bypass Tray; Scan-to-Email/Folder FTP/USB.

Optional Accessories	Notes	Part No	SRP
250-Sheet Paper Feed Unit TK1080	(3)	406496	\$149
SX-2500CG Wireless Adapter	(4)	100118FNG	\$179

(3) User/Service installable. 250-Sheet Optional Paper Tray. Only one additional tray can be installed. Letter or Legal size paper.

(4) IEEE 802.11b/g Wireless Adapter replaces the Network Interface Board that comes with the printer. Cannot use both.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 3500XA	6,400*	406989	\$139
All-In-One Black Print Cartridge SP 3400LA	2,500*	406464	\$86

The Ricoh SP 3500SF and SP 3510SF ships with a starter All-In-One print cartridge yielding approximately 1,500 pages.  
Note: Replacement cartridge yield: 2,500 or 6,400 page cartridge yield available.

\*Declared yield value in accordance with ISO/IEC 19752.

The above high yield toner is new and is shared with other currently launching models (SP 3500SF/SP 3510SF) ONLY. All new supply items are marked as "New" under the EDP/Order Code, unmarked items are existing. The above low yield toner is shared with the following pre-existing models: SP 3400N/SP 3410DN, the high yield toner will not work with these models.



	SP 3500SF	SP 3510SF
	<b>Affordable and Compact for Peak Multifunction Performance</b>	
Description	Black & White Desktop Laser Multifunction Printer	
Order Number	406967	406971
Print Speed	30-ppm black & white	
Maximum Paper Size	8.5" x 14"	
Maximum Resolution	1,200 x 1,200 dpi output (@ 50% productivity)	
CPU Speed	350 MHz	
ADF/ARDF/SPDF	ADF - 35 sheets	ADF - 50 sheets
Standard Memory	128 MB	
Maximum Memory	128 MB	
Print Languages	PCL 6, PostScript 3 emulation	
Connectivity Standard	High-Speed USB 2.0, 10/100BASE-TX Ethernet	
Connectivity Option	Not available	
Duty Cycle	Up to 35,000 pages/month	
Input Capacity Std.	250-Sheet Tray + 50-Sheet Bypass Tray	
Input Capacity Max.	550 sheets	
Media Type	Standard Tray: Plain, Recycled, Cardstock Bypass Tray: Plain, Recycled, Envelopes, Cardstock, Labels	
Duplexing	Manual	Automatic
Dimensions (WxDxH)	16.5" x 15.6" x 17.4" (420 x 397 x 442 mm)	16.5" x 15.6" x 18.1" (420 x 397 x 462 mm)
Weight	38.5 lb. (17.5 kg)	40.5 lb. (19 kg)
Optional Finishing	Not available	
ENERGY STAR	N/A	2.0

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 3500SF/SP 3510SF 1-Year Advanced Exchange Extended Warranty	007068MIU-PS1	\$166
Ricoh SP 3500SF/SP 3510SF 2-Year Advanced Exchange Extended Warranty	007069MIU-PS1	\$320
Ricoh SP 3500SF/SP 3510SF Upgrade to On-Site Service Extended Warranty from 1-Year Advanced Exchange*	007070MIU-PS1	\$87
Ricoh SP 3500SF/SP 3510SF 1-Year On-Site Service Extended Warranty	007072MIU-PS1	\$232
Ricoh SP 3500SF/SP 3510SF 2-Year On-Site Service Extended Warranty	007073MIU-PS1	\$373
Ricoh SP 3500SF/SP 3510SF On-Site Installation	007074MIU-PS1	\$175

\*When upgrading from Advanced Exchange, this package must be purchased. By itself, it upgrades the original 1-Year Advanced Exchange Warranty to 1-Year On-Site. Then an additional Extended Warranty (1 Year or 2 Year) may also be purchased if desired.



# SP 3600SF/SP 3610SF

**Black & White  
Multifunction  
Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 3600SF	(1)	407307	\$540
Ricoh SP 3610SF	(2)	407305	\$605

(1) Ricoh SP 3600SF 31-ppm A4 Black & White Desktop LED Multifunction Printer with Print, Copy, Color Scan and Fax capability. Main unit includes a 4-line LCD Panel, 250-Sheet Paper Tray, 100-Sheet Bypass Tray, 35-Sheet Automatic Document Feeder (ADF), 512 MB RAM and integrated Duplex. Genuine Adobe® PostScript® 3™, Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 1,500 prints (ISO/IEC 19752).

(2) Ricoh SP 3610SF 31-ppm A4 Black & White Desktop LED Multifunction Printer with Print, Copy, Color Scan and Fax capability. Main unit includes a 4-line LCD Panel, 250-Sheet Paper Tray, 100-Sheet Bypass Tray, 35-Sheet Single Pass Duplexing Feeder (SPDF), 512 MB RAM and integrated Duplex. Genuine Adobe® PostScript® 3™, Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 1,500 prints (ISO/IEC 19752).

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit PB1060	(3), (4), (5)	407230	\$169
Paper Feed Unit PB1070	(3), (4), (6)	407229	\$305
Adjustable Height Cabinet Type G	(7)	161200	\$235
IEEE802.11 Interface Unit Type P6	(8)	407566	\$479

(3) A maximum of One (1) Optional Paper Feed Units may be added for a maximum paper capacity of 850 sheets including the Standard Paper Tray and Bypass Tray.

(4) Supports paper sizes up to 8.5" x 14" and paper weights up to 43 lb. Bond/90 lb. Index.

(5) 250-Sheet Paper Feed Unit.

(6) 500-Sheet Paper Feed Unit.

(7) Raises the system to an optimal height for floor placement. This versatile cabinet is adjustable and supports all approved Main Unit/Paper Tray configurations. Provides added storage for paper and extra supplies.

(8) This option allows you to connect the device to an IEEE 802.11 a/b/g/n Wireless LAN.

Consumables	Yield	Part No	SRP
Print Cartridge SP 4500A	6,000*	407319	\$78
Print Cartridge SP 4500LA	3,000*	407321	\$63
Photoconductor Unit SP 4500	20,000	407324	\$62
Maintenance Kit SP 3600	120,000	407327	\$299

The Ricoh SP 3600SF and SP 3610SF ships with a Starter Toner yielding approximately 1,500 pages.

\*Declared yield value in accordance with ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.



	SP 3600SF	SP 3610SF
	<b>High Performance Multifunctionality in a Low-Volume Device</b>	
Description	Black & White Desktop LED Multifunction Printer	
Order Number	407307	407305
Print Speed	31-ppm black & white	
Functionality	Print, Copy, Scan, Fax	
Maximum Paper Size	8.5" x 14"	
Maximum Resolution	1,200 x 1,200 dpi	
CPU Speed	500 MHz	
ADF/ARDF/SPDF	ADF - 35 sheets	SPDF - 35 sheets
Standard Memory	512 MB	
Maximum Memory	512 MB	
Print Languages	PCL 5e, PCL 6, Genuine Adobe® PostScript® 3™	
Connectivity Standard	USB 2.0, 10/100BASE-TX Ethernet	
Connectivity Option	IEEE 802.11 b/g/n Wireless LAN	
Duty Cycle	50,000 pages	
Input Capacity Std.	250-Sheet Paper Tray + 100-Sheet Bypass Tray	
Input Capacity Max.	850 sheets	
Media Type	Plain, Recycled, Thick, OHP (Transparency), Letterhead, Preprinted, Labels, Envelopes	
Duplexing	Standard	
Dimensions (WxDxH)	15.8" x 15.4" x 16.0" (400 x 392 x 406 mm)	
Weight	41.9 lb. (19 kg)	
Optional Finishing	Not Available	
ENERGY STAR	2.0	

### Standard Warranty: Advanced Exchange

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 3600SF/SP 3610SF On-Site Installation	008049MIU-PS1	\$175
Ricoh SP 3600SF/SP 3610SF 1-Year Advanced Exchange Extended Warranty	008050MIU-PS1	\$135
Ricoh SP 3600SF/SP 3610SF 2-Year Advanced Exchange Extended Warranty	008051MIU-PS1	\$255
Ricoh SP 3600SF/SP 3610SF 3-Year Advanced Exchange Extended Warranty	008052MIU-PS1	\$379

# SP 4510SF

Black & White  
Multifunction  
Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh SP 4510SF	(1)	407302	\$1,099

(1) Ricoh SP 4510SF 42-PPM A4 Black & White Desktop LED Multifunction Printer with Print, Copy, Color Scan and Fax capability. Main unit includes 500-Sheet Paper Tray, 100-Sheet Bypass Tray, 50-Sheet ARDF, 1024MB RAM and integrated Duplex. Genuine Adobe® PostScript® 3™, Gigabit Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 6,000 prints (ISO/IEC 19752).

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit PB1060	(2), (3), (4)	407230	\$169
Paper Feed Unit PB1070	(2), (3), (5)	407229	\$305
Adjustable Height Cabinet Type G	(6)	161200	\$235
IEEE 1284 Interface Board Type A	(7), (8)	411699	\$134
IEEE 802.11 Interface Unit Type O	(7), (9)	407113	\$400
Hard Disk Drive Option Type M6	(10)	MX407222RA	\$339
Memory Unit Type M 1.5 GB	(11)	007167MIU	\$430
OCR Unit Type M2	(12)	416605	\$340
XPS Direct Print Option Type M6	(13)	407343	\$95
File Format Converter Type E	(14)	414007	\$817
Browser Unit Type M6	(15)	407225	\$125
VM Card Type W	(16)	407218	\$109
Optional Counter Interface Unit Type A	(17)	413012	\$81
Copy Data Security Unit Type G	(18)	416391	\$960

- (2) A maximum of Two (2) Optional Paper Feed Units may be added for a maximum paper capacity of 1,600 sheets including the standard Paper Tray and Bypass Tray.
- (3) Supports paper sizes up to 8.5" x 14" and paper weights up to 43 lb Bond/90 lb Index.
- (4) 250-Sheet Paper Feed Unit.
- (5) 500-Sheet Paper Feed Unit.
- (6) Raises the system to an optimal height for floor placement. This versatile cabinet is adjustable and supports all approved Main Unit/Paper Tray configurations. Provides added storage for paper and extra supplies.
- (7) One open interface board slot is available. Wireless LAN, Parallel Interface or File Format Converter may be installed.
- (8) For environments that require Parallel connectivity.
- (9) This option allows you to connect the device to an IEEE 802.11 a/b/g/n Wireless LAN.
- (10) The Hard Disk Drive (HDD) transforms the MFP into an information portal. The HDD is required for Document Server, Locked/Hold/Stored Print, Print-from-USB/SD Card, Store File, Scan-to-Folder/Memory, Preview Before Transmission, and managing received fax documents using Web Image Monitor. Data Overwrite and HDD Encryption are available when the HDD is installed.
- (11) Increases the memory to 1.5 GB and allows you to use the Browser and Extended Features.
- (12) Allows you to use the searchable PDF function.
- (13) This option enables direct printing of XPS format documents.
- (14) Required for downloading documents stored to Document Server in copier or printer mode to your PC using Web Image Monitor.
- (15) Provides the ability to browse the Internet and print the Web pages displayed on the control panel. HDD and additional Memory must also be installed for the Browser option to work.
- (16) The VM Card enables the installation of embedded software applications. HDD and additional Memory must also be installed.
- (17) 20-Pin Interface used to attach external key counter or key card device.
- (18) If a document containing embedded text for unauthorized copy guard is copied, protected pages are grayed out in the copy.

Consumables	Yield	Part No	SRP
Print Cartridge SP 4500HA	12,000*	407316	\$95
Print Cartridge SP 4500A	6,000*	407319	\$78
Print Cartridge SP 4500LA	3,000*	407321	\$63
Photoconductor Unit SP 4500	20,000	407324	\$62
Maintenance Kit SP 4500	120,000	407329	\$299

The Ricoh SP 4510SF ships with a starter toner that yields approximately 6,000 prints (ISO/IEC 19752).  
\*Declared yield values in accordance with ISO/IEC 19752. Actual yields may vary based on images printed and other factors.

SP 4510SF	
Full-Featured Multifunctionality for Space-Restricted Offices	
Description	Black & White Desktop LED Multifunction Printer
Order Number	407302
Print Speed	42-ppm black & white
Maximum Paper Size	8.5" x 14"
Maximum Resolution	1,200 x 1,200 dpi
CPU Speed	533 MHz
ADF/ARDF/SPDF	ARDF - 50 sheets
Standard Memory	1 GB
Maximum Memory	1.5 GB
Print Languages	Standard: PCL 5e, PCL 6, Genuine Adobe® PostScript® 3™, PDF Direct Print Optional: XPS
Connectivity Standard	10/100/1000BASE-TX Gigabit Ethernet, USB 2.0 Hi-Speed Type B, USB 2.0 Host Type A, SD Card Slot
Connectivity Option	IEEE 802.11a/b/g/n Wireless LAN, IEEE 1284/ECP Parallel Interface
Duty Cycle	Up to 150,000 pages/month
Input Capacity Std.	500-Sheet Paper Tray + 100-Sheet Bypass Tray
Input Capacity Max.	1,600 sheets
Media Type	Plain, Recycled, Thick, OHP (Transparency), Letterhead, Preprinted and Envelopes
Duplexing	Standard
Dimensions (WxDxH)	16.5" x 16.8" x 19" (419 x 427 x 484 mm)
Weight	50.6 lb. (23 kg)
Optional Finishing	Not available
ENERGY STAR	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 4510SF On-Site Installation	008041MIU-PS1	\$225
Ricoh SP 4510SF 1-Year On-Site Service Extended Warranty	008042MIU-PS1	\$105
Ricoh SP 4510SF 2-Year On-Site Service Extended Warranty	008043MIU-PS1	\$195
Ricoh SP 4510SF 3-Year On-Site Service Extended Warranty	008044MIU-PS1	\$285

# SP 5200S/SP 5210SF

**Black & White  
Multifunction  
Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh SP 5200S	(1)	406851	\$3,299
Ricoh SP 5210SF	(2)	406852	\$4,319

(1) Ricoh SP 5200S 47-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, and color scan capability. Ships with standard/maximum 1 GB memory. Integrated Duplex; HDD with DOSS and Encryption; 50-Sheet ARDF; 550-Sheet Paper Tray; 100-Sheet Bypass Tray.

(2) Ricoh SP 5210SF 52-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, color scan, and fax capability. Ships with standard/maximum 1 GB RAM. Integrated duplex; HDD with DOSS and Encryption; 50-Sheet ARDF; 550-Sheet Paper Tray; 100-Sheet Bypass Tray; Inner 1-Bin Tray (increases output capacity to 600 sheets.)

Optional Accessories	Notes	Part No	SRP
550-Sheet Paper Feed Unit TK1090	(4, 5, 7)	406599	\$310
550-Sheet Paper Feed Unit TK1100 with Casters	(4, 6, 7)	406600	\$335
Fax Option Type SP 5200	(8)	406594	\$340
IEEE 802.11a/b/g Wireless Interface Type J	(9, 10)	414008	\$775
Gigabit Ethernet Board Type C	(9, 11)	406914	\$408
Bluetooth Interface Unit Type D	(12)	415818	\$630
32 MB Memory Unit Type B	(13)	001342MIU	\$205
File Format Converter Type E	(9, 14)	414007	\$817
IPDS Option Type 5210	(15)	406816	\$750
Handset Type 1018		410781	\$71
Tall Cabinet Type C	(16)	100466FNG	\$210
Medium Cabinet Type D	(17)	100467FNG	\$200

(4) 550 sheet capacity.

(5) For desk placement. 1 Paper Feed Unit TK1090 may be added. For floor placement, up to 2 Paper Feed Unit TK1090 may be added.

(6) Only 1 Paper Feed Unit TK1100 with Casters may be installed on mainframe. Paper Feed Unit TK1100 is designed specifically for placement on the floor. When properly configured, Paper Feed Unit TK1100 must be the lowest Paper Feed Unit installed.

(7) Installation of 3 Paper Feed Units requires the assistance of a technician.

(8) Fax Option may be installed on the SP 5200S only.

(9) One open interface board slot is available. Gigabit Ethernet, Wireless LAN or File Format Converter may be installed.

(10) Wireless LAN option supports IEEE 802.11a/g standard and is WPA compliant.

(11) The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.

(12) Wireless Option for printing at close range. The Bluetooth option is installed in one of the 2 available USB Host Interface slots.

(13) Expansion Memory. Provides additional memory for facsimile functions.

(14) Required for downloading documents stored to Document Server in copier or printer mode to your PC using Web Image Monitor.

(15) For use in AS/400 environments.

(16) Tall Cabinet is recommended for use with mainframe when no optional Paper Feed Units are installed.

(17) Medium Cabinet is recommended for use when mainframe is configured with 1 optional Paper Feed Unit.

	SP 5200S	SP 5210SF
	<b>User-Friendly Design, Productivity Enhancing Results</b>	
Description	Black & White Desktop Laser Multifunction Printer	
Order Number	406851	406852
Print Speed	47-ppm black & white	52-ppm black & white
Maximum Paper Size	8.5" x 14"	
Maximum Resolution	1,200 x 600 dpi	
CPU Speed	533 MHz	
ADF/ARDF/SPDF	ARDF - 50 sheets	
Standard Memory	1 GB	
Maximum Memory	1 GB	
Print Languages	PCL 5e, PCL 6, XPS, Genuine Adobe® PostScript® 3™, PDF Direct, IPDS (optional)	
Connectivity Standard	10/100BASE-TX Ethernet, USB 2.0 Type B, Dual USB 2.0 Type A, Front USB 2.0/SD Card Slot Interface (for Scan-to/Print-from portable media)	
Connectivity Option	Gigabit Ethernet (1000BASE-T), IEEE 802.11a/g Wireless LAN, Bluetooth	
Duty Cycle	Up to 200,000 pages/month	
Input Capacity Std.	550-Sheet Paper Tray + 100-Sheet Bypass Tray	
Input Capacity Max.	2,300 sheets	
Media Type	Plain, Recycled, Middle Thick, Thick, Thin, Transparency, Letterhead, Label, Color, Preprinted, Envelopes	
Duplexing	Standard	
Dimensions (WxDxH)	18.1" x 20" x 27" (460 x 510 x 686 mm)	
Weight	99.2 lb. (45 kg)	103.6 lb. (47 kg)
Optional Finishing	Not available	
ENERGY STAR	2.0	

### Standard Warranty: On-Site

See last page for complete warranty information.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 5200HA	25,000*	406683	\$181
Maintenance Kit Type SP 5200	120,000	406686	\$168
Staple Type T	5,000/carton	415009	\$40
Refill Staple Type T	10,000/carton	415010	\$44

The Ricoh SP 5200S/SP 5210SF ships with a starter All-In-One print cartridge yielding approximately 6,000 pages.

\*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.

Optional Warranty	Part No	SRP
Ricoh SP 5200MF On-Site Installation	006907MIU-PS1	\$255
Ricoh SP 5200MF 1-Year On-Site Service Extended Warranty	006908MIU-PS1	\$425
Ricoh SP 5200MF 2-Year On-Site Service Extended Warranty	006909MIU-PS1	\$785
Ricoh SP 5200MF 3-Year On-Site Service Extended Warranty	006910MIU-PS1	\$1,065

# MP 501SPF/MP 601SPF

**Black & White  
Multifunction  
Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh MP 501SPF	(1)	407809	\$3,499
Ricoh MP 601SPF	(2)	407812	\$4,499

(1) Ricoh MP 501SPF 52-ppm A4 Black & White Laser Multifunction Printer. Main unit has a 10.1" Smart Operation Panel, 500-sheet Paper Tray, 100-sheet Bypass Tray, 50-sheet ARDF, integrated Duplex, 320 GB HDD, 2 GB RAM, and Fax & Scanning capability. Genuine Adobe® PostScript®3™, Gigabit Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 10,000 prints (ISO 19752).

(2) Ricoh MP 601SPF 62-ppm A4 Black & White Laser Multifunction Printer. Main unit has a 10.1" Smart Operation Panel, 500-sheet Paper Tray, 100-sheet Bypass Tray, 50-sheet ARDF, integrated Duplex, 320 GB HDD, 2 GB RAM, and Fax & Scanning capability. Genuine Adobe® PostScript®3™, Gigabit Ethernet and USB 2.0 connectivity is provided standard. Ships with Starter Toner that yields 10,000 prints (ISO 19752)..

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit PB1100	(3), (4), (5), (6)	407850	\$309
Tall Cabinet Type I	(4), (5)	52651	\$229
Medium Cabinet Type J	(5), (6)	52641	\$195
Caster Table Type M24	(3), (4)	407851	\$279
IEEE 802.11 Interface Unit Type M24	(7), (8)	407863	\$489
IEEE 1284 Interface Board Type M19	(7), (9)	417596	\$125
USB Device Server Option Type M19	(7), (10)	417567	\$265
Extended USB Board Type M19	(7), (11)	417566	\$375
Optional Counter Interface Unit Type M12	(12)	417111	\$81
XPS Direct Print Option Type M24	(13)	408048	\$95
File Format Converter Type M19	(7), (14)	417508	\$739
OCR Unit Type M13	(15)	417428	\$345
Fax Connection Unit Type M24	(16)	407854	\$299
NFC Card Reader	(17)	407853	\$339
DataOverwriteSecurity Unit Type M19	(18)	417499	\$479
ESP XG-PCS-15D Power Filter	(19)	006428MIU	\$346
ESP AC1 Power Filter	(20)	ESPAC1	\$30

- (3) 500-sheet capacity. Supports paper sizes up to 8.5" x 14" and paper weights up to 59 lb. Bond/120 lb. Index. A maximum of four (4) additional Paper Feed Units may be added to the mainframe for a maximum paper capacity of 2,600 sheets.
- (4) Caster Table is required when the three (3) or four (4) optional Paper Feed Units (Type PB 1100) are installed.
- (5) Recommended for the base unit for a floor-standing configuration.
- (6) Recommended when one (1) or two (2) additional Paper Feed Units (Type PB 1100) are added for a floor-standing configuration.
- (7) One open interface board slot is available. Wireless LAN, Parallel Interface, USB Device Server, Extended USB, or the File Format Converter may be installed.
- (8) This option allows you to connect the device to an IEEE 802.11 a/b/g/n wireless LAN.
- (9) For environments that require Parallel connectivity.
- (10) This option provides an additional Network Port, which allows the MFP to reside on two networks simultaneously.
- (11) Provides an additional USB Type B port / connection for printing.
- (12) 20-Pin Interface used to attach External Key Counter or Key Card Device.
- (13) This option enables direct printing of XPS format documents.
- (14) Required to convert file format and drag documents stored via Document Server to desktop.
- (15) This function embeds invisible text on scanned images of PDF and enables users to search PDF files by arbitrary keywords. Searchable PDF files can be sent to email, folders and external media (SD/USB).
- (16) Enables users to send and receive faxes from other devices on the same network (up to 6) via the Primary MFP which has the Fax Connection Unit installed.
- (17) Enables users to log into and authenticate to the MFP with a programmed access card.
- (18) For customers who require the CC certified Data Overwrite Security function.
- (19) The ESP XG-PCS-15D power filter provides multi-stage power protection as well as line conditioning. Ricoh Advanced Technical Support (ATS) recommends the use of Power Protection products to minimize potential electrical interference with products.
- (20) The ESP AC1 power filter provides multi-stage power protection for output devices. Ricoh Advanced Technical Support (ATS) recommends the use of Power Protection products to minimize potential electrical interference with products.

Consumables	Yield	Part No	SRP
Black Print Cartridge MP 601 (included water bottle)	25,000*	407823	\$135
Feed Roller MP 601 (for mainframe)	500,000	408049	\$95
Feed Roller MP 601P8 (for PFU)	500,000	408050	\$95

\*Declared yield values in accordance with ISO/IEC 19752. Actual yield may vary based on images print and other factors. The Ricoh MP 501SPF/MP 601SPF ships with a starter Print Cartridge that yields 10,000 pages.

	MP 501SPF	MP 601SPF
	<b>Faster, Smarter Workflow for your Workgroup</b>	
<b>Description</b>	Black & White Desktop Laser Multifunction Printer	
<b>Order Number</b>	407809	407812
<b>Print Speed</b>	MP 501SPF: 52-ppm black & white (letter) MP 601SPF: 62-ppm black & white (letter)	
<b>Maximum Paper Size</b>	8.5" x 14"	
<b>Maximum Resolution</b>	1200 x 1200 dpi	
<b>CPU Speed</b>	1 GHz	
<b>ADF/ARDF/SPDF</b>	ARDF - 50 sheets	
<b>Standard Memory</b>	2 GB RAM	
<b>Maximum Memory</b>	320 GB Hard Disk Drive w/DOSS	
<b>Print Languages</b>	Standard: PCL 5e, PCL 6, Genuine Adobe® PostScript®3™, PDF Direct Print Optional: XPS	
<b>Connectivity Standard</b>	10BASE-TX/100BASE-TX/1000BASE-TX Ethernet, USB 2.0 Type B, USB 2.0 Type A x 2	
<b>Connectivity Option</b>	IEEE 802.11 a/b/g/n Wireless LAN, IEEE 1284/ECP Parallel Interface, USB 2.0 Type B Device Server, Extended USB 2.0 Type B Board, File Format Converter	
<b>Duty Cycle</b>	MP 501SPF: Up to 250,000 pages/month MP 601SPF: Up to 275,000 pages/month	
<b>Input Capacity Std.</b>	500-Sheet Paper Tray + 100-Sheet Bypass Tray	
<b>Input Capacity Max.</b>	2,600 sheets	
<b>Media Type</b>	Thin, Plain, Recycled, Color Paper, Bond, Letterhead, Thick and Preprinted Papers, OHP (Transparencies), Labels and Envelopes	
<b>Duplexing</b>	Automatic	
<b>Dimensions (WxDxH)</b>	18.7" x 19.84" x 25.29" (475 x 504 x 624mm)	
<b>Weight</b>	61.6 lbs. (28kg)	
<b>Finishing Capability</b>	Not available	
<b>Optional Finishing</b>	Not available	
<b>ENERGY STAR</b>	2.0	

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh MP 501SPF/MP 601SPF On-Site Installation	008124MIU-PS1	\$213
Ricoh MP 501SPF 1-Year On-Site Service Extended Warranty	008125MIU-PS1	\$348
Ricoh MP 501SPF 2-Year On-Site Service Extended Warranty	008126MIU-PS1	\$638
Ricoh MP 501SPF 3-Year On-Site Service Extended Warranty	008127MIU-PS1	\$869
Ricoh MP 601SPF 1-Year On-Site Service Extended Warranty	008128MIU-PS1	\$435
Ricoh MP 601SPF 2-Year On-Site Service Extended Warranty	008129MIU-PS1	\$798
Ricoh MP 601SPF 3-Year On-Site Service Extended Warranty	008130MIU-PS1	\$1,086

# SP 5200SG/SP 5210SFG/SP 5210SRG

**TAA Compliant  
Black & White  
Multifunction Printers**

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 5200SG	(1)	407570	\$3,299
Ricoh SP 5210SFG	(2)	407571	\$4,319
Ricoh SP 5210SRG	(3)	407572	\$4,449

- (1) Ricoh SP 5200SG 47-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, & color scan capability. Ships with standard/maximum 1 GB RAM. Integrated duplex; HDD with DOSS & Encryption; 50-Sheet ARDF; 550-Sheet Paper Tray; 100-Sheet Bypass Tray.
- (2) Ricoh SP 5210SFG 52-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, color scan, & fax capability. Ships with standard/maximum 1 GB RAM. Integrated duplex; HDD with DOSS & Encryption; 50-Sheet ARDF; 550-Sheet Paper Tray; 100-Sheet Bypass Tray; Inner 1-Bin Tray (increases output capacity to 600 sheets).
- (3) Ricoh SP 5210SRG 52-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, & color scan capability. Ships with standard/maximum 1 GB RAM. Integrated duplex; HDD with DOSS & Encryption; 50-Sheet ARDF; 550-Sheet Paper Tray; 100-Sheet Bypass Tray; standard internal 50-Sheet Staple Finisher.

Optional Accessories	Notes	Part No	SRP
550-Sheet Paper Feed Unit TK1090	(4, 5, 7)	406599	\$310
550-Sheet Paper Feed Unit TK1100 with Casters	(4, 6, 7)	406600	\$335
Fax Option Type SP 5200	(8)	406594	\$340
IEEE 802.11a/g Wireless Interface Type J	(9, 10)	414008	\$775
Gigabit Ethernet Board Type C	(9, 11)	406914	\$408
Bluetooth Interface Unit Type D	(12)	415818	\$630
32 MB Memory Unit Type B	(13)	001342MIU	\$205
File Format Converter Type E	(9, 14)	414007	\$817
IPDS Unit Type 5210	(15)	406816	\$750
Telephone Handset Type 1018		410781	\$71
Tall Cabinet Type C	(16)	100466FNG	\$210
Medium Cabinet Type D	(17)	100467FNG	\$200

- (4) 550 sheet capacity.
- (5) For desk placement. 1 Paper Feed Unit TK1090 may be added. For floor placement, up to 2 Paper Feed Unit TK1090 may be added.
- (6) Only 1 Paper Feed Unit TK1100 with Casters may be installed on mainframe. Paper Feed Unit TK1100 is designed specifically for placement on the floor. When properly configured, Paper Feed Unit TK1100 must be the lowest Paper Feed Unit installed.
- (7) Installation of 3 Paper Feed Units requires the assistance of a technician.
- (8) Fax Option may be installed on the SP 5200SG and SP 5210SRG only.
- (9) One open interface board slot is available. Gigabit Ethernet, Wireless LAN or File Format Converter may be installed.
- (10) Wireless LAN option supports IEEE 802.11a/g standard and is WPA compliant.
- (11) The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (12) Wireless Option for printing at close range. The Bluetooth option is installed in one of the 2 available USB Host Interface slots.
- (13) Expansion Memory. Provides additional memory for facsimile functions.
- (14) Required for downloading documents stored to Document Server in copier or printer mode to your PC using Web Image Monitor.
- (15) For use in AS/400 environments.
- (16) Tall Cabinet is recommended for use with mainframe when no optional Paper Feed Units are installed.
- (17) Medium Cabinet is recommended for use when mainframe is configured with 1 optional Paper Feed Unit.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 5200HA	25,000*	406683	\$181
Maintenance Kit Type SP 5200	120,000	406686	\$168
Staple Type T	5,000/carton	415009	\$40
Refill Staple Type T	10,000/carton	415010	\$44

The Ricoh SP 5200SG/SP 5210SFG/SP 5210SRG ships with a starter All-In-One print cartridge yielding approximately 6,000 pages.  
\*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.



	SP 5200SG	SP 5210SFG	SP 5210SRG
	<b>User-Friendly Design, Productivity Enhancing Results</b>		
Description	Black & White Desktop Laser Multifunction Printer		
Order Number	406851	406852	406853
Print Speed	47-ppm black & white	52-ppm black & white	
Maximum Paper Size	8.5" x 14"		
Maximum Resolution	1,200 x 600 dpi		
CPU Speed	533 MHz		
ADF/ARDF/SPDF	ARDF - 50 sheets		
Standard Memory	1 GB		
Maximum Memory	1GB		
Print Languages	PCL 5e, PCL 6, XPS, Genuine Adobe® PostScript® 3™, PDF Direct, IPDS (optional)		
Connectivity Standard	10/100BASE-TX Ethernet, USB 2.0 Type B, Dual USB 2.0 Type A, Front USB 2.0/SD Card Slot Interface (for Scan-to/Print-from portable media)		
Connectivity Option	Gigabit Ethernet (1000BASE-T), IEEE 802.11a/g Wireless LAN, Bluetooth		
Duty Cycle	Up to 200,000 pages/month		
Input Capacity Std.	550-Sheet Paper Tray + 100-Sheet Bypass Tray		
Input Capacity Max.	2,300 sheets		
Media Type	Plain, Recycled, Middle Thick, Thick, Thin, Transparency, Letterhead, Label, Color, Preprinted, Envelopes		
Duplexing	Standard		
Dimensions (WxDxH)	18.1" x 20" x 27" (460 x 510 x 686 mm)		18.1" x 24.2" x 27" (460 x 615 x 686 mm)
Weight	99.2 lb. (45 kg)	103.6 lb. (47 kg)	116.8 lb. (53 kg)
Optional Finishing	Not available	Not available	50-Sheet Staple Finisher
ENERGY STAR	2.0	2.0	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 5200MF On-Site Installation	006907MIU-PS1	\$255
Ricoh SP 5200MF 1-Year On-Site Service Extended Warranty	006908MIU-PS1	\$425
Ricoh SP 5200MF 2-Year On-Site Service Extended Warranty	006909MIU-PS1	\$785
Ricoh SP 5200MF 3-Year On-Site Service Extended Warranty	006910MIU-PS1	\$1,065

# SP 5210DNHW/SP 5210DNHT

Healthcare Optimized Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 5210DNHW	(1)	407183	\$2,399
Ricoh SP 5210DNHT	(2)	407184	\$2,199

(1) Ricoh SP 5210DNHW 52-ppm Black & White Desktop Laser Printer offers Wristband Insert and Teflon Tape. Ships with standard/maximum 768 MB RAM, 80 GB Hard Disk Drive; integrated duplex; 250-Sheet Paper Tray; 100-Sheet Bypass Tray; DataOverwrite with Encryption.  
 (2) Ricoh SP 5210DNHT 52-ppm Black & White Desktop Laser Printer ships offers Teflon Tape. Ships with standard/maximum 768 MB RAM, 80 GB Hard Disk Drive; integrated duplex; 550-Sheet Paper Tray; 100-Sheet Bypass Tray; DataOverwrite with Encryption.

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1120L	(3, 4, 5, 7)	407189	\$400
Paper Feed Unit TK1120T	(3, 4, 5, 8)	407190	\$500
Paper Feed Unit TK1120	(3, 4, 5)	406730	\$360
Paper Feed Unit TK1130L	(3, 5, 6, 7)	407191	\$425
Paper Feed Unit TK1130T	(3, 5, 6, 8)	407192	\$525
Paper Feed Unit TK1130	(3, 5, 6)	406732	\$390
IEEE 802.11a/g Interface Unit Type L	(9)	403000	\$692
Gigabit Ethernet Board Type C	(9)	406914	\$408
IEEE 1284 Interface Board Type A	(9)	411699	\$134
IPDS Unit Type 5200	(10)	406804	\$558
VM Card Type O		406678	\$119
SD Card for Netware Printing Type E	(11)	406736	\$102
Tall Cabinet Type A	(12)	100464FNG	\$246
Medium Cabinet Type B	(13)	100465FNG	\$234

(3) 550 sheet capacity. Up to 4 Optional Paper Feed Units may be installed for a maximum paper capacity of 2,850 sheets.  
 (4) No more than 3 Optional Paper Feed Unit TK1120 may be installed at one time.  
 (5) The assistance of a technician is required when installing all 4 Optional Paper Feed Units.  
 (6) TK1130 with Casters must be installed anytime the device will be placed directly on the floor.  
 (7) This Paper Feed Unit includes a locking Paper Tray.  
 (8) This Paper Feed Unit includes Teflon Tape.  
 (9) One optional interface port is available.  
 (10) For use in AS/400 environments.  
 (11) For use in environments running Novell Netware.  
 (12) Tall Cabinet Type A is recommended for use with standard mainframe when no Optional Paper Feed Units are installed.  
 (13) Medium Cabinet Type B is recommended for use when mainframe is configured with 1 or 2 Optional Paper Feed Units.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 5200HA	25,000*	406683	\$181
Maintenance Kit SP 5200	120,000*	406686	\$168

The Ricoh SP 5210DNHW and SP 5210DNHT ships with a starter All-In-One toner cartridge yielding approximately 6,000 pages.  
 \*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.



	SP 5210DNHW	SP 5210DNHT
	<b>Convenience and Control</b>	
Description	Black & White Desktop Laser Printer	
Order Number	407183	407184
Print Speed	52-ppm black & white	
Maximum Paper Size	8.5" x 14" and 8.5" x 35" via Bypass Tray	
Maximum Resolution	1,200 x 600 dpi equivalent	
CPU Speed	533 MHz	
Standard Memory	768 MB	
Maximum Memory	768 MB	
Print Languages	PCL 5e, PCL 6, XPS, Genuine Adobe® PostScript® 3™, PDF Direct, IPDS (optional)	
Connectivity Standard	10/100BASE-TX Ethernet, USB 2.0 Host (Type B), USB 2.0 Host (Type A)	
Connectivity Option	Gigabit Ethernet (1000BASE-T), IEEE 802.11a/g Wireless LAN, IEEE 1284 Parallel	
Duty Cycle	Up to 200,000 pages/month	
Input Capacity Std.	250-Sheet Paper Tray + 100-Sheet Bypass Tray	550-Sheet Paper Tray + 100-Sheet Bypass Tray
Input Capacity Max.	2,550 sheets	2,850 sheets
Media Type	Plain, Recycled, Middle Thick, Thick and Thin Paper; Transparency, Letterhead, Labels, Color, Preprinted, & Envelopes	
Duplexing	Standard	
Dimensions (WxDxH)	16.2" x 17.1" x 15.75" (411 x 435 x 400 mm)	
Weight	51 lb. (23 kg)	
Optimized Features	Teflon Tape, ID Wristband Insert	Teflon Tape
ENERGY STAR	2.0	2.0

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 5200DN On-Site Installation	006903MIU-PS1	\$215
Ricoh SP 5200DN 1-Year On-Site Service Extended Warranty	006904MIU-PS1	\$345
Ricoh SP 5200DN 2-Year On-Site Service Extended Warranty	006905MIU-PS1	\$625
Ricoh SP 5200DN 3-Year On-Site Service Extended Warranty	006906MIU-PS1	\$855



# SP 5200SHW/SP 5200SHT

Healthcare Optimized  
Multifunction Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh SP 5200SHW	(1)	407185	\$3,699
Ricoh SP 5200SHT	(2)	407186	\$3,499

- (1) Ricoh SP 5200SHW 47-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, and color scan capabilities and offers Wristband Insert and Teflon Tape. Ships with standard/maximum 1 GB RAM. Hard Disk Drive with DOSS and Encryption; integrated duplex; 50-Sheet ARDF; 250-Sheet Paper Tray; 100-Sheet Bypass Tray.
- (2) Ricoh SP 5200SHT 47-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, and color scan capabilities and offers Teflon Tape. Ships with standard/maximum 1 GB RAM. Hard Disk Drive with DOSS and Encryption; integrated duplex; 50-Sheet ARDF; 550-Sheet Paper Tray; 100-Sheet Bypass Tray.

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1090L	(3, 7)	407193	\$410
Paper Feed Unit TK1090T	(3, 8)	407194	\$510
Paper Feed Unit TK1090	(3, 4, 6)	406599	\$310
Paper Feed Unit TK1100L with Casters	(3, 7)	407195	\$435
Paper Feed Unit TK1100T with Casters	(3, 8)	407196	\$535
Paper Feed Unit TK1100 with Casters	(3, 5, 6)	406600	\$335
Fax Option Type SP5200	(11)	406594	\$340
Fax Memory Unit Type B 32 MB	(16)	001342MIU	\$205
Telephone Handset Type 1018		410781	\$71
IPDS Unit Type 5210	(18)	406816	\$750
IEEE 802.11a/g Interface Unit Type J	(12, 13)	414008	\$775
Gigabit Ethernet Board Type C	(12, 14)	406914	\$408
File Format Converter Type E	(12, 17)	414007	\$817
Bluetooth Interface Unit Type D	(15)	415818	\$630
Tall Cabinet Type C	(9)	100466FNG	\$210
Medium Cabinet Type D	(10)	100467FNG	\$200

- (3) 550 sheet capacity.
- (4) Up to 2 Paper Feed Units TK1090 may be stacked.
- (5) Only 1 Paper Feed Unit TK1100 with Casters may be installed on a mainframe. Paper Feed Unit TK1100 is designed specifically for placement on the floor. When properly configured, Paper Feed Unit TK1100 must be the lowest Paper Feed Unit installed.
- (6) Installation of the 3 Paper Feed Units requires the assistance of a technician.
- (7) This Paper Feed Unit includes a locking Paper Tray.
- (8) This Paper Feed Unit includes Teflon Tape.
- (9) Tall Cabinet Type A is recommended for use with standard mainframe when no Optional Paper Feed Units are installed.
- (10) Medium Cabinet is recommended for use when mainframe is configured with 1 Optional Paper Feed Units.
- (11) Fax Option may be installed on the SP 5200SHW and SP 5200SHT only.
- (12) One open interface board slot is available. Gigabit Ethernet, Wireless LAN, or File Format Converter may be installed.
- (13) Wireless LAN option supports IEEE 802.11a/g standard and is WPA compliant.
- (14) The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (15) Wireless option for printing at close range. The Bluetooth Option is installed in one of the 2 available USB Host Interface slots.
- (16) Expansion memory. Provides additional memory for facsimile functions.
- (17) Required for downloading documents stored to Document Server in copier or printer mode to your PC using Web Image Monitor.
- (18) For use in AS/400 environments.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 5200HA	25,000*	406683	\$181
Maintenance Kit SP 5200	120,000*	406686	\$168

The Ricoh SP 5200SHW and SP 5200SHT ships with a starter All-In-One print cartridge yielding approximately 6,000 pages.  
\*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.

	SP 5200SHW	SP 5200SHT
	<b>Innovative Features, Customized Capabilities</b>	
Description	Black & White Desktop Laser Multifunction Printer	
Order Number	407185	407186
Print Speed	47-ppm black & white	
Maximum Paper Size	8.5" x 14" and 8.5" x 35" via Bypass Tray	
Maximum Resolution	1,200 x 600 dpi equivalent	
CPU Speed	533 MHz	
ADF/ARDF/SPDF	ARDF - 50 sheets	
Standard Memory	1 GB	
Maximum Memory	1 GB	
Print Languages	PCL 5e, PCL 6, XPS, Genuine Adobe® PostScript® 3™, PDF Direct, IPDS (optional)	
Connectivity Standard	10/100BASE-TX Ethernet, USB 2.0 Host (Type B), Dual USB Host (Type A)	
Connectivity Option	Gigabit Ethernet (1000BASE-T), IEEE 802.11a/g Wireless LAN, IEEE 1284 Parallel	
Duty Cycle	Up to 200,000 pages/month	
Input Capacity Std.	250-Sheet Paper Tray* + 100-Sheet Bypass Tray	550-Sheet Paper Tray* + 100-Sheet Bypass Tray
Input Capacity Max.	2,000 sheets	2,300 sheets
Media Type	Plain, Recycled, Middle Thick, Thick, Thin, Transparency, Letterhead, Labels, Color, Preprinted, & Envelopes	
Duplexing	Standard	
Dimensions (WxDxH)	18.1" x 20" x 27" (460 x 510 x 686 mm)	
Weight	99.2 lb. 45 kg)	
Optimized Features	Teflon Tape, ID Wristband Insert	Teflon Tape
ENERGY STAR	2.0	2.0

\*Up to 180g/m<sup>2</sup> Wristband Media

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 5200MF On-Site Installation	006907MIU-PS1	\$255
Ricoh SP 5200MF 1-Year On-Site Service Extended Warranty	006908MIU-PS1	\$425
Ricoh SP 5200MF 2-Year On-Site Service Extended Warranty	006909MIU-PS1	\$785
Ricoh SP 5200MF 3-Year On-Site Service Extended Warranty	006910MIU-PS1	\$1,065

# SP 5210SFHW/SP 5210SFHT

Healthcare Optimized  
Multifunction Printers

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh SP 5210SFHW	(1)	407187	\$4,719
Ricoh SP 5210SFHT	(2)	407188	\$4,519

- (1) Ricoh SP 5210SFHW 52-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, and color scan capabilities and offers Wristband Insert and Teflon Tape. Ships with standard/maximum 1 GB RAM. Hard Disk Drive with DOSS and Encryption; integrated duplex; 50-Sheet ARDF; 250-Sheet Paper Tray; 100-Sheet Bypass Tray.
- (2) Ricoh SP 5210SFHT 52-ppm Black & White Desktop Laser Multifunction Printer provides print, copy, and color scan capabilities and offers Teflon Tape. Ships with standard/maximum 1 GB RAM. Hard Disk Drive with DOSS and Encryption; integrated duplex; 50-Sheet ARDF; 550-Sheet Paper Tray; 100-Sheet Bypass Tray.

Optional Accessories	Notes	Part No	SRP
Paper Feed Unit TK1090L	(3, 7)	407193	\$410
Paper Feed Unit TK1090T	(3, 8)	407194	\$510
Paper Feed Unit TK1090	(3, 4, 6)	406599	\$310
Paper Feed Unit TK1100L with Casters	(3, 7)	407195	\$435
Paper Feed Unit TK1100T with Casters	(3, 8)	407196	\$535
Paper Feed Unit TK1100 with Casters	(3, 5, 6)	406600	\$335
Fax Option Type SP5200	(11)	406594	\$340
Fax Memory Unit Type B 32 MB	(16)	001342MIU	\$205
Telephone Handset Type 1018		410781	\$71
IPDS Unit Type 5210	(18)	406816	\$750
IEEE 802.11a/g Interface Unit Type J	(12, 13)	414008	\$775
Gigabit Ethernet Board Type C	(12, 14)	406914	\$408
File Format Converter Type E	(12, 17)	414007	\$817
Bluetooth Interface Unit Type D	(15)	415818	\$630
Tall Cabinet Type C	(9)	100466FNG	\$210
Medium Cabinet Type D	(10)	100467FNG	\$200

- (3) 550 sheet capacity.  
 (4) Up to 2 Paper Feed Units TK1090 may be stacked.  
 (5) Only 1 Paper Feed Unit TK1100 with Casters may be installed on a mainframe. Paper Feed Unit TK1100 is designed specifically for placement on the floor. When properly configured, Paper Feed Unit TK1100 must be the lowest Paper Feed Unit installed.  
 (6) Installation of the 3 Paper Feed Units requires the assistance of a technician.  
 (7) This Paper Feed Unit includes a locking Paper Tray.  
 (8) This Paper Feed Unit includes Teflon Tape.  
 (9) Tall Cabinet Type A is recommended for use with standard mainframe when no Optional Paper Feed Units are installed.  
 (10) Medium Cabinet is recommended for use when mainframe is configured with 1 Optional Paper Feed Units.  
 (11) Fax Option may be installed on the SP 5210SFHW and SP 5210SFHT only.  
 (12) One open interface board slot is available. Gigabit Ethernet, Wireless LAN, or File Format Converter may be installed.  
 (13) Wireless LAN option supports IEEE 802.11a/g standard and is WPA compliant.  
 (14) The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.  
 (15) Wireless option for printing at close range. The Bluetooth Option is installed in one of the 2 available USB Host Interface slots.  
 (16) Expansion memory. Provides additional memory for facsimile functions.  
 (17) Required for downloading documents stored to Document Server in copier or printer mode to your PC using Web Image Monitor.  
 (18) For use in AS/400 environments.

Consumables	Yield	Part No	SRP
All-In-One Black Print Cartridge SP 5200HA	25,000*	406683	\$181
Maintenance Kit SP 5200	120,000*	406686	\$168

The Ricoh SP 5210SFHW and SP 5210SFHT ships with a starter All-In-One toner cartridge yielding approximately 6,000 pages.  
 \*Declared yield values based on ISO/IEC 19752. Actual yields may vary based on types of images printed and other factors.



	SP 5210SFHW	SP 5210SFHT
	<b>Innovative Features, Customized Capabilities</b>	
Description	Black & White Desktop Laser Multifunction Printer	
Order Number	407187	407188
Print Speed	52-ppm black & white / color	
Maximum Paper Size	8.5" x 14" and 8.5" x 35" via Bypass Tray	
Maximum Resolution	1,200 x 600 dpi equivalent	
CPU Speed	533 MHz	
ADF/ARDF/SPDF	ARDF - 50 sheets	
Standard Memory	1 GB	
Maximum Memory	1 GB	
Print Languages	PCL 5e, PCL 6, XPS, Genuine Adobe® PostScript® 3™, PDF Direct, IPDS (optional)	
Connectivity Standard	10/100BASE-TX Ethernet, USB 2.0 Host (Type B), USB 2.0 Host (Type A)	
Connectivity Option	Gigabit Ethernet (1000BASE-T), IEEE 802.11a/g Wireless LAN, IEEE 1284 Parallel	
Duty Cycle	Up to 200,000 pages/month	
Input Capacity Std.	250-Sheet Paper Tray* + 100-Sheet Bypass Tray	550-Sheet Paper Tray* + 100-Sheet Bypass Tray
Input Capacity Max.	2,000 sheets	2,300 sheets
Media Type	Plain, Recycled, Middle Thick, Thick, Thin, Transparency, Letterhead, Labels, Color, Preprinted, & Envelopes	
Duplexing	Standard	
Dimensions (WxDxH)	18.1" x 20" x 27" (460 x 510 x 686 mm)	
Weight	99.2 lb. (44 kg)	
Optimized Features	Teflon Tape, ID Wristband Insert	Teflon Tape
ENERGY STAR	2.0	2.0

\*Up to 180g/m<sup>2</sup> Wristband Media

### Standard Warranty: On-Site

See last page for complete warranty information.

Optional Warranty	Part No	SRP
Ricoh SP 5200MF On-Site Installation	006907MIU-PS1	\$255
Ricoh SP 5200MF 1-Year On-Site Service Extended Warranty	006908MIU-PS1	\$425
Ricoh SP 5200MF 2-Year On-Site Service Extended Warranty	006909MIU-PS1	\$785
Ricoh SP 5200MF 3-Year On-Site Service Extended Warranty	006910MIU-PS1	\$1,065



# Minimum Advertised Price

as of 7/6/16

Product	Manufacturer Numbers	Minimum Advertised Price (MAP)	Suggested Retail Price
<b>Color Printers</b>			
Ricoh SG 3110DNw	405753	\$189	\$225
Ricoh SP C250DN	407519	\$249	\$300
Ricoh SP C252DN	407521	\$449	\$550
Ricoh SP C320DN	406790	\$499	\$599
Ricoh SP C435DN	407997	\$849	\$1,069
Ricoh SP C440DN	407773	\$1,199	\$1,499
Ricoh SP C830DN	407802	\$3,349	\$3,884
Ricoh SP C831 DN	407803	\$4,295	\$4,934
<b>Black &amp; White Laser Printers</b>			
Ricoh SP 213Nw	407587	\$125	\$145
Ricoh SP 311 DNw	407234	\$165	\$200
Ricoh SP 3500N	406957	\$199	\$239
Ricoh SP 3510DN	406962	\$249	\$299
Ricoh SP 3600DN	407314	\$299	\$355
Ricoh SP 4510DN	407311	\$599	\$725
Ricoh SP 6430DN	407482	\$1,399	\$1,729
Ricoh SP 5200DN	406722	\$989	\$1,235
Ricoh SP 5210DN	406726	\$1,229	\$1,535
Ricoh SP 8300DN	407836	\$2,399	\$3,060
<b>MFPs</b>			
Ricoh SG 3100SNw	405777	\$209	\$249
Ricoh SG 3110SFNw	405780	\$229	\$271
Ricoh SP C250SF	407523	\$399	\$499
Ricoh SP C252SF	407525	\$699	\$899
Ricoh SP 213SNw	407630	\$169	\$195
Ricoh SP 213SFNw	407592	\$209	\$245
Ricoh SP 311 SFNw	407240	\$315	\$378
Ricoh SP 3500SF	406967	\$349	\$419
Ricoh SP 3510SF	406971	\$399	\$479
Ricoh SP 3600SF	407307	\$449	\$540
Ricoh SP 3610SF	407305	\$499	\$605
Ricoh SP 4510SF	407302	\$899	\$1,099
Ricoh SP 5200S	406851	\$2,599	\$3,299
Ricoh SP 5210SF	406852	\$3,399	\$4,319
Ricoh MP 501 SPF	407809	\$2,795	\$3,499
Ricoh MP 601 SPF	407812	\$3,599	\$4,499
Ricoh SP 5200SG	407570	\$2,599	\$3,299
Ricoh SP 5210SFG	407571	\$3,399	\$4,319
Ricoh SP 5210SRG	407572	\$3,499	\$4,449
<b>Healthcare Optimized Printers</b>			
Ricoh SP 5210DNHW	407183	\$1,999	\$2,399
Ricoh SP 5210DNHT	407184	\$1,840	\$2,199
Ricoh SP 5200SHW	407185	\$3,099	\$3,699
Ricoh SP 5200SHT	407186	\$2,939	\$3,499
Ricoh SP 5210SFHW	407187	\$3,949	\$4,719
Ricoh SP 5210SFHT	407188	\$3,799	\$4,519

## Minimum Advertised Price (MAP) Guidelines

Ricoh Corporation maintains a Minimum Advertised Price (MAP) policy. As a Ricoh Reseller, you shall uphold Ricoh Corporation's MAP policy in all product advertising whether in print or on the Internet.

- Reseller can sell Ricoh products at any price. Ricoh is not dictating the Reseller's selling price.
- Ricoh will monitor MAP. MAP will be determined with Ricoh Product Marketing and communicated as changes are made. List of MAP pricing will be provided to all partners.
- Advertised Price is defined as all advertising, electronic distribution (including but not limited to banners, Emails and public Web sites). MAP does not include secure/private Web sites where customers are logged into their accounts.
- Please contact your Ricoh Channel Account Manager for approval of "Free", "Bundled", "Rebates", or "Quotes".

MAP guidelines must be strictly followed. Ricoh resellers must adhere to Ricoh Corporation's policy regarding the MAP.

Signature

Contact Name

Title

Company

Date

# Warranty Descriptions

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

### Standard Warranty:

Ricoh printers and multifunctional printers purchased through the IT distribution channel are provided with a one-year standard warranty against defects in materials and workmanship from the date of purchase. The method of warranty service varies depending on the device purchased. For information regarding the method of service that will apply to the device you are considering for purchase, please contact your Ricoh Channel Account Manager.

Warranty service is best facilitated by product registration. Product registration may be accomplished online ([http://www.ricoh-usa.com/support/warranty\\_registration.aspx](http://www.ricoh-usa.com/support/warranty_registration.aspx)) or by fax or mail via the warranty registration card in the device box. Failure to register in a timely manner may result in the need to provide proof-of-purchase to obtain warranty services.

User replaceable consumables and parts (example: toner cartridges, photoconductor units, etc.) are warranted for a period of either ninety days or one year (depending on product line) from the date of purchase unless otherwise defined.

### Methods of Service:

**On-Site:** A Ricoh Service Representative will be dispatched to perform on-site service during the warranty period if initial diagnosis and resolution efforts by Ricoh Support fail to resolve the issue.

**Advanced Exchange:** For those products that offer Advance Exchange as a Standard Warranty, Ricoh Support will attempt to diagnose and resolve technical defects via telephone. If Ricoh Support determines that the repair cannot be accomplished over the telephone, a like replacement product will be shipped at no charge within 24 hours. The original unit must be returned in accordance with the instructions provided inside the replacement product carton.

**Installation:** Customers may purchase Installation to receive support from a Ricoh Service Representative. Installation includes basic product installation and connection to the network for one server and two workstations. Connections to additional servers and/or workstations will be billed on a time and material basis.

### Technologies:

#### Color Printers Standard Warranty:

**Method: On-Site:** SP C250DN, SP C252DN, SP C320DN, SP C435DN, SP C440DN, SP C830DN/SP C831DN

**Method: Advanced Exchange:** SG 3110DNw

#### Black & White Printers Standard Warranty:

**Method: On-Site:** SP 4510DN, SP 6430DN, SP 5200DN/SP 5210DN, SP 5200DNG/SP 5210DNG, SP 5210DNHW/SP 5210DNHT, SP 8300DN

**Method: Advanced Exchange:** SP 213Nw, SP 311DNw, SP 3500N/SP 3510DN, SP 3600DN

#### Multi-Function Printers Standard Warranty:

**Method: On-Site:** SP C250SF, SP C252SF, MP 501SPF, MP 601SPF, SP 311SFNw, SP 4510SF, SP 5200S/SP 5210SF/SP 5210SR, SP 5200SG/SP 5210SFG/SP 5210SRG, SP 5200SHW/SP 5200SHT, SP 5210SFHW/SP 5210SFHT

**Method: Advanced Exchange:** SG 3100SNw/SG 3110SFNw, SP 213SNw, SP 213SFNw, SP 311SFNw, SP 3500SF/SP 3510SF, SP 3600SF/SP 3610SF

### Extended Warranty:

Extended warranties that can add up to three years coverage to your standard warranty are available for purchase. Extended warranties help protect your investment and assure you that the Ricoh Support and Service Representatives will be available to you for multiples years. Additionally, for those devices that provide Advanced Exchange as their standard warranty offering, upgrades to On-Site Service are also available depending on device. Customers can purchase an extended warranty within the original warranty period (one year of purchase) of printer and multifunctional printer purchase (proof of purchase required). Extended warranties are available in California, Virginia, and Florida commercially. The additional protection options are available as follows:

**On-Site Service Extended Warranty:** Offers an additional 1 or 2 years term of limited warranty protection.

**Advanced Exchange Extended Warranty:** Offers an additional 1, 2, or 3 years term of limited warranty protection.

**Advanced Exchange Upgrade Warranty:** Offers an upgrade from Advanced Exchange to an On-Site Warranty.

---

### Ricoh Support: 1-800-RICOH-38

Ricoh Support (800-Ricoh-38) is a dedicated support center for customers seeking warranty support for devices purchased through the IT distribution channel. The Support Center is available 24 hours a day, 7 days a week. Ricoh will assist the caller and will validate support entitlement by serial number for devices requiring Advanced Exchange or On-Site service. Additionally, frequently asked questions are available online at [http://www.ricoh-usa.com/support/knowledge\\_base.aspx](http://www.ricoh-usa.com/support/knowledge_base.aspx).

# Projectors/UCS/IWB

**RICOH**  
imagine. change.



# PJ WXC1110

## Mobile Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ WXC1110	(1)	432122	\$859

(1) Ricoh PJ WXC1110 supports full 3D.

#### What's in the Box

- Remote Control and Coin Batteries
- VGA Cable
- AC Adaptor and Power Cord
- CD-ROM with User Manual
- Quick Start Guide
- Warranty Sheet
- Lens Cap
- Carrying Bag
- Registration Card



PJ WXC1110	
Present your message with greater clarity for less cost.	
Description	Mobile Projector
Order Number	432122
Technology	DLP
3D Support	Full 3D
Brightness	600 lm
Resolution	WXGA (1280 x 800 dpi)
Contrast Ratio	600:1 (Native)
Light Source	RGB LED
Light Source Life	20,000 hours
Image (Diagonal)	25" to 200"
Projection Distance	16.9" to 135.4" (0.43 - 3.44 m)
Zoom Ratio	N/A
Aspect Ratio	16:10
Keystone Correction	Vertical: +/- 40 degrees
Lens Shift	N/A
Wired Network	N/A
Wireless Network	N/A
USB	Yes
Utilities	N/A
Speaker	1.5 Watts
Weight	1 lb. (0.45 kg)
Dimensions (WxDxH)	4.4" x 4.1" x 2" (112.5 x 105 x 50.5 mm)
Noise	34 db or less (standard) 24 db or less (standby)
Power Consumption	62W (standard) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ S2340

Entry Level  
Business Projector

## RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ S2340	(1)	432118	\$469

(1) Ricoh PJ S2340 supports full 3D.

Consumables	Yield	Part No	SRP
Replacement Lamp Type 26	4,500 hours/standard 6,000 hours/economy	512984	\$309

### What's in the Box

Remote Control and Batteries

VGA Cable

Power Cord

CR-ROM with User Manual

Quick Start Guide

Lens Cover

Warranty Sheet

Registration Card



PJ S2340	
Showcase your best ideas wherever you go	
Description	Entry Level Business Projector
Order Number	432118
Technology	DLP
3D Support	Full 3D
Brightness	3,000 lm
Resolution	SVGA (800 x 600 dpi)
Contrast Ratio	2200:1
Lamp Type	High Pressure Mercury (190W)
Image (Diagonal)	30" to 300"
Projection Distance	47.24" - 515.75" (1.2 - 13.1 m)
Zoom Ratio	1:1
Aspect Ratio	4:3
Keystone Correction	Manual: Vertical Only
Lens Shift	N/A
Wired Network	N/A
Wireless Network	N/A
USB	N/A
Utilities	N/A
Speaker	N/A
Weight	5.2 lbs. (2.4 kg)
Dimensions (WxDxH)	11.26" x 8.19" x 3.94" (286 x 208 x 100 mm)
Noise	36 dB (standard) 31 dB (eco)
Power Consumption	266W (standard) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ X2340

Entry Level  
Business Projector

## RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ X2340	(1)	432117	\$579

(1) Ricoh PJ X2340 supports full 3D.

Consumables	Yield	Part No	SRP
Replacement Lamp Type 26	4,500 hours/standard 6,000 hours/economy	512984	\$309

### What's in the Box

- Remote Control and Batteries
- Quick Start Guide
- VGA Cable
- Power Cord
- Carrying Bag
- CD-ROM with User Manual
- Lens Cover
- Warranty Sheet
- Registration Card



PJ X2340	
Showcase your best ideas wherever you go	
Description	Entry Level Business Projector
Order Number	432117
Technology	DLP
3D Support	Full 3D
Brightness	3,000 lm
Resolution	XGA (1024 x 768 dpi)
Contrast Ratio	2200:1
Lamp Type	High Pressure Mercury (190W)
Image (Diagonal)	30" to 300"
Projection Distance	47.24" - 515.75" (1.2 - 13.1 m)
Zoom Ratio	1:1
Aspect Ratio	4:3
Keystone Correction	Manual: Vertical Only
Lens Shift	N/A
Wired Network	N/A
Wireless Network	N/A
USB	N/A
Utilities	N/A
Speaker	2 Watts
Weight	5.2 lbs. (2.4 kg)
Dimensions (WxDxH)	11.26" x 8.19" x 3.94" (286 x 208 x 100 mm)
Noise	36 dB (standard) 31 dB (eco)
Power Consumption	266W (standard) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ WX2240

Entry Level  
Business Projector

## RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ WX2240	(1)	431169	\$700

(1) Ricoh PJ WX2240 supports full 3D.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 14	4,500 hours/standard 6,000 hours/economy	512758	\$388.35

### What's in the Box

- Remote Control
- CR-2025 x 1
- RGB Cable
- Power Cord
- Carrying Bag
- User's Manual/Utilities
- Warranty Sheet
- Registration Card



PJ WX2240	
Showcase your best ideas wherever you go	
Description	Entry Level Business Projector
Order Number	431169
Technology	DLP
3D Support	Full 3D
Brightness	3,100 lm
Resolution	WXGA (1280 x 800 dpi)
Contrast Ratio	10,000:1 (maximum)
Lamp Type	High Pressure Mercury (190W)
Image (Diagonal)	30" to 300"
Projection Distance	39.37" to 393.7"
Zoom Ratio	1:1
Aspect Ratio	16:10
Keystone Correction	Manual
Lens Shift	N/A
Wired Network	N/A
Wireless Network	N/A
USB	N/A
Utilities	N/A
Speaker	2 Watts
Weight	5.75 lb. (2.6 kg)
Dimensions (WxDxH)	12.4" x 8.8" x 4" (314 x 224 x 102 mm)
Noise	34 db or less
Power Consumption	230W (standard) 195 (eco mode) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.



# PJ X3351N

## Mobile Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ X3351N	(1)	432009	\$1,165

(1) Ricoh PJ X3351N supports frame sequential and Blue Ray 3D.

Optional Accessories	Notes	Part No	SRP
Interactive Kit Type 2		512711	\$230
PJ Interactive Kit Type 2 Pen		431197	\$109
eBeam Software License	(2), (3)	007216MIU-PS1	\$320

(2) eBeam software downloaded from www.ricoh-usa.com.

(3) License includes 5 installs.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 17	3,500 hours/standard 5,000 hours/economy	512822	\$350

#### What's in the Box

- Remote Control
- 2 x AAA Batteries
- RGB Cable
- Power Cord
- Carrying Bag
- User's Manual/Utilities
- Warranty Sheet
- Registration Card



PJ X3351N	
Use cutting-edge innovation to put your ideas into focus	
Description	Mobile Business Projector
Order Number	432009
Technology	DLP
3D Support	Full 3D
Brightness	3,500 lm
Resolution	XGA (1024 x 768 dpi)
Contrast Ratio	13,000:1 (maximum)
Lamp Type	High Pressure Mercury (250W)
Image (Diagonal)	30" to 400"
Projection Distance	26.7" to 568.2"
Zoom Ratio	1.5:1
Aspect Ratio	4:3
Keystone Correction	Horizontal, Vertical, 4 Point
Auto Brightness	Standard
Auto Focus	Standard
Lens Shift	N/A
Wired Network	10/100/1000BASE-TX
Wireless Network	802.11a/b/g/n
USB	Presentation
Utilities	Projector Management Utility, JPEG Converter
Speaker	10 Watts
Weight	6.83 lb. (3.1 kg)
Dimensions (WxDxH)	11.69" x 9.25" x 3.93" (297 x 235 x 100 mm)
Noise	38 db (standard) 32 db (eco mode)
Power Consumption	316W (standard) 0.3W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.



# PJ WX3351N

## Mobile Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ WX3351N	(1)	432010	\$1,245

(1) Ricoh PJ WX3351N supports frame sequential and Blue Ray 3D.

Optional Accessories	Notes	Part No	SRP
Interactive Kit Type 2		512711	\$230
PJ Interactive Kit Type 2 Pen		431197	\$109
eBeam Software License	(2), (3)	007216MIU-PS1	\$320

(2) eBeam software downloaded from www.ricoh-usa.com.

(3) License includes 5 installs.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 17	3,500 hours/standard 5,000 hours/economy	512822	\$350

#### What's in the Box

Remote Control

2 x AAA Batteries

RGB Cable

Power Cord

Carrying Bag

User's Manual/Utilities

Warranty Sheet

Registration Card



	PJ WX3351N
	<b>Use cutting-edge innovation to put your ideas into focus</b>
Description	Mobile Business Projector
Order Number	432010
Technology	DLP
3D Support	Full 3D
Brightness	3,600 lm
Resolution	WXGA (1280 x 800 dpi)
Contrast Ratio	13,000:1 (maximum)
Lamp Type	High Pressure Mercury (250W)
Image (Diagonal)	30" to 400"
Projection Distance	30.3" to 481.9"
Zoom Ratio	1.5:1
Aspect Ratio	16:10
Keystone Correction	Horizontal, Vertical, 4 Point
Auto Brightness	Standard
Auto Focus	Standard
Lens Shift	N/A
Wired Network	10/100/1000BASE-TX
Wireless Network	IEEE 802.11a/b/g/n
USB	Presentation
Utilities	Projector Management Utility, JPEG Converter
Speaker	10 Watts
Weight	6.83 lb. (3.1 kg)
Dimensions (WxDxH)	11.69" x 9.25" x 3.93" (297 x 235 x 100 mm)
Noise	38 db (standard) 32 db (eco mode)
Power Consumption	316W (standard) 0.3W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ X4241N

## Short Throw Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ X4241N	(1)	432011	\$1,175

(1) Ricoh PJ X4241N supports frame sequential and Blue Ray 3D.

Optional Accessories	Notes	Part No	SRP
Interactive Kit Type 2		512711	\$230
PJ Interactive Kit Type 2 Pen		431197	\$109
eBeam Software License	(2), (3)	007216MIU-PS1	\$320

(2) eBeam software downloaded from www.ricoh-usa.com.

(3) License includes 5 installs.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 17	3,500 hours/standard 5,000 hours/economy	512822	\$350

#### What's in the Box

- Remote Control
- 2 x AAA Batteries
- RGB Cable
- Power Cord
- User's Manual/Utilities
- Warranty Sheet
- Registration Card



PJ X4241N	
Short-throw projection brings you closer to your audience	
Description	Short Throw Business Projector
Order Number	432011
Technology	DLP
3D Support	Full 3D
Brightness	3,300 lm
Resolution	XGA (1024 x 768 dpi)
Contrast Ratio	13,000:1 (maximum)
Lamp Type	High Pressure Mercury (250W)
Image (Diagonal)	50" to 400"
Projection Distance	23.2" to 200"
Zoom Ratio	1.5:1
Aspect Ratio	4:3
Keystone Correction	Horizontal, Vertical, 4 Point
Auto Brightness	Standard
Auto Focus	Manual
Lens Shift	N/A
Wired Network	10/100/1000BASE-TX
Wireless Network	N/A
USB	Presentation
Utilities	Projector Management Utility, JPEG Converter
Speaker	10 Watts
Weight	6.83 lb. (3.1 kg)
Dimensions (WxDxH)	11.69" x 9.25" x 3.93" (297 x 235 x 100 mm)
Noise	38 db (standard) 32 db (economy)
Power Consumption	334W (standard) 0.3W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ WX4241N

## Short Throw Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ WX4241N	(1)	432012	\$1,365

(1) Ricoh PJ WX4241N supports frame sequential and Blue Ray 3D.

Optional Accessories	Notes	Part No	SRP
Interactive Kit Type 2		512711	\$230
PJ Interactive Kit Type 2 Pen		431197	\$109
eBeam Software License	(2), (3)	007216MIU-PS1	\$320

(2) eBeam software downloaded from www.ricoh-usa.com.

(3) License includes 5 installs.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 17	3,500 hours/standard 5,000 hours/economy	512822	\$350

#### What's in the Box

- Remote Control
- 2 x AAA Batteries
- RGB Cable
- Power Cord
- User's Manual/Utilities
- Warranty Sheet
- Registration Card



PJ WX4241N	
Short-throw projection brings you closer to your audience	
Description	Short Throw Business Projector
Order Number	432012
Technology	DLP
3D Support	Full 3D
Brightness	3,300 lm
Resolution	WXGA (1280 x 800 dpi)
Contrast Ratio	13,000:1 (maximum)
Lamp Type	High Pressure Mercury (250W)
Image (Diagonal)	60" to 400"
Projection Distance	24" to 169.6"
Zoom Ratio	1.5:1
Aspect Ratio	16:10
Keystone Correction	Horizontal, Vertical, 4 Point
Auto Brightness	Standard
Auto Focus	Manual
Lens Shift	N/A
Wired Network	10/100/1000BASE-TX
Wireless Network	IEEE 802.11a/b/g/n
USB	Presentation
Utilities	Projector Management Utility, JPEG Converter
Speaker	10 Watts
Weight	6.83 lb. (3.1 kg)
Dimensions (WxDxH)	11.69" x 9.25" x 3.93" (297 x 235 x 100 mm)
Noise	38 db (standard) 32 db (economy)
Power Consumption	334W (standard) 0.3W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ XL4540

## Short Throw Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ XL4540	(1)	432109	\$2,029

(1) Ricoh PJ XL4540 supports full 3D.

Optional Accessories	Notes	Part No	SRP
eBeam Edge	(2)	007065MIU	\$899.95
eBeam Edge Wireless	(2)	007165MIU	\$1,049.95

(2) eBeam software included.

#### What's in the Box

Remote Control and Batteries

VGA Cable

Power Cord

Quick Start Guide

CD-ROM with User Manual

Warranty Sheet

Registration Card



	PJ XL4540
	Short-throw projection brings you closer to your audience
Description	Short Throw Business Projector
Order Number	432109
Technology	DLP
3D Support	Full 3D
Brightness	3,000 lm
Resolution	XGA (1024 x 768 dpi)
Contrast Ratio	13,000:1 (maximum)
Light Source	3.5 W Laser x 19 pcs
Light Source Life	20,000 hours
Image (Diagonal)	56.4" to 100"
Projection Distance	27.9" to 49.2" (0.71 - 1.25 m)
Zoom Ratio	N/A
Aspect Ratio	4:3
Keystone Correction	Vertical: +/- 10 degrees
Lens Shift	N/A
Wired Network	N/A
Wireless Network	N/A
USB	N/A
Utilities	N/A
Speaker	10 Watts
Weight	12.2 lbs. (5.5 kg)
Dimensions (WxDxH)	15" x 12.1" x 3.3" (383 x 308 x 85 mm)
Noise	36 dB (standard) 32 dB (eco)
Power Consumption	330W (standard) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ WXL4540

## Short Throw Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ WXL4540	(1)	432110	\$2,279

(1) Ricoh PJ WXL4540 supports full 3D.

Optional Accessories	Notes	Part No	SRP
eBeam Edge	(2)	007065MIU	\$899.95
eBeam Edge Wireless	(2)	007165MIU	\$1,049.95

(2) eBeam software included.

#### What's in the Box

Remote Control and Batteries

VGA Cable

Power Cord

Quick Start Guide

CD-ROM with User Manual

Warranty Sheet

Registration Card



	PJ WXL4540
	Short-throw projection brings you closer to your audience
Description	Short Throw Business Projector
Order Number	432110
Technology	DLP
3D Support	Full 3D
Brightness	3,200 lm
Resolution	WXGA (1280 x 800 dpi)
Contrast Ratio	13,000:1 (maximum)
Light Source	3.5 W Laser x 19 pcs
Light Source Life	20,000 hours
Image (Diagonal)	69.4 - 100"
Projection Distance	30.7" - 44.1" (0.78 - 1.12 m)
Zoom Ratio	N/A
Aspect Ratio	16:10
Keystone Correction	Vertical: +/- 10 degrees
Lens Shift	N/A
Wired Network	N/A
Wireless Network	N/A
USB	N/A
Utilities	N/A
Speaker	10 Watts
Weight	12.2 lbs. (5.5 kg)
Dimensions (WxDxH)	15" x 12.1" x 3.3" (383 x 308 x 85 mm)
Noise	36 dB (standard)
Power Consumption	330W (standard)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ X5460

## Standard Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ X5460	(1)	432003	\$1,189

(1) Ricoh PJ X5460 supports full 3D.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 16	3,000 hours/standard 4,000 hours/economy	512771	\$465

#### What's in the Box

Remote Control

RGB Cable

Power Cord

Carrying Bag

User's Manual (CD)

Warranty Sheet

Registration Card



PJ X5460	
Present your message with greater clarity for less cost	
Description	Standard Business Projector
Order Number	432003
Technology	DLP
3D Support	Full 3D
Brightness	4,000 lm
Resolution	XGA (1024 x 768 dpi)
Contrast Ratio	2,200:1 (maximum)
Lamp Type	High Pressure Mercury (260W)
Image (Diagonal)	30" to 300"
Projection Distance	48" to 472"
Zoom Ratio	1.1:1
Aspect Ratio	4:3
Keystone Correction	Manual
Lens Shift	N/A
Wired Network	Control Only
Wireless Network	N/A
USB	N/A
Utilities	Projector Management Utility
Speaker	10 Watts
Weight	6.61 lb. (3.0 kg)
Dimensions (WxDxH)	12.4" x 8.8" x 4.0" (314 x 224 x 102 mm)
Noise	37 db (standard) 34 db (eco mode)
Power Consumption	368W (standard) 308W (eco mode) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ WX5460

## Standard Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ WX5460	(1)	432000	\$1,009

(1) Ricoh PJ WX5460 supports full 3D.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 16	3,000 hours/standard 4,000 hours/economy	512771	\$465

#### What's in the Box

- Remote Control
- 2 x AAA Batteries
- RGB Cable
- Power Cord
- Carrying Bag
- User's Manual (CD)
- Warranty Sheet
- Registration Card



PJ WX5460	
Present your message with greater clarity for less cost	
Description	Standard Business Projector
Order Number	432000
Technology	DLP
3D Support	Full 3D
Brightness	4,100 lm
Resolution	WXGA (1280 x 800 dpi)
Contrast Ratio	2,000:1 (maximum)
Lamp Type	High Pressure Mercury (260W)
Image (Diagonal)	30" to 300"
Projection Distance	40" to 394"
Zoom Ratio	1.1:1
Aspect Ratio	16:10
Keystone Correction	Manual
Lens Shift	N/A
Wired Network	Control Only
Wireless Network	N/A
USB	N/A
Utilities	Projector Management Utility
Speaker	10 Watts
Weight	6.61 lb. (3.0 kg)
Dimensions (WxDxH)	12.4" x 8.8" x 4.0" (314 x 224 x 102 mm)
Noise	37 db (standard) 34 db (eco mode)
Power Consumption	368W (standard) 308W (eco mode) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.



# PJ HD5450

## Standard Business Projector

### RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST


Model Name	Notes	Part No	SRP
Ricoh PJ HD5450	(1)	432025	\$1,425

(1) Ricoh PJ HD5450 supports full 3D.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 16	3,000 hours/standard 4,000 hours/economy	512771	\$465

#### What's in the Box

- Remote Control
- 2 x AAA Batteries
- RGB Cable
- Power Cord
- Carrying Bag
- User's Manual (CD)
- Warranty Sheet
- Registration Card



PJ HD5450	
Present your message with greater clarity for less cost	
Description	Standard Business Projector
Order Number	432025
Technology	DLP
3D Support	Full 3D
Brightness	3,500 lm
Resolution	HD (1920 x 1080 dpi)
Contrast Ratio	2,000:1 (maximum)
Lamp Type	High Pressure Mercury (260W)
Image (Diagonal)	38" to 300"
Projection Distance	59" to 394"
Zoom Ratio	1.1:1
Aspect Ratio	16:9
Keystone Correction	Manual
Lens Shift	N/A
Wired Network	Control Only
Wireless Network	N/A
USB	N/A
Utilities	Projector Management Utility
Speaker	10 Watts
Weight	6.61 lb. (3.0 kg)
Dimensions (WxDxH)	12.4" x 8.8" x 4.0" (314 x 224 x 102 mm)
Noise	37 db (standard) 34 db (economy)
Power Consumption	368W (standard) 308W (eco mode) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ HDC5420

Standard Business Projector

## RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ HDC5420	(1)	432085	\$1,165

(1) Ricoh PJ HDC5420 supports full 3D.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 23	3,000 hours/standard 6,000 hours/economy	512927	\$375

### What's in the Box

- Remote Control
- CR2025 Battery
- RGB VGA Cable
- Power Cord
- Carrying Bag
- User's Manual (CD)
- Lens Cap
- Warranty Sheet
- Registration Card



PJ HDC5420	
Project real life - at home or work.	
Description	Standard Business Projector
Order Number	432085
Technology	DLP
3D Support	Full 3D
Brightness	2,500 lm
Resolution	HD (1920 x 1080 dpi)
Contrast Ratio	9,000:1 (maximum)
Lamp Type	High Pressure Mercury (260W)
Image (Diagonal)	30" to 300"
Projection Distance	27.9" to 379.5"
Zoom Ratio	1.36
Aspect Ratio	0.65"
Keystone Correction	Manual
Lens Shift	N/A
Wired Network	N/A
Wireless Network	N/A
USB	N/A
Utilities	N/A
Speaker	10 Watts
Weight	6.6 lbs. (3.0 kg)
Dimensions (WxDxH)	12.4" x 8.8" x 4.1" (314 x 224 x 105 mm)
Noise	39 db (standard) 33 db (eco mode)
Power Consumption	352W (standard) 280W (eco mode) 0.5W (standby)
Power Supply	100/240V; 50 - 60Hz

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ X5371N

Standard Business Projector

## RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ X5371N		431151	\$2,450



Optional Accessories	Notes	Part No	SRP
Wireless LAN Unit Type M1		431072	\$98

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 12	3,500 hours/standard 6,000 hours/economy	512624	\$499

### What's in the Box

Remote Control

2 x AAA Batteries

RGB Cable

Power Cord

Carrying Bag

User's Manual (CD)

Warranty Sheet

Registration Card



	PJ X5371N
	Present your information to more people in more locations
Description	Standard Business Projector
Order Number	431151
Technology	3 LCD
3D Support	N/A
Brightness	5,000 lm
Resolution	XGA (1024 x 768 dpi)
Contrast Ratio	4,000:1 (maximum)
Lamp Type	High Pressure Mercury (270W)
Image (Diagonal)	25" to 300"
Projection Distance	26" to 544"
Zoom Ratio	1.7:1
Aspect Ratio	4:3
Keystone Correction	Manual
Lens Shift	Vertical 0 - 0.5v / Manual
Wired Network	10/100BASE-T
Wireless Network	Optional IEEE 802.11b/g/n
USB	Type A x 1, Type B x 1
Utilities	JPEG Converter Type A Advanced Network Utility, Projector Management Utility
Speaker	16 Watts
Weight	9.46 lb. (4.3 kg)
Dimensions (WxDxH)	15.6" x 10.8" x 5.0" (398 x 276 x 127 mm)
Noise	37 db (standard) 29 db (eco mode)
Power Consumption	374W (standard) 260W (eco mode)
Power Supply	100/240V; 50 - 60Hz

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ WX5361N

Standard Business Projector

## RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ WX5361N		431154	\$2,300

Optional Accessories	Notes	Part No	SRP
Wireless LAN Unit Type M1		431072	\$98

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 12	3,500 hours/standard 6,000 hours/economy	512624	\$499

### What's in the Box

Remote Control

2 x AAA Batteries

RGB Cable

Power Cord

Carrying Bag

User's Manual (CD)

Warranty Sheet

Registration Card



### PJ WX5361N

Present your information to more people in more locations

Description	Standard Business Projector
Order Number	431154
Technology	3 LCD
3D Support	N/A
Brightness	4,500 lm
Resolution	WXGA (1280 x 800 dpi)
Contrast Ratio	4,000:1 (maximum)
Lamp Type	High Pressure Mercury (270W)
Image (Diagonal)	25" to 300"
Projection Distance	27" to 574"
Zoom Ratio	1.7:1
Aspect Ratio	16:10
Keystone Correction	Manual
Lens Shift	Vertical 0 - 0.5v / Manual
Wired Network	10/100BASE-T
Wireless Network	Optional IEEE 802.11b/g/n
USB	Type A x 1, Type B x 1
Utilities	JPEG Converter Type A Advanced Network Utility, Projector Management Utility
Speaker	16 Watts
Weight	9.46 lb. (4.3 kg)
Dimensions (WxDxH)	15.6" x 10.8" x 5.0" (398 x 276 x 127 mm)
Noise	37 db (standard) 29 db (eco mode)
Power Consumption	374W (standard) 260W (eco mode)
Power Supply	100/240V; 50 - 60Hz



### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ WU5570

## High-End Business Projector


### RICOH PJS EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh PJ WU5570	(1)	432047	\$2,625

(1) Ricoh DWU5570 supports full 3D.

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 22	3,000 hours/standard	512899	\$499



	PJ WU5570
	<b>Shed more light on your next presentation</b>
Description	High-End Business Projector
Order Number	432047
Technology	DLP
3D Support	Full 3D
Brightness	5,500 lm
Resolution	WUXGA (1920 x 1200 dpi)
Contrast Ratio	9,000:1 (maximum)
Lamp Type	High Pressure Mercury (365W)
Image (Diagonal)	30" to 300"
Projection Distance	39.6" to 542.4"
Zoom Ratio	1.0 - 1.8
Aspect Ratio	16:10
Keystone Correction	Vertical/Horizontal
Lens Shift	Vertical/Horizontal/Manual
Wired Network	10/100Base-TX Ethernet x 1 (RJ-45)
Wireless Network	Optional IEEE 802.11 b/g/n Wireless LAN
USB	Mini USB-B x 1 (for service)
Utilities	Projection Utility for Windows
Speaker	10 W x 2
Weight	13.97 lbs. (6.35 kg)
Dimensions (WxDxH)	16.7" x 14" x 5.9" (424 x 356 x 150 mm)
Noise	35 db (standard) 32 db (eco mode)
Power Consumption	450W (standard) 360W (eco mode)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ X6180N

High-End Business Projector

## RICOH PJS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh PJ X6180N		431060	\$5,375



Optional Accessories	Notes	Part No	SRP
Standard Lens Type 1		308934	\$1,250
Replacement Lens Type 1		308935	\$2,069
Replacement Lens Type 2		308936	\$2,069
Replacement Lens Type 3		308937	\$2,069
Replacement Lens Type 4		308938	\$2,069
Wireless LAN Unit Type M1		431072	\$98

Consumables	Yield	Part No	SRP
PJ Replacement Lamp Type 7	3,000 hours/standard 4,000 hours/economy	308933	\$499

Lens	Std Type 1	Replacement Type 1	Replacement Type 2	Replacement Type 3	Replacement Type 4
Part No	308934	308935	308636	308937	308938
Type	Zoom	Fixed Short Throw	Zoom	Zoom	Zoom
Zoom/Focus	Manual	Manual	Manual	Manual	Manual
F# Wide-Tele	1.7 - 2.4	2.3	2.2 - 2.7	2.2 - 2.7	2.2 - 2.7
f (mm)	24.4 - 48.6	13.22	19.4 - 25.3	48.55 - 77.6	76.6 - 116.5
Projection Distance	1.5 - 3.02	0.80	1.19 - 1.56	2.97 - 4.79	4.7 - 7.2
Zoom Ratio	2.0	N/A	1.3	1.6	1.52
Screen Size	40" - 500"	40" - 150"	30" - 500"	60" - 500"	60" - 500"
Light Output (lm)	6,000	4,500	4,700	4,900	4,700

PJ X6180N	
The new vision for multimedia projection	
Description	High-End Business Projector
Order Number	431060
Technology	3 LCD
3D Support	N/A
Brightness	6,000 lm
Resolution	XGA (1024 x 768 dpi)
Contrast Ratio	2,000:1 (maximum)
Lamp Type	High Pressure Mercury (330W)
Image (Diagonal)	25" to 500"
Projection Distance	Based on lens
Zoom Ratio	Based on lens
Aspect Ratio	4:3
Keystone Correction	Manual
Lens Shift	Manual / Vertical & Horizontal
Wired Network	10/100/1000BASE-TX
Wireless Network	Optional IEEE 802.11b/g/n
USB	Presentation
Utilities	JPEG Converter, Network Utility, Projector Management Utility
Speaker	10 Watts
Weight	16.9 lb. (7.7 kg)
Dimensions (WxDxH)	19.6" x 14.1" x 5.6" (499 x 359 x 144 mm)
Noise	38 db (standard) 31 db (eco mode)
Power Consumption	464W (standard) 372W (eco mode)
Power Supply	100/240V; 50 - 60Hz

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

# PJ WX6181N

## High-End Business Projector

### RICOH PJS EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh PJ WX6181N		432055	\$4,375

Optional Accessories	Notes	Part No	SRP
Standard Lens Type 1		308934	\$1,250
Replacement Lens Type 1		308935	\$2,069
Replacement Lens Type 2		308936	\$2,069
Replacement Lens Type 3		308937	\$2,069
Replacement Lens Type 4		308938	\$2,069
Replacement Lens Type 8		512894	\$1,565
Wireless LAN Unit Type M1		431072	\$98

Consumables	Yield	Part No	SRP
PJ Replacement Lamp	3,000 hours/standard 4,000 hours/economy	512893	\$499

PJ WX6181N	
Put your biggest, brightest ideas on display	
Description	High-End Business Projector
Order Number	432055
Technology	3 LCD
3D Support	N/A
Brightness	6,700 lm
Resolution	WXGA (1280 x 800 dpi)
Contrast Ratio	6,000:1 (maximum)
Lamp Type	High Pressure Mercury (350W)
Image (Diagonal)	30" to 500"
Projection Distance	Based on lens
Zoom Ratio	Based on lens
Aspect Ratio	16:10
Keystone Correction	Manual
Lens Shift	Vertical/Horizontal
Wired Network	10/100BASE-TX
Wireless Network	Optional IEEE 802.11b/g/n
USB	Presentation
Utilities	Projection Utility for Windows, Projection Utility for Mac (10.6 and later), Advanced Network Utility Software (Windows only), JPEG Conversion Utility Software (Windows only), Projector Management Utility (Windows only)
Speaker	10 Watts (mono)
Weight	18.6 lb. (8.4 kg)
Dimensions (WxDxH)	19.6" x 14.1" x 5.6" (499 x 359 x 142 mm)
Noise	36 db (standard) 31 db (eco mode)
Power Consumption	483W (standard) 377W (eco mode)
Power Supply	100/240V; 50 - 60Hz

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

Lens	Standard Lens Type 1	Replacement Lens Type 1	Replacement Lens Type 2	Replacement Lens Type 3	Replacement Lens Type 4	Replacement Lens Type 8
Part Number	308934	308935	308636	308937	308938	512894
Lens Type	Zoom	Fixed Short Throw	Zoom	Zoom	Zoom	Zoom
Zoom/Focus	Manual	Manual	Manual	Manual	Manual	Manual
F# Wide-Tele	1.7 - 2.4	2.3	2.2 - 2.7	2.2 - 2.7	2.2 - 2.7	1.9 - 2.1
f (mm)	24.4 - 48.6	13.22	19.4 - 25.3	48.55 - 77.6	76.6 - 116.5	13.2 - 17.2
Projection Distance	1.5" - 3.02"	0.80"	1.19" - 1.56"	2.97" - 4.79"	4.7" - 7.2"	39.37" - 649.61"
Projection Distance Ratio						0.8 - 1.0:1
Zoom Ratio	2.0	N/A	1.3	1.6	1.52	1.3
Screen Size	40" - 500"	40" - 150"	30" - 500"	60" - 500"	60" - 500"	60" - 500"
Light Output (lm)	6,700	4,700	5,000	5,100	5,000	6,400



# PJ WU6181N

## High-End Business Projector

### RICOH PJS EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh PJ WU6181N		432058	\$6,375

Optional Accessories	Notes	Part No	SRP
Standard Lens Type 1		308934	\$1,250
Replacement Lens Type 1		308935	\$2,069
Replacement Lens Type 2		308936	\$2,069
Replacement Lens Type 3		308937	\$2,069
Replacement Lens Type 4		308938	\$2,069
Replacement Lens Type 8		512894	\$1,565
Wireless LAN Unit Type M1		431072	\$98

Consumables	Yield	Part No	SRP
PJ Replacement Lamp	3,000 hours/standard 4,000 hours/economy	512893	\$499

PJ WU6181N	
Put your biggest, brightest ideas on display	
Description	High-End Business Projector
Order Number	432058
Technology	3 LCD
3D Support	N/A
Brightness	6,200 lm
Resolution	WUXGA (1920 x 1200 dpi)
Contrast Ratio	6,000:1 (maximum)
Lamp Type	High Pressure Mercury (350W)
Image (Diagonal)	30" to 500"
Projection Distance	Based on lens
Zoom Ratio	Based on lens
Aspect Ratio	16:10
Keystone Correction	Manual
Lens Shift	Vertical/Horizontal
Wired Network	10/100BASE-TX
Wireless Network	Optional IEEE 802.11b/g/n
USB	Presentation
Utilities	Projection Utility for Windows, Projection Utility for Mac (10.6 and later), Advanced Network Utility Software (Windows only), JPEG Conversion Utility Software (Windows only), Projector Management Utility (Windows only)
Speaker	10 Watts (mono)
Weight	18.6 lb. (8.4 kg)
Dimensions (WxDxH)	19.6" x 14.1" x 5.6" (499 x 359 x 142 mm)
Noise	36 db (standard) 31 db (eco mode)
Power Consumption	483W (standard) 377W (eco mode)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

Lens	Standard Lens Type 1	Replacement Lens Type 1	Replacement Lens Type 2	Replacement Lens Type 3	Replacement Lens Type 4	Replacement Lens Type 8
Part Number	308934	308935	308636	308937	308938	512894
Lens Type	Zoom	Fixed Short Throw	Zoom	Zoom	Zoom	Zoom
Zoom/Focus	Manual	Manual	Manual	Manual	Manual	Manual
F# Wide-Tele	1.7 - 2.4	2.3	2.2 - 2.7	2.2 - 2.7	2.2 - 2.7	1.9 - 2.1
f (mm)	24.4 - 48.6	13.22	19.4 - 25.3	48.55 - 77.6	76.6 - 116.5	13.2 - 17.2
Projection Distance	1.5" - 3.02"	0.80"	1.19" - 1.56"	2.97" - 4.79"	4.7" - 7.2"	39.37" - 649.61"
Projection Distance Ratio						0.8 - 1.0:1
Zoom Ratio	2.0	N/A	1.3	1.6	1.52	1.3
Screen Size	40" - 500"	40" - 150"	30" - 500"	60" - 500"	60" - 500"	60" - 500"
Light Output (lm)	6,700	4,700	5,000	5,100	5,000	6,400

# PJ X6180N/PJ WX6181N/PJ WU6181N

High-End Business Projector

## RICOH PROJECTORS EQUIPMENT SUGGESTED RETAIL PRICE LIST



Lens	Notes	Standard Lens Type 1	Replacement Lens Type 1	Replacement Lens Type 2	Replacement Lens Type 3	Replacement Lens Type 4	Replacement Lens Type 8
Part Number		308934	308935	308936	308937	308938	512894
Lens Type		Zoom	Fixed Short Throw	Zoom	Zoom	Zoom	Zoom
Zoom/Focus		Manual	Manual	Manual	Manual	Manual	Manual
F# Wide-Tele	(1)	1.7 - 2.4	2.3	2.2 - 2.7	2.2 - 2.7	2.2 - 2.7	1.9 - 2.1
f (mm)	(2)	24.4 - 48.6	13.22	19.4 - 25.3	48.55 - 77.6	76.6 - 116.5	13.2 - 17.2
Projection Distance		47" - 1,215"	25" - 98"	27" - 630"	141" - 1,937"	222" - 2,909"	39.37" - 649.61"
Projection Distance Ratio		1.5 - 3.02:1	0.8:1	1.19 - 1.56:1	2.97 - 4.79:1	4.7 - 7.2:1	0.8 - 1.0:1
Zoom Ratio		2.0	N/A	1.3	1.6	1.52	1.3
Screen Size		40" - 500"	40" - 150"	30" - 500"	60" - 500"	60" - 500"	60" - 500"
PJ X6180N Light Output (lm)	(3)	6,000	4,500	4,700	4,900	4,700	-
PJ WU6181N Light Output (lm)		6,700	4,700	5,000	5,100	5,000	6,400
PJ WX6181N Light Output (lm)		6,200	4,200	4,600	4,700	4,600	5,900

(1) F# = Projection Distance / Aperture of Lens

(2) Projection Distance

(3) Lamp power in standard mode

### What's in the Box

Dust Cap for Lens	Quick Setup Guide
Remote Control	User's Manual (CD) & Utilities
Remote Mouse Receiver	Lens Theft Protection Screw
2 x AAA Batteries	Lamp and filter cover straps
RGB Cable	Warranty Sheet
Power Cable	Registration Card
Important Information Sheet	

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.



# PJ WXL6280/PJ WUL6280

High-End Business Projector

## RICOH PJS EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh PJ WXL6280	(1)	432078	\$9,375
Ricoh PJ WUL6280	(1)	432075	\$11,875

(1) Ricoh PJ WXL6280/PJ WUL6280 supports Blu-ray 3D projection with optional 3rd party glasses.

Optional Accessories	Notes	Part No	SRP
Replacement Lens Type A1 (Short Throw)		512914	\$3,749
Replacement Lens Type A2 (Wide Zoom)		512915	\$3,499
Replacement Lens Type A3 (Standard)		512916	\$689
Replacement Lens Type A4 (Long Zoom)		512917	\$3,125
Replacement Lens Type A5 (Ultra-Long Zoom)		512918	\$3,125

### What's in the Box

Remote Control and Batteries

RGB Cable

Power Cord

Lens Mount Cover

CD-ROM with User Manual

Warranty Sheet and Registration



	PJ WXL6280	PJ WUL6280
<b>Showcase Messages with Laser Focus Precision</b>		
Description	High-End Business Projector	
Order Number	432078	432075
Technology	DLP	
3D Support	Full 3D	
Brightness	6,000 lm	
Resolution	WXGA (1280 x 800 dpi)	WUXGA (1920 x 1200 dpi)
Contrast Ratio	1,100:1 (100000:1)	1,200:1 (100000:1)
Lamp Type	N/A	
Light Source	Laser Illumination Technology	
Image (Diagonal)	50" to 300"	
Projection Distance	Based on lens	
Zoom Ratio	Based on lens	
Aspect Ratio	16:10	
Keystone Correction	Vertical, Horizontal, Pincushion	
Lens Shift	Motorized Vertical & Horizontal	
Wired Network	10/100BASE-TX Ethernet x 1 (RJ-45)	
Wireless Network	N/A	
USB	USB 2.0 Type A x 1 (connection to computer), Mini USB 2.0 Type B x 1 (for service)	
Utilities	JPEG Converter, Network Utility, Projector Management Utility	
Speaker	N/A	
Weight	39.6 lb. (18 kg)	
Dimensions (WxDxH)	19" x 20" x 7.3" (484 x 509 x 185 mm)	
Noise	35 db (standard) 33 db (eco mode)	
Power Consumption	540W (standard) 260W (eco mode)	
Power Supply	100/240V; 50 - 60Hz	

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

Lens	Standard Replacement Lens Type A3	Replacement Lens Type A1 (Short Throw)	Replacement Lens Type A2 (Wide Zoom)	Replacement Lens Type A4 (Long Zoom)	Replacement Lens Type A5 (Ultra-Long Zoom)
Part Number	512916	512914	512915	512917	512918
Focal Length	18.07 - 22.59	11.11 - 14.06	14.03 - 17.96	22.56 - 42.87	42.60 - 80.90
F Number	2.00 - 2.32	2.30 - 2.53	2.30 - 2.57	2.30 - 3.39	2.30 - 2.74
Focus Spec (MTF)	47 lp/mm	67 lp/mm	67 lp/mm	67 lp/mm	67 lp/mm
Zoom Range (Ratio)	1.25X	1.26X	1.28X	1.9X	1.9X
Zoom and Focus Adjustment	Motorized				
Throw Ratio for PJ WXL6280	1.28 - 1.61	0.79 - 1.00	1.00 - 1.28	1.60 - 3.07	3.04 - 5.78
Throw Distance for PJ WXL6280	54" - 409" (1.38 - 10.4 m)	33" - 254" (0.83 - 6.45 m)	43" - 326" (1.08 - 8.27 m)	68" - 781" (1.72 - 19.84 m)	129" - 1,470" (3.27 - 37.35 m)
Throw Ratio for PJ WUL6280	1.22 - 1.53	0.75 - 0.95	0.95 - 1.22	1.52 - 2.92	2.90 - 5.50
Throw Distance for PJ WUL6280	52" - 389" (1.31 - 9.89 m)	32" - 241" (0.81 - 6.13 m)	40" - 310" (1.02 - 7.88 m)	65" - 743" (1.64 - 18.87 m)	123" - 1,399" (3.12 - 35.54 m)
Projection Image Size (Diagonal)	50 - 300 inch				

# PJ KU12000

## High-End Business Projector

### RICOH PJS EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh PJ WU6181N		432091	\$18,869

Optional Accessories	Notes	Part No	SRP
Replacement Lens Type B1		512959	\$4,435
Replacement Lens Type B2		512960	\$2,535
Replacement Lens Type B3		512961	\$4,435
Replacement Lens Type B4		512962	\$3,419
Replacement Lens Type B5		512963	\$4,435
Replacement Lens Type B6		512964	\$4,435
Replacement Color Wheel Type 1		512891	\$439

Consumables	Yield	Part No	SRP
Replacement Air Filter Type 5		513608	\$225
PJ Replacement Lamp Type 25	1,500 hours/standard 2,000 hours/economy	512965	\$999

PJ KU12000	
The perfect image everytime.	
Description	High-End Business Projector
Order Number	432091
Technology	DLP
3D Support	3D Sync x 1
Brightness	12,000 lm
Resolution	WUXGA (1920 x 1200 dpi)
Contrast Ratio	5,000:1 (maximum)
Lamp Type	High Pressure Mercury (465W)
Image (Diagonal)	50" to 500"
Projection Distance	Based on lens
Zoom Ratio	Based on lens
Aspect Ratio	16:10
Keystone Correction	Vertical, Horizontal, Pincushion
Lens Shift	Motorized Vertical, Horizontal
Wired Network	Control Only
Wireless Network	N/A
USB	USB Type A x 1(for service), USB mini-B x 1 (for service)
Utilities	Projector Management Utility
Speaker	N/A
Weight	52.4 lbs. (23.8 kg)
Dimensions (WxDxH)	20.5" x 23.3" x 7.6" (520 x 591 x 194 mm)
Noise	41 db (standard) 38 db (eco mode)
Power Consumption	1,150W (standard) 920W (eco mode)
Power Supply	100/240V; 50 - 60Hz

### Standard Warranty: 3 Year Advanced Exchange

See last page for complete warranty information.

Lens	Replacement Lens Type B1 (Short Zoom)	Replacement Lens Type B2 (Wide Zoom)	Replacement Lens Type B23 (Wide Zoom)	Replacement Lens Type B4 (Standard)	Replacement Lens Type B5 (Standard Zoom)	Replacement Lens Type B6 (Long Zoom)
Part Number	512959	512960	512961	512962	512963	512964
Focal Length	21.5 - 28.7	21.5 - 28.7	25.5 - 31.8	31.8 - 42.1	42.4 - 84.5	84.1 - 149.8
F Number	2	2	2.2	2	2.2	2.2
Zoom Ratio	1.2x	1.33x	1.25x	1.33x	2x	1.8x
Zoom & Focus Adjustment	Motorized					
Lens Shift Range	Vertical: +/-13%, Horizontal: +/-5%			Vertical: +/-60%, Horizontal: +/-25%		
Projection Ratio	0.84 - 1.02	1.02 - 1.36	1.2 - 1.5	1.5 - 2.0	2.0 - 4.0	4.0 - 7.2
Throw Distance	35.4" - 433" (0.9 - 11m)	43.3" - 578.7" (1.1 - 14.7m)	51.2" - 637.8" (1.3 - 16.2m)	63" - 846.5" (1.6 - 21.5m)	86.6" - 1,696.8" (2.2 - 43.1m)	169.3" - 3,055.1" (4.3 - 77.6m)
Projection Image Size (diagonal)	50 - 500 inch					



# UCS P3500

## UCS Video Conferencing

### RICOH UCS EQUIPMENT SUGGESTED RETAIL PRICE LIST

Model Name	Notes	Part No	SRP
Ricoh UCS P3500	(1)	755109	\$2,200

(1) Subscription contract required for sale.

Service	Notes	Term	Part No	SRP
P3500 Subscription		Monthly	ITS-UCSSUBSC	\$69
UCA Application Subscription		Monthly	ITS-VIDCONFAPP	\$47
VGS Gateway		Monthly	ITS-UCSVGS	\$25
1 Year Extended Warranty			007181MIU-PS1	\$462
2 Year Extended Warranty			007182MIU-PS1	\$888



	UCS P3500
	<b>Versatile performance to move you forward</b>
Description	Video Conferencing
Order Number	755109
Communication Protocol	Unique Procedure
Transmission Speed	500 Kbps - 2 Mbps
Warm-Up Time	60 seconds approx.
Camera	Built-in 2.0M pixel HD 1280 x 800 dpi at 30fps with 4x zoom at 125°
Wired LAN	10/100/1000BASE-TX
Wireless LAN	IEEE 802.11b/g/n
Wireless LAN Authentication	Open System / Shared Key / WPA-PSK WPA2-PSK / WPA2-EAP
USB	USB 3.0 Type A x 2 Terminals for microphone/speaker USB 3.0 Type B x 1 for Screen Share
Image Output	XGA (1024 x 768 dpi) WXGA (1280 x 800 dpi) HD (1280 x 720 dpi)
Audio Input	Built-in microphone x 1 (omni directional) 1.5m 360° microphone pick-up range
Audio Output Speaker	Built-in speaker x 1 (mono)
Audio Output Terminals	3.5mm x 2 for external microphone and headphones
Image Output Terminals	RGB (D-sub 15-pin) x 1 HDMI (Type A) x 1
Weight	3.5 lb. (1.6 kg)
Dimensions (WxDxH)	11.2" x 7.4" x 1.6" (285 x 189 x 40 mm)
Noise	63 dB (maximum)
Power Consumption	50W (maximum)
Power Supply	AC 100/240V; 50 - 60Hz; 1.5A

#### Standard Warranty: 1 Year Advanced Exchange

See last page for complete warranty information.

# D5510

## Interactive Whiteboard

### RICOH IWB EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh D5510	(1)	431193	\$7,140

(1) Ricoh D5510 comes with Interactive Whiteboard, Controller, and Pen.

Optional Accessories	Notes	Part No	SRP
Replacement Pen Type 1	(2)	431132	\$219
Remote License Type 1	(2)	431128	\$1,200
Stand Type 2	(2), (3)	431196	\$1,126

(2) Offered as an option.

(3) For wall mount. Use standard VESA 400 x 400 mount.



D5510	
Transform presentations into interactive collaborations	
Description	Interactive Whiteboard
Order Number	431193
Display Panel Size	Diagonal 55" wide (1,387 mm)
Display Type	LCD
Backlight	LED System
Effective Display Area	47.6" x 26.8" (W x H)
Resolution	1920 x 1080 dpi (maximum)
Color	Over 16,770,000 colors (maximum)
Brightness	300 cd/m <sup>2</sup> (maximum)
Aspect Ratio	16:9
Contrast Ratio	2,670:1
Pixel Pitch	0.6 x 0.63 mm
Response Speed	6.5 ms (grey to grey, avg)
Viewing Angle	160° / 160° (contrast ratio > =10)
Touch Panel	
Detection System	Electronic Pen
Display Ports	
Video Input	Mini D-SUB15pin x 2 HDMI (HDCP x 1) HDMI (PC) x 1 DVI x 1
Data Ports	USB 2.0 Type A x 2 USB 3.0 Type A x 2
Wireless LAN	10/100/1000BASE-T
Dimensions (WxDxH)	53.5" x 4.92" x 32.7" (1,360 x 125 x 830 mm)
Weight	Less than 99 lb. (45 kg)
Noise	40 db (maximum)
Power Consumption	200W (standard) 45W (standby mode)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 1 Year On-Site

See last page for complete warranty information.

# D6500

## Interactive Whiteboard


### RICOH IWB EQUIPMENT SUGGESTED RETAIL PRICE LIST



Model Name	Notes	Part No	SRP
Ricoh D6500 (Touch Panel)		432064	\$5,065
Ricoh D6500 for Business		432133	\$7,585

Optional Accessories	Notes	Part No	SRP
Pen Sensor Kit Type 2	(1)	432073	\$315
Remote License Type 1	(1)	431128	\$1,200
Stand Type 3		432135	\$1,275

(1) For D6500 with RICOH Interactive Whiteboard Controller Type 1 only.



D6500	
Put your latest collaborations on display	
Description	Interactive Whiteboard
Order Number	432064
Display Panel Size	Diagonal 65" wide (1,651 mm)
Display Type	LCD
Backlight	LED System
Effective Display Area (W x H)	56.2" x 31.6" (1,428.5 x 803.5 mm)
Resolution	1920 x 1080 dpi (maximum)
Color	Over 1.06 billion colors (maximum)
Brightness	360 cd/m <sup>2</sup> (maximum)
Aspect Ratio	16:9
Contrast Ratio	4,000:1
Pixel Pitch	0.744 x 0.744 mm
Response Speed	8 ms (grey to grey, avg)
Viewing Angle	178° / 178°
Touch Sensor	
Detection System	Infrared touch
Display Ports	
Video Input	Mini D-SUB15pin x 1, HDMI (HDCP x 2) HDMI (PC) x 1, DVI -D x 1, Display Port x 1 Composite x 1, Component x 1, S-Video x 1
Data Ports	USB 2.0 Type A x 2, USB 2.0 Type B x 1 for touch control, USB 3.0 Type A x 1
Wired LAN	10BASE-T/100BASE-T/1000BASE-T
Wireless LAN	IEEE 802.11 802.11a/b/g/n
Dimensions (WxDxH)	60.3" x 4.96" x 38.8" (1,531 x 126 x 885 mm)
Weight	Less than 162.8 lbs. (74 kg)
Noise	40 db (maximum)
Power Consumption	300W (standard) 12W (standby mode)
Power Supply	100/240V; 50 - 60Hz

#### Standard Warranty: 1 Year On-Site

See last page for complete warranty information.



# Minimum Advertised Price

as of 7/6/16

Product	Manufacturer Numbers	Minimum Advertised Price (MAP)	Suggested Retail Price
<b>Entry Projectors</b>			
Ricoh PJ WXC1110	432122	\$689	\$859
Ricoh PJ S2340	432118	\$375	\$469
Ricoh PJ X2340	432117	\$465	\$579
Ricoh PJ WX2240	431169	\$599	\$700
<b>Mobile Projectors</b>			
Ricoh PJ X3351N	432009	\$931	\$1,165
Ricoh PJ WX3351N	432010	\$997	\$1,245
<b>Short Throw Projectors</b>			
Ricoh PJ X4241N	432011	\$940	\$1,175
Ricoh PJ WX4241N	432012	\$1,092	\$1,365
Ricoh PJ XL4540	432109	\$1,625	\$2,029
Ricoh PJ WXL4540	432110	\$1,825	\$2,279
<b>Ultra Short Throw Projectors</b>			
Ricoh PJ WX4152N	432103	\$1,499	\$1,875
Ricoh PJ WX4152NI	432104	\$1,799	\$2,249
<b>Standard Projectors</b>			
Ricoh PJ X5460	432002	\$950	\$1,189
Ricoh PJ WX5460	432000	\$807	\$1,009
Ricoh PJ HD5450	432025	\$1,140	\$1,425
Ricoh PJ HDC5420	432085	\$929	\$1,165
Ricoh PJ X5371N	431151	\$1,960	\$2,450
Ricoh PJ WX5361N	431154	\$1,840	\$2,300
<b>High-End Projectors</b>			
Ricoh PJ WU5570	432047	\$2,099	\$2,625
Ricoh PJ X6180N	431060	\$4,299	\$5,375
Ricoh PJ WX6181N	432055	\$3,499	\$4,375
Ricoh PJ WU6181N	432058	\$5,099	\$6,375
Ricoh PJ WXL6280	432078	\$7,499	\$9,375
Ricoh PJ WUL6280	432075	\$9,499	\$11,875
Ricoh PJ KU12000	432091	\$15,095	\$18,869
<b>UCS / IWB</b>			
Ricoh P3500	755109	\$1,760	\$2,200
Ricoh D5510	431193	\$5,656	\$7,140
Ricoh D6500 (Touch Panel)	432064	\$4,055	\$5,065
Ricoh D6500 Business	432133	\$6,065	\$7,585

## Minimum Advertised Price (MAP) Guidelines

Ricoh Corporation maintains a Minimum Advertised Price (MAP) policy. As a Ricoh Reseller, you shall uphold Ricoh Corporation's MAP policy in all product advertising whether in print or on the Internet.

- Reseller can sell Ricoh products at any price. Ricoh is not dictating the Reseller's selling price.
- Ricoh will monitor MAP. MAP will be determined with Ricoh Product Marketing and communicated as changes are made. List of MAP pricing will be provided to all partners.
- Advertised Price is defined as all advertising, electronic distribution (including but not limited to banners, Emails and public Web sites). MAP does not include secure/private Web sites where customers are logged into their accounts.
- Please contact your Ricoh Channel Account Manager for approval of "Free", "Bundled", "Rebates", or "Quotes".

MAP guidelines must be strictly followed. Ricoh resellers must adhere to Ricoh Corporation's policy regarding the MAP.

---

Signature

---

Contact Name

---

Title

---

Company

---

Date

# Warranty Descriptions

## RICOH EQUIPMENT SUGGESTED RETAIL PRICE LIST

### Standard Warranty:

Ricoh Projectors purchased through the AV distribution channel are provided with a standard warranty, term based on model line, against defects in materials and workmanship from the date of purchase. For information regarding the method of service that will apply to the device you are considering for purchase, please contact your Ricoh Channel Account Manager.

Warranty service is best facilitated by product registration. Product registration may be accomplished online ([http://www.ricoh-usa.com/support/warranty\\_registration.aspx](http://www.ricoh-usa.com/support/warranty_registration.aspx)) or by fax or mail via the warranty registration card in the device box. Failure to register in a timely manner may result in the need to provide proof-of-purchase to obtain warranty services.

User replaceable consumables and parts (example: toner cartridges, photoconductor units, etc.) are warranted for a period of either ninety days or one year (depending on product line) from the date of purchase unless otherwise defined.

### Methods of Service:

**Advanced Exchange:** For those products that offer Advance Exchange as a Standard Warranty, Ricoh Support will attempt to diagnose and resolve technical defects via telephone. If Ricoh Support determines that the repair cannot be accomplished over the telephone, a like replacement product will be shipped at no charge within 24 hours. The original unit must be returned in accordance with the instructions provided inside the replacement product carton.

### Technologies:

#### Projection System Standard Warranty:

**Method: Advanced Exchange**

#### IWB with 1 Year On-Site Warranty:

D5510, D6500

#### UCS with 1 Year Advanced Depot Warranty:

UCS P3500

#### Projector Models with 3 Year Advanced Depot Warranty:

PJ S2340, PJ X2340, PJ WX2240  
PJ WX4152N, PJ WX4152NI, PJ X3351N, PJ WX3351N,  
PJ X4241N, PJ WX4241N, PJ XL4540, PJ WXL4540,  
PJ X5450, PJ WX5460, PJ HD5450  
PJ X5371N, PJ WX5361N, PJ WU5570  
PJ X6180N, PJ WX6181N, PJ WU6181N  
PJ WXL6280, PJ WUL6280

### Ricoh Support: 1-800-RICOH-38

Ricoh Support (800-Ricoh-38) is a dedicated support center for customers seeking warranty support for devices purchased through the IT distribution channel. The Support Center is available 24 hours a day, 7 days a week. Ricoh will assist the caller and will validate support entitlement by serial number for devices requiring Advanced Exchange or On-Site service. Additionally, frequently asked questions are available online at [http://www.ricoh-usa.com/support/knowledge\\_base.aspx](http://www.ricoh-usa.com/support/knowledge_base.aspx).

# MSRP UPDATE LOG

2016

## JANUARY 2016

Ricoh SP 5200DN	PAGE 7	MSRP Price Change: SP 5200DN (Part No. 406722) MSRP changed from \$1,599 to \$1,235
Ricoh SP 5200DN	PAGE 32	MAP Price Change: SP 5200DN (Part No. 406722) MAP changed from \$1,299 to \$989
Ricoh SP 5210DN	PAGE 7	MSRP Price Change: SP 5210DN (Part No. 406726) MSRP changed from \$1,999 to \$1,535
Ricoh SP 5210DN	PAGE 32	MAP Price Change: SP 5210DN (Part No. 406726) MAP changed from \$1,599 to \$1,229
Ricoh PJ 6180/PJ 6181 Lenses	PAGE 51	Optional Accessory Image Addition: Added image of the 6th lens
Ricoh SP 112SU	PAGE 18	Product Removed: SP 112SU (Part No. 407429)

## FEBRUARY 2016

Ricoh SP C435DN	PAGE 13	New Product Added: The new SP C435DN Color Printer added to the MSRP Book
Ricoh Projector PJ WU5570	PAGE 49	New Product Added: The new PJ WU5570 High End Business Projector added to the MSRP Book
Ricoh IWB D6500	PAGE 56	New Product Added: The new D6500 Interactive Whiteboard (IWB) added to the MSRP Book
Projectors/UCS/IWB	ALL PROJECTORS	Removed 3D Glasses Type 2 From All Projectors due to out of stocked inventory. Customers will now purchase through a 3rd party.
Projectors/UCS/IWB	ALL PROJECTORS	Changed the Optional Accessories product name from Wireless LAN Unit to Wireless LAN Unit Type M1.

## APRIL 2016

Ricoh SP C435DN	Page 13	Optional Accessory Added: IPDS Unit Type P7
Ricoh SP C440DN	Page 14	Optional Accessory Added: IPDS Unit Type P7
Ricoh Projector PJ WX4152N/ PJ WX4152NI	Page 48	New Products Added: PJ WX4152N/PJ WX4152NI replaced PJ WX4141N & PJ WX4141NI
Ricoh Projector PJ WXL6280/ PJ WUL6280	Page 58	New Products Added: PJ WXL6280/PJ WUL6280
Limited Warranty	Page 41	Added Limited Warranty Page
Ricoh SP C431DN-HS	Page 34	Product Removed: SP C431DN-HS (Part No. 406882)
Ricoh SP C431DNHT	Page 35	Product Removed: SP C431DNHT (Part No. 407198)

## JUNE 2016

Ricoh SP 5200DNG/SP 5210DNG	Page 26	Product Removed: SP 5200DNG (Part No. 407568)/SP 5210DNG (Part No. 407569)
Ricoh Projector PJ WXC1110	Page 32	New Product Added: PJ WXC1110
Ricoh Projector PJ HDC5420	Page 44	New Product Added: PJ HDC5420
Ricoh Projector KU12000	Page 53	New Product Added: KU12000
Ricoh Projector PJ WX4152/ PJ WX4152NI	Page 40	Optional Accessory Added: Smart Stand
Ricoh Projector PJ WX4152/ PJ WX4152NI	Page 40	Optional Accessory Added: Tripod Mounting Plate
Ricoh Projector PJ X3351N	Page 57	MSRP & MAP Update
Ricoh Projector PJ WX3351N	Page 57	MSRP & MAP Update
Ricoh Projector PJ X4241N	Page 57	MSRP & MAP Update
Ricoh Projector WX4241N	Page 57	MSRP & MAP Update
Ricoh Projector PJ X5371N	Page 57	MSRP & MAP Update
Ricoh Projector PJ WX5361N	Page 57	MSRP & MAP Update
Ricoh Projector PJ WX5460	Page 57	MSRP & MAP Update
Ricoh Projector PJ X5460	Page 57	MSRP & MAP Update
Ricoh Projector PJ HD5450	Page 57	MSRP & MAP Update

## JULY 2016

Ricoh MP 501 SPF/MP 601 SPF	Page 19	New Product Added: MP 501 SPF/MP 601 SPF
Ricoh Projector PJ S2340	Page 34	New Product Added: PJ S2340
Ricoh Projector PJ X2340	Page 35	New Product Added: PJ X2340
Ricoh Projector PJ XL4540	Page 41	New Product Added: PJ XL4540
Ricoh Projector PJ WXL4540	Page 42	New Product Added: PJ WXL4540
Ricoh Projector PJ S2240	-	Product Removed: PJ S2240
Ricoh Projector PJ X2240	-	Product Removed: PJ X2240