

Take advantage of technology that scales and flexes as your business needs do. Be more productive and efficient with the IM C2000(A)/C2500(A) range of A3 colour devices.

Take advantage of:

- Print speeds of 20 25 ppm
- Easy-to-use 10.1" Smart Operation Panel with intuitive menu
- Mobile connectivity options including NFC, AirPrint* or Mopria
- Increased uptime and performance with RICOH
 Intelligent Support

Access a range of productivity features and upgrades -such as scanning directly to your email or dedicated folders on your network and ensure you have the latest security enhancements and mobile device connectivity options. Our intelligent devices are designed to do more as and when your business needs to, using technology that's scalable, secure, sustainable and simple.

Get more from your intelligent device:

- Tailor settings to individual users for quick access to apps used most often
- Scan smaller documents with the small size paper scan unit.
- Work more efficiently with expanded paper tray capacity
- Automatic firmware upgrades providing maximum security


Ricoh's Intelligent devices remain current and relevant no matter what your workplace requires. This way, you have ready and easy access to new functionality, when needed. Environmentally-friendly low TEC (Typical Electricity Consumption) values, deliver reduced energy consumption and cut running costs. While RICOH Intelligent Support features such as Predictive Maintenance mean that device performance is monitored and any fixes resolved swiftly, minimising impact on your workplace,

Ready to take a swipe at a faster way to work? Our range of intelligent devices come fitted with a 10.1" Smart Operation Panel designed to enhance your productivity, mobility and environmental commitment. Experience a user interface that offers fast and simple navigation with the ability to customise the layout to best suit your needs - even by adding your own company branding. Access device features, move between jobs and tasks quickly and conveniently enabling teams to work smarter.

All intelligent devices provide:

- Quick access to Web Help Tools via RICOH Intelligent
 Support
- Consistent user interface and experience across your
 Ricoh fleet
- Easy integration with third party solutions
- Regular functionality upgrade releases to do more,
 smarter and faster

IM C2000(A) / IM C2500(A) hardware configuration



RICOH IM C2000A/IM C2000/IM C2500A/IM C2500

Main specifications

GENERAL	IM C2000A	IM C2000	IM C2500A	IM C2500
Varm-up time		21	seconds	
First output speed: B/W			seconds	
First output speed: full colour			seconds	
Continuous output speed	20 ppm	20 ppm	25 ppm	25 ppm
Memory: standard			2 GB	
Memory: maximum			4 GB	
HDD: standard		3	20 GB	
HDD: maximum		3	20 GB	
ARDF capacity			0 sheets	
SPDF capacity			0 sheets	
Weight	96.4 kg	91 kg	96.4 kg	91 kg
Dimensions: W x D x H Power source	587 x 685 x 963 mm	587 x 685 x 913 mm 220 - 24	587 x 685 x 963 mm 0 V, 50/60 Hz	587 x 685 x 913 mm
COPIER				
Multiple copying	Up to 999 copies			
Resolution	600 dpi			
Zoom	From 25% to 400% in 1% steps			
PRINTER				
CPU	ApolloLake E3930 1.3 GHz			
Printer language: standard	PCL5c, PCL6, PostScript 3 (emul	lation), PDF direct (emulation)		
Printer language: option	Genuine Adobe ®PostScript®3™	, PictBridge, PDF Direct from	Adobe®	
Print resolution: maximum	1,200 x 1,200 dpi	-		
Network interface: standard	Ethernet 10 base-T/100 base-TX	/1000 base-T LISB Host I/E T	vne A USB Device I/F Tvne B	
Network interface: option	Bi-directional IEEE 1284/ECP, W			
Mobile printing capability	Apple AirPrint™, Mopria, Google			
Windows® environments	Windows® 7, Windows® 8.1, Wir Windows® Server 2016	ndows® 10, Windows® Serve	r 2008, Windows® Server 2008R2	?, Windows® Server 2012R2,
Mac OS environments	Macintosh OS X Native v10.11 or	later		
UNIX environments	UNIX Sun® Solaris, HP-UX, SCO	OpenServer, RedHat® Linux	Enterprise, IBM® AIX	
SAP® environments	SAP® S/4®	., ., ., ., .,		
Other supported environments	IBM iSeries			
SCANNER				
	00 inm (200/200 dni)			
Scanning speed: ARDF	80 ipm (200/300 dpi)			
Scanning speed: SPDF	120 ipm (simplex)/240 ipm (duple	x)		
Resolution: maximum	1,200 dpi			
Compression method	TIFF (MH, MR, MMR, JBIG2), Gr	ayscale		
File formats	Single Page TIFF Single page JF	PEG. Single page High compr	ession PDF, Single page PDF/A, N	Aulti page TIFF Multi page Pl
. no torrida	Multi page High compression PD		occion Di , cangle page i Di m , i	nala pago i ii i , mala pago i i
		F. Multi page PDF/A		
Scan modes		F, Multi page PDF/A		
	E-mail, Folder, USB, SD Card	F, Multi page PDF/A		
FAX (OPTION)			TN PBX	
FAX (OPTION) Circuit		PS	TN, PBX	
FAX (OPTION) Circuit Transmission speed		PS 2:	seconds	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum		PS 2: 33	seconds 3.6 Kbps	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum		PS 2: 33	seconds	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard		PS 2: 33 8x3.85 line/	seconds 3.6 Kbps	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option		PS 2: 33 8x3.85 line/ 16x15.4 line	seconds 1.6 Kbps mm, 200x100 dpi	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method	E-mail, Folder, USB, SD Card	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF	seconds 1.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed		PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard	E-mail, Folder, USB, SD Card	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB,	seconds 1.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum	E-mail, Folder, USB, SD Card	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm (320 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING	E-mail, Folder, USB, SD Card	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modern speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING	E-mail, Folder, USB, SD Card	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modern speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING	E-mail, Folder, USB, SD Card 81 spm Standard paper tray(s):SRA3, A3	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size	E-mail, Folder, USB, SD Card 81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size	E-mail, Folder, USB, SD Card 81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum	E-mail, Folder, USB, SD Card 81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
Circuit Cransmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper output: standard	E-mail, Folder, USB, SD Card 81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 500 sheets	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard Paper output: standard Paper output: standard Paper output: standard	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 1,625 sheets	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard Paper output: standard Paper output: standard Paper output: standard	E-mail, Folder, USB, SD Card 81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 500 sheets	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB,	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm (320 pages) (4,800 pages)	68 spm
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard Paper output: maximum Paper output: maximum Paper output: maximum Paper output: maximum	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 1,625 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB, , A4, A5, A6, B4, B5, B6, Enve A4, A5, A6, B4, B5, B6, Enve 6, B4, B5, B6, Envelopes, Cus 62 - 300 g/m²), Duplex: (52 - 25 ial paper, Color paper, Letterf	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm (320 pages) (4,800 pages)	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard Paper output: maximum Paper output: maximum Paper output: maximum Paper weight Paper types	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 1,625 sheets Trays: (60 - 300 g/m²), Bypass: (5	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB, , A4, A5, A6, B4, B5, B6, Enve A4, A5, A6, B4, B5, B6, Enve 6, B4, B5, B6, Envelopes, Cus 62 - 300 g/m²), Duplex: (52 - 25 ial paper, Color paper, Letterf	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes lopes stom Size paper	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard Paper output: maximum Paper output: maximum Paper weight Paper types ECOLOGY	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 1,625 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes topes topes stom Size paper	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper output: standard Paper output: maximum Paper output: maximum Paper vutput: maximum Paper vutput: maximum Paper vutput: standard Paper vutput: standard Paper vutput: maximum Paper vutput: standard Paper vutput: maximum Paper vutput: standard Paper vutput: maximum	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 500 sheets 1,625 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec Envelope, Gloss paper, Label paper	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB, A4, A5, A6, B4, B5, B6, Enve A4, A5, A6, B4, B5, B6, Enve 6, B4, B5, B6, Envelopes, Cus 62 - 300 g/m²), Duplex: (52 - 2: ial paper, Color paper, Letterf per, OHP Less ti	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes topes topes stom Size paper	Bond paper, Coated paper,
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard Paper output: standard Paper output: maximum Paper veight Paper types ECOLOGY Power consumption: max. Power consumption operation:	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 1,625 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes topes topes stom Size paper	
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: maximum Paper output: maximum Paper weight Paper types ECOLOGY Power consumption: max. Power consumption operation: BW	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 500 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec Envelope, Gloss paper, Label page	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 44, A5, A6, B4, B5, B6, Enve A4, A5, A6, B4, B5, B6, Enve 6, B4, B5, B6, Envelopes, Cus 62 - 300 g/m²), Duplex: (52 - 29) ial paper, Color paper, Letterfoer, OHP Less th	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi R, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes lopes stom Size paper 66 g/m²) head, Cardstock, Preprinted paper, man 1,700 W 451.5 W	Bond paper, Coated paper, 451.5 W
FAX (OPTION) Circuit Fransmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: standard Paper output: standard Paper output: maximum Paper output: maximum Paper weight Paper types ECOLOGY Power consumption: max. Power consumption operation: BM Power consumption operation:	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 500 sheets 1,625 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec Envelope, Gloss paper, Label paper	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB, A4, A5, A6, B4, B5, B6, Enve A4, A5, A6, B4, B5, B6, Enve 6, B4, B5, B6, Envelopes, Cus 62 - 300 g/m²), Duplex: (52 - 2: ial paper, Color paper, Letterf per, OHP Less ti	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes topes topes stom Size paper	Bond paper, Coated paper,
Circuit Fransmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: standard Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper weight Paper very standard Paper output: maximum Paper weight Paper very standard Paper output: maximum Paper weight Paper very standard Paper output: maximum Paper weight Paper very standard Paper very standard Paper output: maximum Paper weight Paper very standard Pap	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 500 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec Envelope, Gloss paper, Label page	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes topes topes topes topes tead, Cardstock, Preprinted paper, man 1,700 W 451.5 W 497.1 W	Bond paper, Coated paper, 451.5 W
Circuit Fransmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper output: standard Paper output: maximum Paper weight Paper votput: maximum Paper weight Paper orosumption: max. Power consumption operation: SW Power consumption operation: Full colour Power consumption: ready	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 500 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec Envelope, Gloss paper, Label page	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB, A4, A5, A6, B4, B5, B6, Enve A4, A5, A6, B4, B5, B6, Enve 6, B4, B5, B6, Envelopes, Cus 52 - 300 g/m²), Duplex: (52 - 2: sial paper, Color paper, Letterf per, OHP Less the 415.9 W 465.2 W	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes lopes stom Size paper 56 g/m²) lead, Cardstock, Preprinted paper, man 1,700 W 451.5 W 497.1 W	Bond paper, Coated paper, 451.5 W
Scan modes FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: maximum PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper output: standard Paper output: maximum Paper output: maximum Paper votput: maximum Paper votput: maximum Paper output: maximum Paper consumption operation: BW Power consumption operation: Full colour Power consumption: ready Power consumption: sleep	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 1,625 sheets Trays: (60 - 300 g/m²), Bypass: (6 Plain paper, Recycle paper, Spec Envelope, Gloss paper, Label paper 415.9 W 465.2 W	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB, A4, A5, A6, B4, B5, B6, Enve A4, A5, A6, B4, B5, B6, Enve 6, B4, B5, B6, Envelopes, Cus 62 - 300 g/m²), Duplex: (52 - 2: ial paper, Color paper, Letterf ber, OHP Less tt 415.9 W 465.2 W	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes opes stom Size paper 56 g/m²) han 1,700 W 451.5 W 497.1 W	Bond paper, Coated paper, 451.5 W 497.1 W
FAX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Scanning speed Memory: standard Memory: standard Memory: standard PAPER HANDLING Recommended paper size Paper input: standard Paper input: maximum Paper output: standard Paper output: maximum Paper weight Paper veget Power consumption: max. Power consumption operation: Bowl Power consumption operation: Full colour Power consumption: ready	81 spm Standard paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3 Optional paper tray(s):SRA3, A3, Bypass tray:SRA3, A3, A4, A5, A 1,200 sheets 2,300 sheets 500 sheets Trays: (60 - 300 g/m²), Bypass: (5 Plain paper, Recycle paper, Spec Envelope, Gloss paper, Label page	PS 2: 33 8x3.85 line/ 16x15.4 line MH, MF 68 spm 4 MB, 60 MB, 60 MB, A4, A5, A6, B4, B5, B6, Enve A4, A5, A6, B4, B5, B6, Enve 6, B4, B5, B6, Envelopes, Cus 52 - 300 g/m²), Duplex: (52 - 2: sial paper, Color paper, Letterf per, OHP Less the 415.9 W 465.2 W	seconds 6.6 Kbps mm, 200x100 dpi /mm, 400x400 dpi 8, MMR, JBIG 81 spm (320 pages) (4,800 pages) elopes lopes stom Size paper 56 g/m²) lead, Cardstock, Preprinted paper, man 1,700 W 451.5 W 497.1 W	Bond paper, Coated paper, 451.5 W

RICOH IM C2000A/IM C2000/IM C2500A/IM C2500

Main specifications

IM C2000A IM C2000 IM C2500A IM C2500

OUTPUT TRAYS AND FINISHER OPTIONS

 2x 550-sheet Paper tray
 Paper size: (SRA3, A3, A4, A5, A6, B4, B5, B6), Paper weight: (60-300 g/m²)

 1x 550-sheet Paper tray
 Paper size: (SRA3, A3, A4, A5, A6, B4, B5, B6), Paper weight: (60-300 g/m²)

1,000-sheet Booklet finisher Paper size: (SRA3, A3, A4, A5, A6, B4, B5, B6), Paper weight: (52-300 g/m²), Stack capacity: (1,000 sheets), Staple capacity: (50

sheets), Staple paper size: (A3, A4, A5, A6, B4, B5), Staple paper weight: (52-105 g/m²), Staple positions: (Top, Bottom, 2 staples, Booklet)

Booklet)

250-sheet Internal finisher Paper size: (A3, A4, A5, A6, B4, B5), Paper weight: (52-300 g/m²), Stack capacity: (250 sheets), Staple capacity: (5 sheets), Staple

paper size: (A3, A4, A5, B4, B5), Staple paper weight: (64-80 g/m²), Staple positions: (Top)

500-sheet Internal finisher Paper size: (A3, A4, A5, A6, B4, B5), Paper weight: (52-300 g/m²), Stack capacity: (500 sheets), Staple capacity: (50 sheets), Staple paper size: (A4, A5, B4, B5), Staple paper weight: (52-105 g/m²), Staple positions: (Top, Bottom, 2 staples)

Internal shift tray Tray capacity: (250 sheets), Paper size: (SRA3, A3, A4, A5, A6, B4, B5, B6), Paper weight: (52-300 g/m²)

One-bin tray

Tray capacity: (125 sheets), Paper size: (A3, A4, A5, B3, B4), Paper weight: (52-300 g/m²)

OTHER OPTIONS

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Cabinet, Caster table, VM card, Memory unit, Side Tray, Punch units, Camera direct print card, Genuine PostScript 3, IEEE 1284 I/F, IEEE 802.11 a/g/n I/F, Device server unit, File format converter, OCR unit, Enhanced security HDD, Data overwrite security unit, Small paper feeding unit, Page keeper, Imageable area extension unit, ADF handle, External keyboard bracket, Counter I/F unit, Key counter bracket, NFC card reader, Smart card reader built-in unit

CONSUMABLES

Toner: black 16,500 prints
Toner: cyan/magenta/yellow 10,500 prints

Consumable yield figures are based on 2p/j 5% coverage on

*Airprint certification will be available in 2019.



















RICOH @Remote



