

# HP LaserJet M5035 MFP series



Fulfill workteam A3 printing and copying needs and provide send-to-e-mail from your MFP plus optional fax functionality, with a powerful tool that is affordable and easy to use and makes processes simple and efficient.

**Ideal for workteams in enterprise environments who need a black-and-white MFP that is easy to use, maintain and manage, offers a familiar LaserJet experience and reliable performance with A3 capabilities.**

**This MFP is extremely easy to use, install, manage and maintain with a new, intuitive control panel.**

An intuitive control panel, common to all new HP MFPs, is simple to navigate and clearly displays applications so you can easily manage and maintain your device. HP Web Jetadmin offers remote installation, configuration and proactive management. Experience fewer interruptions as interactive HP Smart printing technology <sup>1</sup> in the print cartridge and the device optimises print quality and reliability. Best-in-class networking through the HP Jetdirect internal print server enables easy sharing.

**Enhance workteam performance with the A3 multifunction capabilities of this robust, affordable MFP.**

See productivity rise with A3 print and copy, send-to-e-mail, fax <sup>2</sup>, embedded networking and two-sided printing functionality <sup>3</sup>. Set the pace for success with A3 print and copy speeds up to 35 ppm. HP's Instant-on Technology delivers a fast, first printed page even from Powersave mode. Send-to-e-mail directly from the MFP. Access more third-party solutions.

**Experience familiar HP LaserJet reliability and quality for results you can always depend on.**

Choose original HP LaserJet print cartridges for professional quality. Process print, fax <sup>2</sup> and send-to email jobs easily with a 460 MHz processor and expandable memory up to 512 MB, and get a quick return to the print job's application. Enjoy flexible paper input, expandable from 600 to 2,100 sheets <sup>4</sup>. An automatic stapler/stacker easily staples and sorts up to 30 pages at a time <sup>5</sup>. Print demanding jobs with HP PCL 5, HP PCL 6, and HP PostScript Level 3 emulation print drivers.

<sup>1</sup> Using genuine HP supplies ensures availability of all HP printing features

<sup>2</sup> Fax functionality is an optional feature that can be added to the HP LaserJet M5035 MFP

<sup>3</sup> The two-sided printing unit is an optional accessory that can be added to the HP LaserJet M5035 MFP

<sup>4</sup> Additional optional input is available in two configurations: a 500-sheet input tray with stand or an integrated 3 x 500-sheet input tray

<sup>5</sup> The stapler/stacker unit comes standard on the HP LaserJet M5035xs MFP only.



HP LaserJet M5035 MFP



HP LaserJet M5035x MFP



HP LaserJet M5035xs  
MFP

# HP LaserJet M5035 MFP series

## Series at a glance



### HP LaserJet M5035 MFP

- HP LaserJet M5035 MFP: print speed of up to 35 ppm
- 256 MB memory
- 460 MHz processor
- 40GB Hard Disk
- HP Jet Direct Embedded Print Server
- Embedded Web Server
- digital sending
- standard input capacity of 600-sheets with two 250-sheet input trays and 100-sheet multipurpose tray
- 50-sheet reversing automatic document feeder



### HP LaserJet M5035x MFP

- HP LaserJet M5035x MFP: as base model with automatic two-sided printing
- analogue fax
- additional 500-sheet input tray and stand



### HP LaserJet M5035xs MFP

- HP LaserJet M5035xs MFP: as base model with automatic two-sided printing
- analogue fax
- three additional 500-sheet input trays
- stand and 30-sheet stapler/stacker with additional 500 sheet output

## Recommended accessories



J7989G  
HP High Performance  
Serial ATA EIO Hard  
Disk



Q7719A  
HP 256 MB 100-pin  
DDR DIMM



Q3701A  
HP LaserJet MFP Analog  
Fax Accessory 300



J7972G  
HP 1284B Parallel EIO  
Card



C8091A  
HP Staple Cartridge



Q7549A  
HP LaserJet Auto Duplex  
Unit



Q7834A  
HP LaserJet M5035/M5025  
MFP 500-sheet Tray w/  
Cabinet



Q7835A  
HP LaserJet M5035/M5025  
MFP integrated 3x500-sheet  
Tray



T1936AA  
HP Digital Sending Software 4



J7960G  
HP Jetdirect 625n Internal Print  
Server (EIO,  
10/100/1000TX)



J7961G  
HP Jetdirect 635n IPv6/IPsec  
Internal Print Server (EIO,  
10/100/1000TX)

## Operating and warranty specifications

<b>Operating environment</b>	Operating temperature: 15 to 35° C. Recommended operating temperature: 15 to 35° C. Operating humidity: 20 to 80% RH. Operating humidity recommended: 25 to 75% RH. Storage temperature: 13 to 38° C. Storage humidity: 20 to 80% RH. Noise level per ISO 9296: sound power: LwAd 6.6 B(A) (printing at 35 ppm). Sound pressure: LpAm 51 dB(A) (printing), 56 dB(A) (copy or scan)
<b>Certifications</b>	CISPR 22:1993/EN 55022:1994 Class A, EN 61000-3-2:2000, EN 61000-3-3:1995, EN 55024:1998, FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 4/GB9254-1998, GB17625.1-2003, EMC Directive 89/336/EEC and the Low Voltage Directive 73/23/EEC, and carries the CE-Marking accordingly. Regulatory standards: Argentina (TUV S Mark-Rs.92/98/Ds.1009/98), Australia (AS/NZ 3260), Canada (cUL-CAN/CSA C22.2 No.60950-1-03), China (GB4943), Czech Republic (CSN-IEC 60950-1; IEC 60825-1), Estonia (EEI-EN60950-1; IEC 60825-1), EU (CE Mark-Low Voltage Directive 73/23/EEC), Germany (TUV-EN60950-1; IEC 60825-1), Hungary (MEEIEC 60950-1; IEC 60825-1), Lithuania (LS-IEC 60950-1; IEC 60825-1), (Russia (GOST-R50377), Slovakia (IEC 60950-1; IEC60825-1), Slovenia (SQI-IEC 60950-1; EN60825-1), South Africa (IEC 60950-1; IEC60825-1), US (UL-UL 60950-1; FDA-21 CFR Chapter 1 Subchapter J for lasers), Class 1 Laser/LED Product. ENERGY STAR: Yes
<b>Warranty</b>	One-year, next-day, next-business-day-on-site warranty with free phone support during warranty period

## Ordering information



### HP LaserJet M5035 MFP (Q7829A)

HP LaserJet M5035 MFP (includes printer engine, scanner, ADF, digital sender, 40 GB hard disk drive, and control panel), power cord, 15,000 page toner cartridge, control panel overlay, Getting Started Guide, wall poster, printer driver software CD



### HP LaserJet M5035x MFP (Q7830A)

as Q7829A plus two-sided printing, analogue fax, 500-sheet input tray, stand



### HP LaserJet M5035xs MFP (Q7831A)

as Q7829A plus two-sided printing, analogue fax, three 500-sheet input trays, stand, stapler/stacker

## Accessories, Supplies and Support

### Accessories

<b>J7989G</b>	HP High Performance Serial ATA EIO Hard Disk
<b>Q7718A</b>	HP 128 MB 100-pin DDR DIMM
<b>Q7719A</b>	HP 256 MB 100-pin DDR DIMM
<b>Q3701A</b>	HP LaserJet MFP Analog Fax Accessory 300
<b>J7972G</b>	HP 1284B Parallel EIO Card
<b>C8091A</b>	HP Staple Cartridge
<b>Q7549A</b>	HP LaserJet Auto Duplex Unit
<b>Q7833A</b>	HP LaserJet M5035/M5025 MFP 220V Printer Maintenance Kit
<b>Q7834A</b>	HP LaserJet M5035/M5025 MFP 500-sheet Tray w/ Cabinet
<b>Q7835A</b>	HP LaserJet M5035/M5025 MFP integrated 3x500-sheet Tray
<b>Q7842A</b>	HP LaserJet M5035/M5025 MFP ADF Maintenance Kit
<b>T1936AA</b>	HP Digital Sending Software 4

### Supplies

<b>Q7570A</b>	HP LaserJet Q7570A Black Print Cartridge with Smart Printing Technology 15,000 standard pages according to ISO/IEC 19752
---------------	---

### Connectivity

<b>C6518A</b>	HP USB Cable, 2m
<b>J7960G</b>	HP Jetdirect 625n Internal Print Server (EIO, 10/100/1000TX)
<b>J7942G</b>	HP Jetdirect en3700 External Print Server (USB, 10/100TX)

**J7961G** HP Jetdirect 635n IPv6/IPsec Internal Print Server (EIO, 10/100/1000TX)

**J7951G** HP Jetdirect ew2400 802.11g Wireless and Fast Ethernet External Print Server

### Service & support

<b>UE670A/E</b>	HP Care Pack, Next Business Day On-Site, 3 years
<b>UE676A/E</b>	HP Care Pack, Same Day (4 hours) 13x5, 3 years
<b>UE679PE</b>	HP Care Pack, Post Warranty Next-Business-Day On-Site, 1 year
<b>UE681PE</b>	Care Pack, Post Warranty Same Day (4 hours) 13x5, 1 year
<b>UE671E</b>	HP Care Pack, Next Business Day On-Site, 4 years
<b>UE672E</b>	HP Care Pack, Next Business Day On-Site, 5 years
<b>U2014A/E</b>	HP Care Pack, Installation & Network Configuration

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>

## Technical specifications

<b>Print technology</b>	Monochrome Laser			
<b>Print speed</b>	A3: Up to 18 ppm. A4: Up to 35 ppm. First page out black: Less than 10 sec			
<b>Processor</b>	460 MHz. MIPS embedded in HP Custom ASIC			
<b>Memory</b>	256 MB. Expandable to 512 MB through one 100-pin DDR DIMM slot. Hard Disk Capacity: Standard, 40 GB			
<b>Print</b>	Quality	HP ProRes 1200, HP FastRes 1200, 600 dpi, 170 lpi		
	Resolution	Up to 1200 x 1200 dpi		
	Printer languages	HP Postscript Level 3 Emulation, PCL 6, PCL 5, PDF 1.4		
	Economical printing	Economode (saves up to 50% toner from 600 dpi), immediate return to Power safe mode after each print job due to Instant-on fuser technology (saves electricity), optional automatic two-sided printing and N-up printing (saves paper)		
	Duty cycle	Up to 200000 pages per month		
	Print margins (mm)	Top: 2 mm. Left: 2 mm. Right: 2 mm. Bottom: 2 mm		
<b>Fax</b>	Telecom compliance	Telecom: TBR-21:1998; EG 201 121:1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002:2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong), YD514, YD/T589, YD703, GB3382 (China)		
	Fax memory	Dependent on available free disk space		
	Fax resolution	Standard: 200 x 200 dpi. Superfine: 300 x 300 dpi. Photo: 200 x 200 dpi		
<b>Digital sending</b>	File formats	PDF, JPG, TIFF, MTIFF		
	Installation	Via HP Jetdirect embedded networking, HP Jetdirect internal print servers, HP Jetdirect external print servers, HP wireless print servers, and HP connectivity cards		
<b>Scan</b>	Type	Flatbed, ADF. Colour scanning: Yes		
	Scan resolution	Optical: Up to 600 dpi. Enhanced: Up to 1200 dpi		
	Grey scale levels	256		
	Scannable area	Maximum media size: 29.7 x 42.0 cm		
	Margins for scanned items	Left: 5 mm. Top: 6 mm. Right: 5 mm. Bottom: 6 mm		
<b>Copy</b>	Copy speed	Up to 35 cpm		
	Copy resolution	Up to 600 x 600 dpi		
	Multiple copies	Up to 1000		
	Reduce/enlarge	25 to 400%		
<b>Media handling</b>	<b>Input:</b>	<b>Capacity</b>	<b>Weight</b>	<b>Size</b>
	Tray 1	Sheets: 100, envelopes: 10	60 to 199 g/m <sup>2</sup>	67.2 x 127 mm postcards, A5, A4, A3, B4, B5, EXE, ITR, LGL, LGR, 76 x 127 mm to 312 x 469.9 mm
	Tray 2	Sheets: 250	60 to 120 g/m <sup>2</sup>	A4, B4, B5, ITR, LGL, EXE, A5, 215.9 x 330.2 mm
	Tray 3	Sheets: 250	60 to 120 g/m <sup>2</sup>	A4, B4, B5, ITR, LGL, EXE, A5, A3, LGR, 215.9 x 330.2 mm
	ADF	Sheets: 50	60 to 120 g/m <sup>2</sup>	
	<b>Output:</b>	Sheets: Up to 250. Envelopes: Up to 25. Transparencies: Up to 200		
<b>Media types</b>	Paper (plain, photo, banner), envelopes, labels, cards (index, greeting), transparencies, letter, pre-punched, recycled			
<b>Interface and connectivity</b>	HP Jetdirect Fast Ethernet embedded print server, Foreign Interface Harness (FIH), USB (compatible with USB 2.0 specifications) type A port, USB (compatible with USB 2.0 specifications) type B port, open EIO slot, optional analog fax. Optional: HP Jetdirect 635n IPv6/IPsec Print Server J7961A, HP Jetdirect 625n Gigabit Ethernet Print Server J7960A, HP Jetdirect 620n Fast Ethernet Print Server J7934A, HP Jetdirect ew2400 802.11g Wireless Print Server J7951A, HP Jetdirect en3700 Fast Ethernet Print Server J7942A, HP Jetdirect 175x Fast Ethernet Print Server J6035D, HP High Performance Serial ATA Hard Disk J7989G, HP 1284B Parallel Card J7972G, HP Jetdirect Connectivity Card J4135A, HP bt450 Bluetooth Wireless Printer and PC Adapter Q6398A, HP bt400 Bluetooth Wireless Printer Adapter Q6399A			
<b>Operating systems compatibility</b>	Windows® 2000, XP Home, XP Professional, XP Professional x64 Edition, Windows® Server 2003; Mac OS 10.2 and higher. Optional: Windows® 2000, XP Home, XP Professional, XP Professional x64 Edition, Windows® Server 2003; Mac OS 10.2 and higher. The latest software and drivers are available for the HP LaserJet M5035 MFP from the HP Website at <a href="http://www.hp.com/support/ljm5035mfp">http://www.hp.com/support/ljm5035mfp</a>			
<b>Network operating systems compatibility</b>	Optional: Windows® 2000, XP Home, XP Professional, XP Professional x64 Edition, Windows® Server 2003; Mac OS 10.2 and higher			
<b>Minimum system requirements</b>	133 MHz processor or higher, 64 MB RAM, 40 MB available hard disk space, USB or network port connection. Mac OS 10.2 and higher, 128 MB RAM, 25 MB available hard disk space, network or USB port			
<b>Standard software</b>	Drivers on the web: Printing system, PCL 6 driver only, PCL 5 driver only, PS driver only, WJA applet, UPD PCL 5, UPD PS, HP Easy Printer Care Software, PC fax driver			
<b>Control panel</b>	4 job control buttons, 13 button numeric keypad, touch screen graphical display, 3 status lights, 1 display contrast knob			
<b>Power</b>	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 amp. Consumption: 0.1 watts maximum (off), 24 watts maximum (sleep), 280 watts maximum (ready), 600 watts maximum (printing), 1265 watts maximum (copying)			
<b>Dimensions (w x d x h)</b>	Out of package: M5035 MFP: 610 x 571 x 584 mm; M5035x MFP: 743 x 743 x 997 mm; M5035xs MFP: 743 x 743 x 1183 mm. Packaged: M5035 MFP: 766 x 721 x 852 mm; M5035x MFP: 900 x 900 x 1418 mm; M5035xs MFP: 900 x 900 x 1567 mm			
<b>Weight</b>	Out of package: M5035 MFP: 55 kg; M5035x MFP: 93 kg; M5035xs MFP: 97 kg. Packaged: M5035 MFP: 61.1 kg; M5035x MFP: 100 kg; M5035xs MFP: 104.3 kg			

<http://www.hp.com/uk>



© Copyright Hewlett-Packard Development Company, L.P. 2006. The information contained herein is subject to change without notice. The only warranties for HP Products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 10/06 4AA0-5300EEE

