

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

HP Color LaserJet CF353A Magenta Print Cartridge

designation of the mixture

Registration number N/A **Synonyms** None. **Issue date** 08-Nov-2013

Version number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a magenta toner preparation that is used in HP Color LaserJet Pro MFP M176/ HF

Color LaserJet Pro MFP M177 series printers.

Uses advised against None known.

Company identification Hewlett-Packard, Ltd.

Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 44 (0) 879 013 0790

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Hazard summary

Physical hazards Not classified for physical hazards. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified for hazards to the environment.

Specific hazards Not available. Main symptoms Not available.

2.2. Label elements

Label according to Directive 67/548/EEC or 1999/45/EC as amended

Contains: Amorphous silica, Pigment, Styrene acrylate copolymer, Titanium dioxide, Wax

Not available. R-phrase(s) Not available. S-phrase(s) **Authorization number** Not available. Supplemental label Not applicable.

information

2.3. Other hazards This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive

> 1999/45/EC, as amended. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined

under Regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: CF353A SDS UK 1/7

General information

| Chemical name | | % | CAS-No. / EC No | . REACH Registration No. | Index No. | Notes |
|----------------------------|------|--------------|-------------------------|--------------------------|-----------|-------|
| Styrene acrylate copolymer | | <85 | Trade Secret | - | - | |
| Classification: | DSD: | - | - | | | |
| | CLP: | - | | | | |
| Pigment | | <10 | Trade Secret | - | - | |
| Classification: | DSD: | - | - | | | |
| | CLP: | - | | | | |
| Wax | | <10 | Trade Secret | - | - | |
| Classification: | DSD: | - | | | | |
| | CLP: | - | | | | |
| Amorphous silica | | <3 | 7631-86-9 231-545-4 | - | - | |
| Classification: | DSD: | - | | | | |
| | CLP: | - | | | | |
| Titanium dioxide | | <1 | 13463-67-7 236-675-5 | - | - | |
| Classification: | DSD: | - | | | | |
| | CLP: | Carc. 2;H351 | | | | |

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a **Ingestion**

physician.

Not available.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

No notes to physicians.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, or dry chemical

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or

Not available.

mixture

Material name: CF353A SDS UK

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders

Not available.

6.2. Environmental

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

precautions considerations.

6.3. Methods and material for

Not available.

containment and cleaning up

Not available.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers.

Store at room temperature.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

| Components | Туре | Value | Form | |
|-----------------------------------|------|----------|-------------|--|
| Titanium dioxide (CAS 13463-67-7) | TWA | 4 mg/m3 | Respirable. | |
| 10.00 0, | | 10 mg/m3 | Inhalable | |

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Recommended monitoring

procedures

Not available.

Derived no-effect level

(DNEL)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection Not available.

Skin protection

- Hand protection Not available. - Other Not available. Respiratory protection Not available. Thermal hazards Not available. **Hygiene measures** Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Fine powder

Material name: CF353A SDS UK

Version No.: 01 Print date: 08-Nov-2013

3/7

Physical stateSolid.FormsolidColorMagenta

Odor Slight plastic odor
Odor threshold Not available.

PH Not applicable
Melting point/freezing point Not available.

Initial boiling point and Not applicable

boiling range

Flash point

Evaporation rate

Flammability (solid, gas)

Not applicable

Not applicable.

Upper/lower flammability or explosive limits
Flammability limit - lower Not flammable

(%)

Flammability limit -

upper (%)

Not available.

Vapor pressure Not applicable

Relative density 1 - 1.2 **Solubility(ies)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not applicable

Decomposition temperature > 392 °F (> 200 °C)

ViscosityNot applicable **Explosive properties**Not available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

Not available.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

General information

SECTION 11: Toxicological information

Information on likely routes of exposure
Ingestion Not available.
Inhalation Not available.
Skin contact Not available.
Eye contact Not available.
Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity

Material name: CF353A SDS UK

Components Species Test Results

Amorphous silica (CAS 7631-86-9)

Acute

Oral

LD50 > 15000 mg/kg Mouse

> Rat > 22500 mg/kg

Skin corrosion/irritation Not available.

Serious eye damage/eye

irritation

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium

dioxide is much lower.

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH,

EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65,

and DFG (Germany).

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure

Not available.

Not available. **Aspiration hazard** Mixture versus substance Not available.

information

Other information

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Complete toxicity data are not available for this specific formulation

SECTION 12: Ecological information

12.1. Toxicity LL50: > 1000 mg/l, Fish, 96.00 Hours

Product Species Test Results

CF353A

LL50 > 1000 mg/l, 96 Hours Fish Fish

Components Species Test Results

Titanium dioxide (CAS 13463-67-7)

Aquatic

EC50 Water flea (Daphnia magna) > 1000 mg/l, 48 hours Crustacea Fish LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

Partition coefficient

n-octanol/water (log Kow)

Not available.

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects This product has not been tested for ecological effects.

Material name: CF353A SDS UK

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. **EU** waste code Not available.

Disposal Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely methods/information

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Material name: CF353A SDS UK

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulationsAll chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

National regulations 15.2. Chemical Safety

Assessment

Not available.

SECTION 16: Other information

References Not available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

H351 Suspected of causing cancer.

Revision information None.

Training information Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF353A SDS UK