

# 6 ft USB DVI External Multi Monitor Video Adapter Cable - M/M

StarTech ID: USB2DVIMM6



The USB2DVIMM6 External USB DVI Adapter Cable offers a hassle-free multi-monitor solution, turning a USB 2.0 port into a DVI video connection. This 6-foot USB Display Adapter is a complete solution, ready to go out of the box with all the cables you need built right onto the adapter. Simply install the drivers, connect to your computer and display. Built-on cables make the USB2DVIMM6 easier to install and does away with the need to worry about forgetting a cable.

Instead of having to open the computer case to install a specialized video card to accommodate a multi-display configuration, USB2DVIMM6 functions as an external USB video card saving both time and hassle.

Multiple (USB2DVIMM6) adapters (up to 5 total) can be used on a single system to provide several mirrored displays or extended desktops - a convenient and cost-effective multi-VGA option for virtually any laptop or desktop operating environment.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

### **Applications**

- Extend or mirror the image shown on an existing display
- Run multiple applications on different screens, check your email on one display and work on a document in the other.





#### **Features**

- Optimal performance at 1680x1050 and ideal for use with 20" to 22" monitors or smaller
- Built-on USB and DVI cables
- Hassle-free installation
- No power adapter required
- Supports the use of DVI to VGA or DVI to HDMI adapters





### **Technical Specifications**

Warranty 2 Years

Chipset ID DisplayLink – DL165

Memory 16MB RAM

Output Signal DVI-D (DVI Digital)

USB Pass-No

Through

General This USB video adapter uses a DisplayLink family chipset. If you're connecting this device to a

Specifications computer along with additional USB video adapters or docking stations, please avoid using

devices with a Trigger or Fresco family chipset.

Maximum

1600x1200(standard) or 1680x1050(wide) @ 32 bits

Digital

Resolutions

Supported Widescreen (16/32 bit):

Resolutions 1680x1050, 1440x900, 1366x768

Standard (16/32 bit):

1600x1200, 1280x1024, 1024x768, 800x600, 640x480

Connector A 1 - USB A (4 pin) Male

Connector B 1 - DVI-D (19 pin) Male

Microsoft

Yes

WHQL Certified

OS Windows® 10 (32/64), 8/8.1 (32/64), 7 (32/64), Vista (32/64), XP (32/64), 2000 (Aero 3D

Compatibility interface supported)

Apple® OSX El Capitan (10.11), Yosemite (10.10), Mavericks (10.9) Mountain Lion (10.8), Lion

(10.7), Snow Leopard (10.6)

Chrome® OS v51

Note Connect a maximum of five USB2DVIMM6 adapters on a single PC

System and Available USB 2.0 port Cable 1.2GHz or higher CPU

Requirements 512MB RAM

30MB Hard Drive space

Cable Length 6 ft [1.8 m]

Color Black

Product 0.9 in [23.5 mm]

Height

Product 6 ft [1.8 m]





## Hard-to-find made easy®

Length

Product 3.5 oz [100 g]

Weight

Product 1.9 in [48 mm]

Width

Shipping 10.6 oz [300 g]

(Package)

Weight

Included in 1 - USB to DVI Cable Adapter

Package

Included in 1 - Driver CD

Package

Included in 1 - Instruction Manual

Package

## **Certifications, Reports and Compatibility**







