



# Samsung ProXpress SL-M4072FD Laser Multifunction Printer (SS391A)



## Overview

### Fast, professional-quality printers with low operating costs

With Samsung ProXpress M4072FD, businesses can stay productive without negatively impacting their budgets. ProXpress M4072FD is easy to use, offers reliable quality and security, and helps companies cut costs.

### Print with exceptional speed and excellent quality

High speed printing

### Improve productivity with versatile features from multifunction to security

4-in-1 multifunction and built-in duplex printing

### Lower costs with economical features and solutions

One-touch Eco button

### Streamline printing with ease-of-use design

Easy Printer Manager

# Features

High speed printing

High-quality print output

Additional printing choices for professional documents

One-touch Eco button

Easy Eco Driver

Central print usage control to save more resources

---

*[1] Message based on internal data. Actual results may vary. For more information see <http://www.hp.com/go/printerclaims/samsung>*

*[2] Copyright © 2012 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.*

## Specifications

<b>AIO Functions</b>	Print, copy, scan, fax
<b>Multitasking Supported</b>	Yes
<b>Print Speed Black (normal, A4)</b>	Up to 40 ppm
<b>Print Speed Black (normal, A4)</b>	Up to 40 ppm
<b>First Page Out Black (A4, ready)</b>	As fast as 6.5 sec
<b>Print Resolution Black (best)</b>	Up to 1,200 x 1,200 dpi
<b>Duty Cycle (monthly, A4)</b>	Up to 100,000 pages
<b>Recommended Monthly Page Volume</b>	1,500 to 3,500
<b>Print Resolution Technologies</b>	ReCP
<b>Print Languages, Standard</b>	SPL, PCL5, PCL6, PS3, PDF V1.7
<b>Processor Speed</b>	600 MHz
<b>Standard Memory</b>	256 MB
<b>Maximum Memory</b>	512 MB
<b>Display Description</b>	4-line LCD
<b>Control Panel</b>	4-line LCD; 10-key keypad, 18 Buttons (Power, Cancel, Power saver, Start, Address Book, Redial, On Hook Dial, Navigation, Back, Menu, OK, Copy, Fax, Scan, ID Copy, Darkness, Direct USB, Eco); LED indicator lights (Power, Status, Eco, Navigation, Fax, Copy, Scan)
<b>Print Colors</b>	No
<b>Grayscale Levels</b>	256
<b>Print Cartridges, Number</b>	1 (black)
<b>Automatic Paper Sensor</b>	No
<b>Fonts and Typefaces</b>	PCL: 49 Scalable Fonts (Include OCR-A / OCR-B); PS: 66 Scalable Fonts
<b>Mac Compatible</b>	Yes
<b>Mobile Printing Capability</b>	Apple AirPrint™, Mopria™ Certified, Mobile Apps, Samsung Cloud Print, Google Cloud Print™, PrinterOn Print
<b>Wireless Capability</b>	No
<b>Connectivity, Std</b>	Hi-Speed USB 2.0 port, Host USB; built-in Gigabit Ethernet 10/100/1000 Base-TX network port
<b>Network Ready</b>	Standard (built-in Gigabit Ethernet)
<b>Network Capabilities</b>	Via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; authentication via 802.1X
<b>HP ePrint Capability</b>	No
<b>System Requirements, Minimum</b>	Windows® XP (SP3) (32-bit) or newer, 933 MHz processor or higher, 128 MB RAM, 1.5 GB HD space, CD-ROM or Internet, USB or Network connection

<b>System Requirements, Macintosh, Minimum</b>	OSX 10.5 or newer; Internet; USB or Network connection; 1 GB HD space; 1 GB RAM
<b>Compatible Operating Systems</b>	Windows®: XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 server (32/64 bit), 7 (32/64 bit), 2008 Server R2, 10 (32/64 bit), 2012 Server, 2016 Server; MAC OS 10.5 - 10.11; Linux: Red Hat Enterprise Linux (5, 6, 7), Fedora (15, 16, 17, 18, 19, 20, 21, 22), openSUSE (11.4, 12.1, 12.2, 12.3, 13.1, 13.2), Ubuntu (11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10), SUSE Linux Enterprise Desktop (11, 12), Debian (6, 7, 8), Mint (13, 14, 15, 16, 17); Unix: Sun Solaris 9, 10, 11 (x86, SPARC), HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC)
<b>Compatible Network Operating Systems</b>	Windows®: XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 server (32/64 bit), 7 (32/64 bit), 2008 Server R2, 10 (32/64 bit), 2012 Server, 2016 Server; MAC OS 10.5 - 10.11; Linux: Red Hat Enterprise Linux (5, 6, 7), Fedora (15, 16, 17, 18, 19, 20, 21, 22), openSUSE (11.4, 12.1, 12.2, 12.3, 13.1, 13.2), Ubuntu (11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10), SUSE Linux Enterprise Desktop (11, 12), Debian (6, 7, 8), Mint (13, 14, 15, 16, 17); Unix: Sun Solaris 9, 10, 11 (x86, SPARC), HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC)
<b>Printer Management</b>	Fleet Admin Pro; Easy Printer Manager; Easy Deployment Manager
<b>Paper Handling Standard/input</b>	50-sheet multi-purpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder
<b>Paper Handling Standard/output</b>	150-sheet output bin
<b>Input Capacity, Std</b>	Up to 300 sheets
<b>Input Capacity, Max</b>	Up to 820 sheets (with optional 520 sheets tray)
<b>Input Capacity, Max, Envelopes</b>	Up to 5 envelopes
<b>Output Capacity, Std</b>	Up to 150 sheets
<b>Output Capacity, Max</b>	Up to 150 sheets
<b>Media Handling, Document Finishing</b>	Sheetfed
<b>Duplex Print Options</b>	Automatic (standard)
<b>Paper Trays, Standard</b>	2
<b>Paper Trays, Maximum</b>	3
<b>Media Sizes Custom (metric)</b>	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 76 x 127 to 216 x 356 mm
<b>Standard Media Sizes Supported (metric)</b>	Tray 1: A4, A5, A6, B5 (ISO), B5 (JIS), Oficio, Envelope (DL, C5, C6), Tray 2: A4, A5, A6, B5 (ISO), B5 (JIS), Oficio
<b>Media Types</b>	Plain, Thick, Thin, Cotton, Color, Preprinted, Recycled, Lables, CardStock, Bond, Archive, Envelope
<b>Media Weights Supported, By Paper Path (metric)</b>	Tray 1: 60 to 163 g/m <sup>2</sup> ; Tray 2: 60 to 163 g/m <sup>2</sup>
<b>Media Weights Supported, ADF (metric)</b>	48 to 105 g/m <sup>2</sup>
<b>Scan Type</b>	Flatbed, ADF
<b>Scan File Format</b>	PDF, JPG, TIFF, XPS

<b>Scan Resolution, Optical</b>	Up to 1,200 dpi (flatbed); Up to 600 dpi (ADF)
<b>Scan Input Modes</b>	Front-panel scan, copy, fax, email, Samsung Scan software; user application via TWAIN or WIA
<b>Bit Depth</b>	24-bit (color); 8-bit (mono)
<b>Scan Size Maximum (flatbed, metric)</b>	216 x 356 mm
<b>Scan Size Minimum (ADF, metric)</b>	145 x 145 mm
<b>Scan Size Maximum (ADF, metric)</b>	216 x 356 mm
<b>Auto Document Feeder Capacity</b>	Standard, 50 sheets
<b>Digital Sending Standard Features</b>	Scan to email; scan to folder (SMB,FTP); Scan to HDD; scan to USB drive; Scan to WSD; WSD Scan; Scan to PC; PC Scan; Scan to Samsung Cloud; LDAP Authentication
<b>Twain Version</b>	Version 1.9
<b>Scan Speed (normal, A4)</b>	Up to 20 ipm (black); Up to 8 ipm (color)
<b>Copy Speed Black (normal A4)</b>	Up to 40 cpm
<b>Copy Resolution, Black Text</b>	Up to 600 x 600 dpi
<b>Copier Reduce/enlarge</b>	25 to 400%
<b>Max Number Of Copies</b>	Up to 999 copies
<b>Copier Settings</b>	Copies; Darkness; Color Mode; Original Type; Duplex; Reduce/Enlarge; Original Size; Paper Source; Collation; 2-Up; 4-Up; ID Copy; Book Copy; Adjust Background; Edge Erase; Stamp; Watermark; Auto Fit Copy
<b>Fax</b>	Yes
<b>Fax Speed</b>	33.6 kbps
<b>Power Supply Required</b>	110-volt input voltage: 110 to 127 VAC, 50/60Hz and 220-volt input voltage: 220 to 240 VAC, 50/60Hz
<b>Power Supply Type</b>	Built-in power supply
<b>Power Consumption Description</b>	700 watts (Printing), 10 watts (Ready), 1.1 watts (Sleep)
<b>Typical Electricity Consumption (TEC) number</b>	2 kWh/week
<b>ENERGY STAR Qualified</b>	Yes
<b>Energy Efficiency Compliance</b>	ENERGY STAR® qualified
<b>Operating Temperature Range (celsius)</b>	10 to 30°C
<b>Operating Humidity Range (recommended)</b>	20 to 70% RH (non-condensing)
<b>Electromagnetic Emission Standard</b>	EN 61000-3-2: 2014 (Class B), EN 61000-3-3: 2013 (Class B), EN 55024: 2010 (Class B), EN 55032: 2012/AC: 2013 (Class B), 47 CFR Part 15, Subpart B I ANSI C63.4-2009 (Class B), ICES-003 Issue 5 (Class B), KN22 2009, KN24 2011-09 (Class B), GB9254-2008, GB17625.1-2012, CISPR22: 2009+A1: 2010 (Class B) (Other EMC approvals as required by individual countries.)
<b>Product Dimensions (metric)</b>	483 x 410.6 x 449.1 mm

<b>Max Dimensions (metric)</b>	414.6 x 466.2 x 594.8 mm
<b>Package Dimensions (metric)</b>	545 x 592 x 631 mm
<b>Weight (metric)</b>	17.07 kg
<b>Package Weight (metric)</b>	20.24 kg
<b>Safety Approvals and Requirements</b>	IEC 60950-1: 2005 +A1: 2009 +A2: 2013 (International); EN60950-1: 2006 +A11: 2009 +A1: 2010 +A12: 2011 +A2: 2013 (EU); EN 60825-1: 2007 / IEC 60825-1: 2007 (Class 1 Laser Product); EN 62479: 2010 / IEC 62479: 2010; Low Voltage Directive 2006/95/EC with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries
<b>What Is In The Box</b>	Power cord(s); Toner cartridge(s); User Guide; Fax cable (AP only); warranty card; CD
<b>In Box Cable</b>	No, please purchase USB cable separately
<b>Replacement Cartridges</b>	Standard Toner Cartridge (~ 3,000 yield) MLT-D203S; High yield Toner Cartridge (~ 5,000 yield) MLT-D203L; Extra High yield Toner Cartridge (~ 10,000 yield) MLT-D203E; Ultra High yield Toner Cartridge (~ 15,000 yield) MLT-D203U
<b>Software Included</b>	Samsung Common Installer, Total Uninstaller, SPL/PCL6 print driver, TWAIN/WIA driver, PC Fax Utility, Easy Printer Manager, Easy Document Creator, Scan OCR program, Printer Diagnostics, Printer Center, View User's Guide, Lite SM
<b>Warranty Features</b>	Warranty varies by country. Please contact customer service for information.

## Additional specifications

<b>Acoustic Power Emissions</b>	7.2 B (A)
<b>Acoustic Power Emissions (ready)</b>	4.2 B (A)
<b>Acoustic Pressure Emissions Bystander (active copy)</b>	58 dB (A)
<b>Acoustic Pressure Emissions Bystander (active, printing)</b>	57 dB (A)
<b>Acoustic Pressure Emissions Bystander (ready)</b>	26 dB (A)
<b>Color Scanning</b>	Yes
<b>Copy Speed Black (normal, letter)</b>	Up to 42 cpm
<b>Country of Origin</b>	Made in China
<b>Driver Updates</b>	Latest supported operating systems and print drivers available at <a href="http://www.hp.com/go/support">http://www.hp.com/go/support</a>
<b>Duty Cycle (monthly, letter)</b>	Up to 100,000 pages
<b>Fax Speed (letter)</b>	3 sec per page
<b>First Page Out Black (A4, sleep)</b>	As fast as 23 sec
<b>First Page Out Black (letter, ready)</b>	As fast as 6.5 sec
<b>First Page Out Black (letter, sleep)</b>	As fast as 23 sec
<b>Max Dimensions (imperial)</b>	16.32 x 18.35 x 23.42 in
<b>Media Size, ADF</b>	A4, A5, A6, ISO B5, JIS B5, Statement, Letter, Oficio, Folio, Legal
<b>Media Size, Tray 1 (metric)</b>	A4, A5, A6, B5 (ISO), B5 (JIS), Oficio, Envelope (DL, C5, C6)
<b>Media Sizes Custom (imperial)</b>	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 3 x 5 to 8.5 x 14 in
<b>Media Type and Capacity Tray 1</b>	Sheets (75 g/m <sup>2</sup> ): 50; envelopes: 5
<b>Media Weights Supported, ADF (imperial)</b>	12.5 to 28 lb
<b>Media Weights Supported, By Paper Path (Imperial)</b>	Tray 1: 16 to 43 lb; Tray 2: 16 to 43 lb
<b>Media Weights Supported, Tray 1 (metric)</b>	60 to 163 g/m <sup>2</sup>
<b>Memory Upgrade</b>	Expandable to 512MB
<b>Non-operating Humidity Range</b>	10 to 90% RH (non-condensing)
<b>Operating Humidity Range</b>	10 to 80% RH (non-condensing)
<b>Operating Temperature Range (fahrenheit)</b>	50 to 86°F
<b>Operating Temperature Range (recommended celsius)</b>	15 to 27°C

<b>Operating Temperature Range (recommended fahrenheit)</b>	59 to 80.6°F
<b>Package Dimensions (imperial)</b>	21.4 x 23.3 x 24.8 in
<b>Package Weight (imperial)</b>	44.6 lb
<b>Print Resolution Black (normal)</b>	Up to 600 x 600 dpi
<b>Print Speed Black (normal, letter)</b>	Up to 42 ppm
<b>Print Technology</b>	Laser
<b>Printer Smart Software Features</b>	Automatic duplex, N-up printing, collation, watermarks, economode for toner savings (55%), accepts a variety of paper sizes and types
<b>Product Dimensions (imperial)</b>	19.02 x 16.17 x 17.68 in
<b>RMN Number</b>	ProXpress M4072FD
<b>Scan Resolution, Hardware</b>	Up to 4800 x 4800 dpi
<b>Scan Size Maximum (ADF, Imperial)</b>	8.5 x 14 in
<b>Scan Size Maximum (flatbed, imperial)</b>	8.5 x 14 in
<b>Scan Size Minimum (ADF, imperial)</b>	5.7 x 5.7 in
<b>Scan Speed (normal, letter)</b>	Up to 20 ipm (black); Up to 8 ipm (color)
<b>Security Management</b>	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 & SNMPv2 community password change, SNMPv3; Authentication (Local); Authentication (Kerberos/SMB/LDAP); IP/MAC Address Filtering (IPv4/IPv6/MAC); IPsec; 802.1x
<b>Standard Media Sizes (duplex, Imperial)</b>	Letter; Legal; Folio; Oficio
<b>Standard Media Sizes (duplex, metric)</b>	A4
<b>Standard Media Sizes Supported (imperial)</b>	Tray 1: Letter, Legal, Executive, Folio, Oficio, Statement, Envelope (No.9, No.10, Monarch), Tray 2: Letter, Legal, Executive, Folio, Oficio, Statement
<b>Storage Temperature Range (celsius)</b>	-20 to 40°C
<b>Storage Temperature Range (fahrenheit)</b>	-4 to 104°F
<b>Supported Network Protocols</b>	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Google Cloud Print™, IPP Print, Discovery: SLP, Bonjour, Web Services Discovery, UPnP; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); SSL Security and Certificate management; Management; SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS
<b>SureSupply Supported</b>	No
<b>Technology</b>	Laser
<b>UNSPSC Code</b>	43212110
<b>UPC Number</b>	191628541324, (BGJ) 191628406333
<b>Weight (imperial)</b>	37.6 lb





## Accessories

### Cables/Cable Kits/Cable Adapters

#### Printer Cables

Samsung ML-PAR100 Parallel Connector

SS497A

### Memory

#### DDR Memory

Samsung ML-MEM370 512 MB DDR3 Memory Module

SS494B

# Samsung Laser Toner Cartridges and Kits

## Samsung Black and White Laser Toner Printer Cartridges

Samsung MLT-D203L High Yield Black Toner Cartridge	SU904A
Samsung MLT-D203S Black Toner Cartridge	SU911A
Samsung MLT-D203S Black Toner Cartridge	SU910A
Samsung MLT-D204E Extra High Yield Black Toner Cartridge	SU927A
Samsung MLT-D203E Extra High Yield Black Toner Cartridge	SU894A
Samsung MLT-D203S Black Toner Cartridge	SU913A
Samsung MLT-P203U 2-pack Ultra High Yield Black Toner Cartridges	SV123A
Samsung MLT-D204U Ultra High Yield Black Toner Cartridge	SU945A
Samsung MLT-R204 Imaging Unit	SV140A
Samsung MLT-D203S Black Toner Cartridge	SU907A
Samsung MLT-D204E Extra High Yield Black Toner Cartridge	SU926A
Samsung MLT-D203S Black Toner Cartridge	SU908A
Samsung MLT-D204E Extra High Yield Black Toner Cartridge	SU925A
Samsung MLT-D203S Black Toner Cartridge	SU914A
Samsung MLT-D203L High Yield Black Toner Cartridge	SU897A
Samsung MLT-D203E Extra High Yield Black Toner Cartridge	SU887A
Samsung MLT-D203U Ultra High Yield Black Toner Cartridge	SU920A
Samsung MLT-D203U Ultra High Yield Black Toner Cartridge	SU919A
Samsung MLT-D204U Ultra High Yield Black Toner Cartridge	SU948A
Samsung MLT-D203S Black Toner Cartridge	SU909A
Samsung MLT-D203L High Yield Black Toner Cartridge	SU899A
Samsung MLT-P203U 2-pack Ultra High Yield Black Toner Cartridges	SV124A
Samsung MLT-D203L High Yield Black Toner Cartridge	SU905A
Samsung MLT-D203E Extra High Yield Black Toner Cartridge	SU893A
Samsung MLT-D203U Ultra High Yield Black Toner Cartridge	SU916A
Samsung MLT-D203U Ultra High Yield Black Toner Cartridge	SU918A
Samsung MLT-D203L High Yield Black Toner Cartridge	SU898A
Samsung MLT-D203L High Yield Black Toner Cartridge	SU900A
Samsung MLT-R204 Imaging Unit	SV142A
Samsung MLT-D204U Ultra High Yield Black Toner Cartridge	SU946A

Samsung MLT-R204 Imaging Unit	SV143A
Samsung MLT-D203E Extra High Yield Black Toner Cartridge	SU889A
Samsung MLT-D203E Extra High Yield Black Toner Cartridge	SU890A
Samsung MLT-D203E Extra High Yield Black Toner Cartridge	SU886A
Samsung MLT-D203S Black Toner Cartridge	SU912A
Samsung MLT-D203L High Yield Black Toner Cartridge	SU901A
Samsung MLT-D203L High Yield Black Toner Cartridge	SU902A
Samsung MLT-D203U Ultra High Yield Black Toner Cartridge	SU922A
Samsung MLT-D203E Extra High Yield Black Toner Cartridge	SU891A
Samsung MLT-D203U Ultra High Yield Black Toner Cartridge	SU923A
Samsung MLT-D203E Extra High Yield Black Toner Cartridge	SU885A

Generated by Dynamic Collateral Tool – (ww-en) – Feb 28, 2018 9:28 AM UTC+0000