

3600 Lumen -15000 lamp life - WXGA DLP Projector

ViewSonic®
See the difference™ 

PA503W



Higher Brightness. Longer Lamp Life.

The ViewSonic PA503W offers impressive visual performance in small business meeting rooms and classrooms. With higher brightness and longer lamp life, PA503W projector is guaranteed to reproduce the finest of details in any environment for much longer. ViewSonic exclusive SuperColour™ technology offers a wider range of displayable colour ensuring true-to-life colour accuracy in both bright and dark environments without sacrificing image quality.

- 3600 lumens with 22,000:1 contrast ratio for bright, crisp presentations
- Energy efficiency and up to 15,000 hours of lamp life (SuperEco mode)
- SuperColour™ technology provides rich and accurate colours
- 5 colour modes to fit different user scenarios
- V keystone provides easy image adjustment

Energy Efficiency



Extended Lifespan

Users can choose different lamp mode to extend the lamp's lifespan. When Power Saving setting is on and without any signal input, the projector will automatically switch to Eco Mode and SuperEco Mode

- **Eco Mode:** This projector automatically switches from Normal to Eco Mode whenever it has been left idle for 5 minutes.
- **SuperEco Mode:** When the projector has not received an input signal for 20 minutes, projected images are dimmed to 70%, extending the lamp's lifespan to 15,000 hours on average.



Automatic Sleep Timer

Forgetting to shut off projectors is a common occurrence, especially in public spaces such as classrooms and meeting rooms. PA503W's sleep timer allows you to select a period of inactivity that will determine when the projector should put itself into sleep mode automatically.



Auto Power Off


When no signal has been detected, the projector will automatically power off to conserve energy and lamp life.

Impressive Performance




Bright Images in Any Environment

3,600 lumens of brightness and a 22,000:1 high contrast ratio guarantee the production of bright images in any environment, including rooms with high ambient light.




Normal



SuperColor™ Technology

Amazing Colour Accuracy

ViewSonic's proprietary SuperColour™ Technology displays a wide range of visible colour, ensuring that users enjoy more realistic and accurate colour in both bright and dark environments without sacrificing image quality.



Fine-Tuned Viewing

Choose from 5 unique preset viewing modes to provide the best settings for your usage:

- **Brightest Mode:** For environments where the maximum brightness is required
- **Presentation Mode:** High-brightness and a high contrast ratio for presentations in brightly lit environments.
- **Standard Mode:** Enhanced colour, similar to that of a PC or Notebook.
- **Photo Mode:** Natural colour for general viewing
- **Movie Mode:** Saturated colour for a better movie watching experience in dark environments.



Immersive 3D Viewing

PA503W's HDMI port allows users to project 3D content directly from 3D Blu-Ray players and HDMI-enabled devices such as laptops, tablets, and media players.

User-Friendly Usage



Instant Activation

Get your projector up and running instantly with two simple settings:

- **Direct Power On:** Simply connect the power cord and begin; the projector will power itself on automatically.
- **Signal Power On:** The projector will power on automatically upon detection of a VGA cable connection.



Remote Control Functionality

This projector can be assigned to 8 different remote control codes in the same venue through a single remote control for effortless projector selection, configuration and operation during lessons or meeting. It can also operate certain projectors when the coded are fitted both on the projector and on the remote control.



Advanced Image Correction

Vertical keystone allows you to correct and adjust distorted images with ease, making installation flexible.

Smart Presentation Tools



Time Management Assistance

Presentation Timer is an embedded on-screen timer that helps users with time management during presentations. Once a specified time limit has been reached, the projector will signal this with a beep, keeping presentations running on time.



Attention Refocusing Capabilities

Using PA503W's Blank Timer, presenter can refocus the audience's attention back to them by hiding the screen's image at different points during a presentation. In addition, Blank Timer can also be used as a reminder for when to take breaks.

Caractéristiques Techniques

SPECIFICATION	Projection system	0.65" WXGA
	Native Resolution	1280x800
	DC type	DC3
	Brightness	3600lm
	Contrast Ratio with SuperEco mode	22000:1
	Display Colour	1.07 Billion Colours
	Light Source	Lamp

Light source life (Nor/SuperEco)	5000/15000
Lamp Watt	200W
Lens	F=2.56-2.68, f=22-24.1 mm
Projection Offset	100%+/-5%
Throw Ratio	1.55~1.70
Image size	30" - 300"
Throw Distance	1m-10.98m(100" @3.34m)
Keystone	±40° (Vertical)
Optical Zoom	1.1x
Audible Noise (Eco)	29dB
Resolution Support	VGA(640 x 480) to FullHD(1920 x 1080)
HDTV Compatibility	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Video Compatibility	NTSC, PAL, SECAM
Horizontal Frequency	15K~102KHz
Vertical Scan Rate	23~120Hz

Input

Computer in (share with component)	2
Composite	1
Audio-in (3.5mm)	1
HDMI	1 (Back)

Output

Monitor out	1
Audio out (3.5mm)	1
Speaker	2W

Control

RS232	1
USB type mini B (Services)	1

Others

Power Supply Voltage	100-240V+/- 10%, 50/60Hz AC
Power Consumption	Normal: 260W Standby: <0.5W
Operating Temperature	0~40°C
Carton	Brown
Net Weight	2.2kg

Dimensions (WxDxH) w/adjustment foot	294x218x110mm
Language	English, France, Spanish, Thai, Korea, Germany, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, Vietnam

Standard Accessory	Power Cord	1
	VGA cable	1
	Remote Control	1
	QSG & CD	1
	Air Filter	RSPL

Pour en savoir plus, rendez-vous sur : **www.viewsoniceurope.com**

Tous droits réservés par Copyright ViewSonic Corporation. Tous autres noms de sociétés et marques sont propriété de leurs sociétés respectives. E&EO. Les caractéristiques techniques et prix susceptibles de modifications sans préavis. Les images peuvent être utilisées seulement à des fins d'illustration. Pour en savoir plus consulter nos dispositions légales.