

Yield Reporting Form: HP LaserJet Enterprise MFP M725 cartridge model CF214A

Declared ISO yield

<p>Toner cartridge yield:</p> <p style="text-align: center;">Average cartridge yield 10,000 standard pages¹</p> <p style="text-align: center;"><i>Declared yield value in accordance with ISO/IEC 19752 based on continuous printing</i></p>
--

Calculated test values

Average ¹	10,364
Standard Dev.	256
90% lower confidence limit ¹	10,275

Test date: beginning	4/11/2013
Test dates: ending	4/19/2013
Number of cartridges used in testing	24
Number of cartridges used in calculations	24
Type of cartridge	Hewlett Packard CF214A all in one
Shake procedure used?	No
Print mode	Continuous
Job size	250 pages per job
Number of engines used in testing	4
Media	HP Multipurpose
Paper size	Letter
Paper feed orientation	Long edge
Computer model	vSphere Client virtual PC
Operating system	Microsoft Windows 7 Enterprise with SP1
Application software	Public domain file transfer utility
Print driver version	None: Internal PDF interpreter
Connection type	network
Test page version*	Version 4.0 pdf

Power on/off every day	No
------------------------	----

Engine serial numbers:	Engine Firmware Version:
MX1CDCX0HF	2203027_232445 20130207
MX1CDCX0JB	2203027_232445 20130207
MX1CDCX0JK	2203027_232445 20130207
MX1CDCX0JM	2203027_232445 20130207

*filename: Download_Free__19752_Test_Chart__.pdf from ISO SC28 website

Cartridge testing data

Test environmental limits:	Temperature	Humidity
	°C	%RH
Max running average	23.0	51
Min running average	23.0	49
Average	23.0	50

CF214A		Enterprise MFP M725	
Cartridge	Lot Code	Engine SerNo	Cartridge Yield
CF214A-151	3A30Z5a	MX1CDCX0HF	10,214
CF214A-152	3A30Z5a	MX1CDCX0JB	9,925
CF214A-153	3A30Z5a	MX1CDCX0JK	10,411
CF214A-154	3A30Z5a	MX1CDCX0JM	10,101
CF214A-155	3A30Z5a	MX1CDCX0HF	10,433
CF214A-156	3A30Z5a	MX1CDCX0JB	10,380
CF214A-157	3A30Z5a	MX1CDCX0JK	10,511
CF214A-158	3A30Z5a	MX1CDCX0JM	10,461
CF214A-159	3B25Z5a	MX1CDCX0HF	10,263
CF214A-160	3B25Z5a	MX1CDCX0JB	10,078
CF214A-161	3B25Z5a	MX1CDCX0JK	10,378
CF214A-162	3B25Z5a	MX1CDCX0JM	9,788
CF214A-163	3B25Z5a	MX1CDCX0HF	10,390
CF214A-164	3B25Z5a	MX1CDCX0JB	10,168
CF214A-165	3B25Z5a	MX1CDCX0JK	10,631
CF214A-166	3B25Z5a	MX1CDCX0JM	10,670
CF214A-167	3C06Z5a	MX1CDCX0HF	10,145
CF214A-168	3C06Z5a	MX1CDCX0JB	10,601
CF214A-169	3C06Z5a	MX1CDCX0JK	10,754
CF214A-170	3C06Z5a	MX1CDCX0JM	10,598
CF214A-171	3C06Z5a	MX1CDCX0HF	10,103
CF214A-172	3C06Z5a	MX1CDCX0JB	10,740
CF214A-173	3C06Z5a	MX1CDCX0JK	10,529
CF214A-174	3C06Z5a	MX1CDCX0JM	10,470

¹ In an ISO report two values are commonly listed: declared ISO yield and calculated test values. Generally, the calculated test values are higher than the declared ISO yield. Actual cartridge yields vary considerably based on content of images printed and other factors. For more information visit www.hp.com/go/learnaboutsupplies.