

# Data Sheet

## FUJITSU Tablet STYLISTIC Q616

### 2 in 1 Uniting Mobility and Power

The FUJITSU Tablet STYLISTIC Q616 is a 2 in 1 that provides the perfect balance of mobility and performance. It is designed to support go-anywhere lifestyles with a fanless, compact design and a toughened glass that protects the 29.5 cm (11.6-inch) anti-glare display on hectic days. Flexible input options like keyboard, pen and touch enable you to handle your business routines most efficiently, the way you prefer. Because productivity is key, a keyboard can easily be attached for straightforward writing. The Intel® Core™ M platform, a full-day battery runtime and optional 4G/LTE ensure performance and connectivity, at any time and in any place. While enterprise-grade security options keep data safe. A cradle enhances usability and comfortable working at the desk.



#### 2 in 1 design

Enjoy the perfect balance between the mobility of a tablet and the performance of an Ultrabook™. Completely quiet for maximum comfort. An attachable keyboard transforms the tablet into a notebook.

- Fanless, thin and light design at only 753 g

#### Flexible working

Empowers a fully digital office, from note-taking to audit-proof signatures - in tablet or notebook mode.

- Toughened, anti-glare display with pen and touch input, as well as via the keyboard.

#### Made for mobility

Keeps you going whenever you want and wherever you are.

- Full-day battery runtime with fast charging functionality. Combined with on-the-go connectivity like 4G/LTE with GPS, and NFC. Intel® WirelessDisplay support.

#### Powerful manageability and security

Stay in control of your device and your data, wherever you are.

- Security and manageability options include embedded fingerprint sensor, SmartCard reader, contactless NFC-based SmartCard, TPM, Intel® vPro™ technology, encrypted drives. Kensington® lock slot on device.

#### Best office comfort

Enabling shared work spaces and a desktop-like experience.

- Common cradle with STYLISTIC Q736 and Q555, downward compatible to Q665 and Q775



# Components

<b>Base unit</b>	STYLISTIC Q616
<b>Operating systems</b>	
<b>Operating system</b>	Windows 10 Pro
<b>Operating system compatible</b>	Windows 8.1
<b>Processor</b>	
	Intel® Core™ processor m7-6Y75 (1.2 GHz, up to 3.1 GHz, 4 MB)
	Intel® Core™ processor m5-6Y54 (1.1 GHz, up to 2.7 GHz, 4 MB)
	Intel® Core™ processor m3-6Y30 (0.9 GHz, up to 2.2 GHz, 4 MB)
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
<b>Hard disk drives (internal)</b>	
	SSD SATA III, 512 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module, OPAL capable
	SSD SATA III, 128 GB, M.2 module, OPAL capable
<b>Hard disk notes</b>	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6Gbit/s)
<b>Interface add on cards/components (optional)</b>	
<b>3G/4G (optional)</b>	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s) LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
<b>WLAN (optional)</b>	Intel® Dual Band Wireless-AC8260NV 11ac with integrated Bluetooth 4.1 Import and usage according to country-specific regulations. Intel® Dual Band Wireless-AC8260 11ac with integrated Bluetooth 4.1 Import and usage according to country-specific regulations.
<b>Display</b>	29.5 cm (11.6-inch), LED backlight, (Full HD), Anti-glare dual digitizer, compound, 1,920 x 1,080 pixel, 1000:1, 300 cd/m <sup>2</sup>
<b>Multimedia</b>	
<b>Camera</b>	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

## Base unit

<b>Base unit</b>	STYLISTIC Q616
<b>General system information</b>	
<b>Chipset</b>	Integrated in CPU
<b>Chipset notes</b>	Supports iAMT 11.0
<b>Supported capacity RAM</b>	8 GB
<b>Supported capacity RAM (min.)</b>	4 GB
<b>Supported capacity RAM (max.)</b>	8 GB
<b>Memory slots</b>	LPDDR3 (1600 MHz)
<b>Memory notes</b>	LPDDR3 (1,600 MHz)
<b>LAN</b>	via cradle or optional cable accessory Intel® I219LM
<b>LAN notes</b>	LAN connector via optional cradle or optional USB adapter cable
<b>BIOS features</b>	InsydeH20 Bios
<b>Audio type</b>	On board
<b>Audio codec</b>	Realtek ALC255
<b>Audio features</b>	Built-in array microphone, 2x built-in speakers (stereo)

**General system information**

MIL-STD tested	Yes. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
----------------	--

**Display**

Display	29.5 cm (11.6-inch), IPS dual digitizer, (Full HD), Anti-glare touchscreen, 1,920 x 1,080 pixel, 1000:1, 300 cd/m <sup>2</sup>
Display notes	ISO 9241-307 - Pixel class II Viewing angle: Left/Right 89°, Top 89°, Bottom 89°; 25ms response time; Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor Compass
Aspect ratio	16:9
Brightness - typical	300 cd/m <sup>2</sup>
Contrast - typical	1000:1
Digitizer / Touch Technology	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°

**Graphics**

Base unit	STYLISTIC Q616
TFT resolution (HDMI)	up to 4,096 × 2,160
TFT resolution (VGA)	1,920 x 1,200 pixel
Graphics brand name	Intel® HD Graphics 515
Graphics features	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system

**Interfaces**

DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2 (digital)
USB 2.0 total	1
USB 3.0 total	1 (Anytime USB-charge)
VGA	1 (via optional cradle or optional conversion cable)
micro HDMI	1
Ethernet (RJ-45)	1 (via optional cradle or optional conversion cable)
Memory card slots	1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB Speed Class: up to UHS-I
SmartCard slot	optional
SIM card slot	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)
Interface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)

**Cradle (Charging or Functional)**

DC-in	1 (19V)	1 (19V)
Audio: line-in	1	1
Audio: line-out	1	1
USB 2.0 total	3 (if used with STYLISTIC Q555)	3 (if used with STYLISTIC Q555)
USB 3.0 total	3 (if used with STYLISTIC Q736/Q616/Q775/Q665)	3 (if used with STYLISTIC Q775/Q736/Q665)
DisplayPort	1	1
VGA	1	1
Ethernet (RJ-45)	1 (10/100/1000)	1 (10/100/1000)
Kensington Lock support	1	1

**Cradle (Charging or Functional)**

<b>Interface Module notes</b>	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.
-------------------------------	---	---

**Wireless technologies**

<b>Antennas</b>	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN	
<b>Bluetooth</b>	Bluetooth 4.1 LE	
<b>WLAN notes</b>	Import and usage according to country-specific regulations.	
<b>LTE/UMTS/GPS notes</b>	Including GPS functionality Import and usage according to country-specific regulations.	
<b>NFC</b>	optional	
<b>GPS</b>	Embedded in 3G/4G module if configured with WWAN	

**Power supply**

<b>AC Adapter</b>	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter, 108x46x30 mm	
<b>AC adapter</b>	19 V / 65 W (3.42 A)	
<b>Rated voltage range</b>	100 V - 240 V (AC Input)	
<b>Rated frequency range</b>	50 Hz - 60 Hz	
<b>1st battery</b>	Lithium Polymer battery 3-cell, 39 Wh	
<b>Runtime 1st battery</b>	up to 10h 40min (tablet only) / up to 10h 10min (tablet and keyboard)	
<b>Battery charging time</b>	~ 120 min.	
<b>Battery notes</b>	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to <a href="http://www.bapco.com">www.bapco.com</a> for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.	

**Dimensions / Weight / Environmental**

<b>Dimensions (W x D x H)</b>	294.8 x 192.4 x 11.9 mm (Standard Shell) / 15.0 mm (SmartCard Shell) 11.6 x 7.57 x 0.47 (Standard Shell) / 0.59 (SmartCard Shell) inch	
<b>Weight</b>	From 0.753 kg	
<b>Weight (lbs)</b>	From 1.66 lbs	
<b>Weight notes</b>	Weight may vary depending on actual configuration (including battery pack)	
<b>Operating ambient temperature</b>	5 - 35 °C (41 - 95 °F); Packed -10 - 60 °C (14 - 140 °F)	
<b>Operating relative humidity</b>	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)	

**Compliance**

<b>Product</b>	STYLISTIC Q616	
<b>Germany</b>	GS	
<b>Europe</b>	CE! EN 60950	
<b>Global</b>	ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions) (planned) IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)	
<b>Compliance link</b>	<a href="http://globalsp.ts.fujitsu.com/sites/certificates">http://globalsp.ts.fujitsu.com/sites/certificates</a>	

**Additional Software**

<b>Additional software (preinstalled)</b>	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (Driver and Utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win10 and Win 8.1: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) McAfee Internet Security and Antivirus Software (60 days trial version)
<b>Additional software (optional)</b>	Drivers & Utilities DVD (DUDVD) Connection manager (optional with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software) Recovery DVD for Windows®

**Manageability**

<b>Manageability technology</b>	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) iAMT 11.0 (depending on processor)
<b>Manageability software</b>	DeskView Client DeskView Instant BIOS Management
<b>DeskView components</b>	Inventory Management BIOS Management Driver Management Security Management Alarm Management
<b>Supported standards</b>	WMI PXE BootP (made4you)
<b>Manageability link</b>	<a href="http://www.fujitsu.com/fts/manageability">http://www.fujitsu.com/fts/manageability</a>

**Security**

<b>Physical Security</b>	Kensington Lock support
<b>System and BIOS Security</b>	Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2 or 2.0)
<b>User Security</b>	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (optional) SystemLock BIOS SmartCard security

**Warranty**

<b>Warranty period</b>	2 years (for countries within EMEA)
<b>Warranty type</b>	Collect & Return Service / Bring-in Service (depending on country)
<b>Warranty Terms &amp; Conditions</b>	<a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a>
<b>Product Support Services - the perfect extension</b>	
<b>Recommended Service</b>	9x5, Onsite Response Time: Next Business Day
<b>Spare Parts availability</b>	5 years after end of product life
<b>Service Weblink</b>	<a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>

## Recommended Accessories

### Cradle STYLISTIC Q Series



Boosted efficiency, desktop experience, flexibility, expandability - these are only some of the benefits of the cradle for the STYLISTIC Q Series

Order Code:  
S26391-F1467-L100

### Shoulder Strap STYLISTIC Q Series



The FUJITSU Shoulder Strap is the perfect addition to your STYLISTIC Q Series SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort.  
(Picture shows a STYLISTIC for illustration only.)

Order Code:  
S26391-F1193-L13

### Folio Case STYLISTIC Q6



The Folio Case for the STYLISTIC Q6 is a thin, tailored protective sleeve for your Fujitsu tablet. It keeps the device safe from damage on the go, and brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip.

Order Code:  
S26391-F1193-L50

### TPU Cover STYLISTIC Q6



The TPU Cover for the STYLISTIC Q6 with Handstrap is a ruggedized and lightweight protective cover ideal for use with your tablet. Simply snap the tablet into the edges of the TPU Case and you're ready to travel with one-handed comfort

Order Code:  
S26391-F1193-L51

### Micro HDMI to HDMI Conversion Cable



The Fujitsu Micro HDMI to HDMI Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has an HDMI connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.

Order Code:  
S26391-F6055-L231

### USB to VGA Conversion Cable



The FUJITSU USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)

Order Code:  
S26391-F1418-L810

### LAN Conversion Cable (USB to LAN) for STYLISTIC Q



The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Q Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

Order Code:  
S26391-F1418-L840

### Bluetooth Mouse BT3



Enjoy freedom of movement with the highly portable Bluetooth® Mouse BT3. The ergonomically designed device includes a highly sensitive IR sensor with a resolution of 1,000 dpi for comfortable and more precise cursor control on nearly any surface. Scroll horizontally or vertically with the 4-way tilt scroll wheel and take it wherever you go.

Order Code:  
S26381-K445-L100

---

**Mobile Bluetooth  
Communication Speaker**



The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code:  
S26391-F7128-L700

---

**Slim Keyboard STYLISTIC Q6  
Series**



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's slim keyboard for the STYLISTIC Q6 Series.

S26391-F1293-L2xx\*\*  
(\*\*country specific version)

# More information

## Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet STYLISTIC Q616, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/products/computing/](http://www.fujitsu.com/global/products/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about FUJITSU Tablet STYLISTIC Q616, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/fts/tabletpc](http://www.fujitsu.com/fts/tabletpc)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
© 2016 Fujitsu Technology Solutions GmbH

## Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## CONTACT

Fujitsu Technology Solutions GmbH  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2016-06-01 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
© 2016 Fujitsu Technology Solutions GmbH