Technical Specifications

HP E344c 34-inch Curved Monitor



1. Function Buttons

2. Power Button

Technical Specifications

HP E344c 34-inch Curved Monitor



- 1. Security Cable Slot
- 2. Power Connector
- 3. HDMI Port
- **4.** DisplayPort™
- **5.** USB Type-C[™] Supporting DisplayPort[™] Alternate Mode

Back

- **6.** USB Type-B™
- **7.** USB Type-A™
- 8. USB Type-A™
- **9.** USB Type-C[™] Supporting Data Only

Technical Specifications

Model: 6GJ95AA

Panel SpecificationsDisplay Size (Diagonal)34-inDisplay Panel TypeVA

Micro-Edge BezelYes, 3-sidedCurved PanelYes, 1800R

Native Resolution/Timing 3440 x 1440 @ 60Hz

Native Resolution Note DisplayPort™ 1.2 or HDMI 2.0 required to drive panel at its

native resolution

Panel Bit Depth8-bitAspect Ratio21:9Brightness - Typical400 cd/m²Static Contrast Ratio - Typical3000:1Static Contrast Ratio - Minimum2100:1Dynamic Contrast Ratio (DCR)5M:1Flicker FreeYes

Pixel Pitch 0.23175x0.23175 mm

Pixels Per Inch (PPI) 109.6

Backlight Lamp Life (to half brightness 30k minimum

- in hours)

Anti-Glare Panel Yes (Haze 25%)
Response Time - Typical 4ms (gray to gray)

Horizontal Viewing Angle (typical 178°

CR>10)

Vertical Viewing Angle (typical CR>10) 178°

Panel Active Area (w x h) 797.22(H)x333.72(V) mm

Preset Graphic Modes/Supported 640 x 480 @60Hz **Resolutions** 640 x 480 @75Hz

720 x 400 @70Hz 800 x 600 @60Hz 800 x 600 @75Hz 1024 x 768 @60Hz 1024 x 768 @75Hz

1280 x 720 @60Hz 1280 x 800 @60Hz 1280 x 1024 @60Hz 1280 x 1024 @75Hz 1440 x 900 @60Hz 1600 x 900 @60Hz 1680 x 1050 @60Hz 1920 x 1080 @60Hz

1920 x 1200 @60Hz 1600 x 1200 @60Hz 2560 x 1080 @60Hz 2560 x 1440 @60Hz

3440 x 1440 @30Hz 3440 x 1440 @60Hz 3440 x 1440 @60Hz

Recommended Resolution3440 x 1440 @60HzVertical Scan Range30 - 76 HzHorizontal Scan Range30 - 94 kHzDefault Color TemperatureNeutral (6500 K)

Maximum Pixel Clock Speed 340 MHz

Maximum Resolution

Technical Specifications

Color Gamut Coverage 99.5%

Color Management Factory Color Presets Neutral

> Color Space / Subsampling Support RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2

Default Color Temperature Neutral (6500 K) **Low Blue Light Modes** Yes **RGB Channel Adjust** Yes, Gain

Monitor Specifications Exterior Color of Monitor Bezel and Sparkling Black

> Stand Plug & Play

Tilt Yes, -5° to +20°

+/-30° **Swivel Height Adjustment Range** 150 mm

Yes, 100 mm with cosmetic cover included **VESA Mounting**

Yes

Security Lock Ready Yes

Detachable Base Yes, ships detached

Warranty 3/3/3

On Screen Display (OSD)

On Screen Display User Controls

Brightness+, Color, Image, Input, Power, Menu,

Management, Information, Exit

User Programmable Modes Yes. 11

Monitor Control Buttons or Switches Menu, Minus ("-"), Plus ("+"), Exit, Power

User-Assignable Function Buttons Yes. 3 (8 Options)

Languages 10 (English, Spanish, German, French, Italian, Netherlands,

Portuguese, Japanese, T-Chinese and S-Chinese)

Video Connector Types DisplayPort™ 1, DisplayPort™ 1.2

HDMI 1, HDMI 2.0

USB Type-C™ USB Type-C™ supporting DisplayPort 1.2 Alternate Mode

> 1. Supporting 3440 x 1440 resolution 2. Supporting 15W (5V/3A) power supply

HDCP support Yes

USB Hub USB Version USB 3.2 Gen 1

> 4 Ports (3 x USB-A, 1 x USB-C) **Downstream Ports USB Charging Support** USB-A up to 7.5W (5V/1.5A) per port

> > USB-C up to 12W (5V/2.4A) All supporting 5Gbps data speed

Hub enablement via USB-B or USB-C (Same port as USB-C mentioned in

53 W

video connector types)

Power and Operating

Specs

Power Supply Internal

Power Source 100 - 240 VAC 50/60 Hz

Power Consumption - Maximum 120 W **Energy Saving/Standby Mode** 0.5 W **Power Consumption - Typical** 70 W Power cable length 1.83 m

Operational Mode at 100 VAC **Energy Star Data** 31 W

Operational Mode at 115 VAC 31 W Operational Mode at 230 VAC 31 W

EU Energy Efficiency Class (EC1062)

On-mode Power Consumption (EC

1062/2010)

Technical Specifications

Annual Power Consumption (EC 77 kWh

1062/2010)

Energy Efficiency Class (EC 1062/2010) B

Visible Screen Size 34" / 86.4 cm Diagonal

Operating Conditions Operating Temperature - Celsius $5^{\circ} - 35^{\circ}C$

Operating Temperature - Fahrenheit $41^\circ - 95^\circ F$ Non-operating Temperature - Celsius $-34^\circ - 60^\circ C$ Non-operating Temperature - $-29^\circ - 140^\circ F$

Fahrenheit

Operating Humidity 20 – 80% Relative Humidity (non-condensing)

Non-operating Humidity 5-95%

 $\begin{array}{ll} \textbf{Operating Altitude} & 0-5,000 \text{ m (16,400 ft.)} \\ \textbf{Non-operating Altitude} & 0-12.192 \text{ m (40,000 ft.)} \\ \end{array}$

Environmental Features and Certifications

Contains Recycled

Plastics

Mercury-free LED display backlighting

Yes, Mercury-free LED backlighting

Arsenic-Free Display Glass Yes

Low Halogen Yes

GSE HP-00011-01B, table 2 defines low-halogen (BFR, CFR,

PVC)

NOTE: External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained

after purchase may not be Low Halogen.

Agency Approvals and Certifications WW application

CE,CB,KC/KCC/e-standby/BISPSB/ICES/TUV-S/TUV-GS/EUP

Lot5, EUP Lot6/

EAC/cTUVus/ISC/CCC/CEL/CECP/SEPA/TCO/TCO Certified

Edge/Energy Star/CEC/VCCI/FCC/BSMI/Vietnam MEPS/Australian-New Zealand MEPS/WEEE/Low Blue

Light/South Africa Energy Report/

Microsoft WHQL Certification Win 10, Win 8, Win 7

ENERGY STAR® Qualified Yes

EPEAT® 2019 Registered Yes, Silver
China Energy Label CEL Grade 1

TCO Certified Edge Yes
TCO Certified Yes

SmartWay Transport Partnership - NA

only

Contains Recycled Plastics in Back

85% recycle ABS

Yes (NA SKU)

Cover

1. All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

*DisplayPort 1.2 or HDMI 2.0 required to drive panel at its native resolution

Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit http://www.epeat.net for more information.



Technical Specifications

, ,		Metric	Imperial
Unit Product/Package	Product Dimensions	Highest: 80.92 x 22 x 54.2	
Specifications	(Unpacked with stand) (W x D x H)	cm	Highest: 31.85 x 8.66 x 21.3 in
		Lowest: 80.92 x 22 x 39.2 cm	Lowest: 31.85 x 8.66 x 15.4 in
	Product Dimensions (Packed) (W x D x H)	91 x 29 x 50 cm	35.82 x 11.42 x 19.69 in
	Display Head Dimensions (Unpacked without stand) (W x D x H)	80.92 x 10.095 x 36.568 cm (ass'y VESA adapter)	31.85 x 3.9 x 14.4 in
	Base Area Footprint (W x D x H)	250 x 200 mm	9.84 x 7.87 in
	Bezel Measurements (W x D x H)	Top NA (E2E Panel) Side NA (E2E Panel) Bottom 21.2 mm (display chin)	Top NA (E2E Panel) Side NA (E2E Panel) Bottom 0.83 in (display chin)
	Product Weight (Unpacked with stand) (W x D x H)	11 kg	24.3 lbs
	Product Weight (Packed with stand) (W x D x H)	16.11 kg	35.5 lbs
	Product Weight (Head only) (W x D x H)	7 kg	15.4 lbs
Pallet Information	Pallet Dimensions (L x W x H)	A type: 1180 x 930 x 120 mm (around 12.5 kg) B type: 890 x 930 x 120 mm (around 9.5 kg)	A type: 46.46 x 36.61 x 4.72 in B type: 35.04 x 36.61 x 4.72 in
	Pallet Total Weight	A type: 270.26 kg B type: 202.82 kg	A type: 595.82 lbs B type: 447.14 lbs
	Pallet Layers	4	
	Pallet Product per Layer	A type: 4 B type: 3	
	Total Products per Pallet	A type: 16 B type: 12	
	Container Load, 20-Foot	176	
	Container Load, 40-Foot	364	
	Container Load, 40-Foot HighQ	364	
Recommended Accessories*	Description	Part Number	
	HP B300 PC Mounting Bracket	2DW53AA	
	HP S101 Speaker Bar	5UU40AA	
	HP Quick Release Bracket	EM870AA	
	HP Business PC Security Lock v3 Kit	3XJ17AA	
	*Sold separately and availability may var	ry by country	
Software included	HP Display Assistant		
What's in the box?	Power Cord (1.8 M) 5.91 ft HDMI (1.8 M) 5.91 ft DisplayPort™ (1.8 M) 5.91 ft USB-B to A (1.8M) 5.91 ft		



USB-C to C (1.8M) 5.91 ft

DOC Kit (includes Product Notice, warranty, QSP)

Technical Specifications

Other User Guide Languages English, Spanish, Brazilian Portuguese, French, Danish, Dutch, Finnish, French, German, Hebrew, Italian, Norwegian, Spanish (Int`l), Swedish, Czech, Greek, Hungarian, Polish, Portuguese, Russian, Slovak, Turkish, Arabic, Kazakh, Ukrainlan, S. Chinese, T. Chinese, Bahasa

Indonesia, Korean and Japanese,

Warranty Languages

English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and

Turkish.

Dynamic Contrast Ratios* during video playback only, depending on series of frames or time duration. All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Environmental Data	Eco-Label Certifications & declarations			
	Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
	Normal Operation	30.99 W	31.00 W	31.29 W
	Sleep	0.31 W	0.41 W	0.26 W
	Off	0.13 W	0.19 W	0.12 W
	Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
	Normal Operation	106 BTU/hr	106 BTU/hr	107 BTU/hr
	Sleep	1 BTU/hr	1 BTU/hr	1 BTU/hr
	Off	1 BTU/hr	1 BTU/hr calculated based on the mea	1 BTU/hr
	Additional Information	 This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2002/95/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). Plastics parts weighing over 25 grams used in the product are marked per ISO 11469 and ISO1043. This product contains 48.3% post-consumer recycled plastic (by wt.) according to IEEE 1680.1-2018 standard, criterion 4.2.1.1. This product is 98.6% recycle-able when properly disposed of at end clife. 		e Waste Electrical and /96/EC.
				rcement Act of 1986). the product are marked ecycled plastic (by wt.) rion 4.2.1.1.

Packaging Materials	External:	PAPER/Corrugated	3755 g
		PAPER/Molded Pulp	1303 g
	Internal:	PLASTIC/Polystyrene Expanded - EPS	32 g
		PLASTIC/Polyethylene high density - HDPE	32 g
		PLASTIC/Polyethylene low density – LDPE	6 g
		PLASTIC/Polyethylene Expanded - EPE	18 g
	companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam. We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products. We met our voluntary objective to achieve worldwide compliance with the new E RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.		ough the in Europe,
			ve s, and
	continue to	extend the scope of the commitment to include further re	



Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html): - Asbestos - Certain Azo Colorants - Certain Brominated Flame Retardants – may not be used as flame retardants in plastics - Cadmium - Chlorinated Hydrocarbons - Chlorinated Paraffins - Bis(2-Ethylhexyl) phthalate (DEHP) - Benzyl butyl phthalate (BBP) - Dibutyl phthalate (DBP) - Diisobutyl phthalate (DIBP) - Formaldehyde - Halogenated Diphenyl Methanes - Lead carbonates and sulfates - Lead and Lead compounds - Mercuric Oxide Batteries - Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user Ozone Depleting Substances - Polybrominated Biphenyl (PBBs) - Polybrominated Biphenyl Ethers (PBBEs) - Polybrominated Biphenyl Ethers (PBBEs) - Polybrominated Biphenyl (PCB)
	 Polychlorinated Terphenyls (PCT) Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging	 HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.

	nd-of-life Management nd Recycling	Hewlett-Packard offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
E	IP, Inc. Corporate nvironmental nformation	For more information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www.hp.com/hpinfo/globalcitizenship/environment/productdesi gn/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755 842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf



Technical Specifications

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.



Change Log			
October 28, 2019	V1 to V2	Added	Environmental Tab
January 13, 2020	V2 to V3	Updated	Environmental Section

