

Lenovo IdeaPad Y430



Lenovo IdeaPad Y430



Lenovo IdeaPad Y430



Lenovo IdeaPad Y430



Lenovo IdeaPad Y430



Lenovo IdeaPad Y430

Type-model Processor	GHz Memor	Widescreen v displav	Integrated graphics	SATA disk	EIDE optical	Mini PCle 802.11 wireless	Top color	Cam- era	Vista preload	Avail date
Typo model Troubbook	CITE MONTO	, alopia,	grapinoo	aioit	Optical	***************************************	COIOI	CIA	preioaa	uuto
2781-73U Core 2 Duo T5800	2.00 3GB	14.1" WXGA	GMA	250GB8	DVD±RW	* Intel 5100 ²⁸	Black	Cam	Home Prem	Sep 08

- 14.1" widescreen, glossy display
- Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.

 • Dolby® Home Theater® premium audio system with two speakers and one subwoofer
- HDMI port, HDCP-compliant
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- OneKey silence mode provides quieter operation through a touch-sensitive control button

Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor T5800 with dual-core,	Preloaded operating system ²⁰
800MHz system bus, and 2MB L2 cache	Microsoft® Windows® Vista® Home Premium Edition (32-bit)
3GB std / 4GB max ³¹ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics</i> : standard memory in both sockets; no sockets available	 ♦ Vista Premium logo Preloaded applications¹⁴ • Lenovo[™] OneKey Recovery
None (use optional USB-based diskette drive) DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 250GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable	Lenovo ReadyComm Norton Internet Security™ (90 days of virus definitions)
14.1" (358.1mm) WXGA (1280x800) TFT color, VibrantView (glossy), 16:10 aspect ratio, 400:1 contrast ratio, 200 nits Camera on top of screen, 1.3-megapixel, fixed focus	 Adobe® Reader Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day)
Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content	 Napster™ To Go® WildGames™
Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Carbonite Online Backup VeriFace™ Facial Recognition Lenovo Energy Management Software
(WxDxH): 13.1" x 9.5" x 1.0" to 1.5"; 334mm x 241mm x 26 to 38mm with optical drive and battery: 6-cell: 5.2 lb (2.35 kg) Black top, black bottom	Cyberlink Power2Go (DVD±RW)
Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell , 5200 mAH, smart battery Up to 5 hr	Available at these retailers • Circuit City®
Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC) One ExpressCard/34 or ExpressCard/54, PCI Express x1	65-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick Pro, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (DB-15, HDMI), RJ-11 (modem), RJ-45 (ethernet), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
None Two Mini PCI Express slots 11a/b/g/n wireless ⁴ , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) None 56K ⁶ V.90 (V.92-designed ¹⁵) modem 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3	 Service upgrade options (in eligible locations):⁹ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883
two main speakers (2 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software	3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884 24x7¹⁵ toll-free support for warranty issues during the warranty period¹² via 877-453-6686
	3GB std / 4GB max³¹/ PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics</i> : standard memory in both sockets; no sockets available None (use optional USB-based diskette drive) DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 250GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable 14.1" (358.1mm) WXGA (1280x800) TFT color, VibrantView (glossy), 16:10 aspect ratio, 400:1 contrast ratio, 200 nits Camera on top of screen, 1.3-megapixel, fixed focus Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®) (<i>WxDxH</i>): 13.1" x 9.5" x 1.0" to 1.5"; 334mm x 241mm x 26 to 38mm with optical drive and battery: 6-cell: 5.2 lb (2.35 kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell, 5200 mAH, smart battery Up to 5 hr Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC) One ExpressCard/34 or ExpressCard/54, PCI Express x1 6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick Pro, Secure Digital Edite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (DB-15, HDMI), RJ-11 (modem), RJ-45 (ethernet), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) None Two Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCle adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) None 56k² v.90 (v.92-designed¹⁵) modem 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3 High Definition (HD) Audio, Conexant 20561 codec / two main speakers (2 watt) and subwoofer (2.5 watt), Dolby® Horne Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, security lockhole,



Lenovo IdeaPad Y510



Lenovo IdeaPad Y510 with aluminum palm rest



Lenovo IdeaPad Y510



Lenovo IdeaPad Y510 with aluminum palm rest



Lenovo IdeaPad Y510



Lenovo IdeaPad Y510

					Widescreen	Graphics	SATA	EIDE	Mini PCle 802.11	Cam-	Blue-	Vista	Avail
	Type-model	Processor	GHz	Memory		controller		optical	wireless	era	tooth	preload	date
	7758-2AU	Pentium T2370	1.73	2GB	15.4" WXGA	GMA	120GB8	DVD±RW	Intel 11a/b/g ¹¹	Cam	None	Home Prem	May 08
	7758-2BU	Pentium T2370	1.73	2GB	15.4" WXGA	GMA	160GB	DVD±RW	Intel 11a/b/g	Cam	None	Home Prem	May 08
	7758-2CU	Core 2 Duo T5550	1.83	2GB	15.4" WXGA	GMA	160GB	DVD±RW	★ Intel 11a/b/g	Cam	None	Home Prem	May 08
rs.	7758-3AU	Pentium T2390	1.86	2GB	15.4" WXGA	GMA	160GB	DVD±RW	Intel 11a/b/g	Cam	None	Home Prem	Aug 08
rs	7758-3BU	Pentium T2390	1.86	2GB	15.4" WXGA	GMA	250GB	DVD ±RW	Intel 11a/b/g	Cam	None	Home Prem	Aug 08
1387	7758-3CU	Core 2 Duo T5750	2.00	2GB	15.4" WXGA	GMA	250GB	DVD±RW	★ Intel 11a/b/g	Cam	None	Home Prem	Aug 08

- 15.4" widescreen, glossy display
- Frameless screen (no plastic frame) to extend to the edges of the PC
 Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
 Dolby[®] Home Theater™ premium audio system with four speakers and one subwoofer
- Shuttle Center offers a one-stop, total entertainment environment with Shuttle Key that puts volume and equalizer controls on the keyboard
- · One key system recovery

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® Dual-Core Processor T2370 or T2390 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep™ technology¹, Execute Disable Bit, 533MHz system bus, and 1MB L2 cache or Intel Core™ 2 Duo processor T5550 or T5750 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep technology, Execute Disable Bit, 667MHz system bus, and 2MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (32-bit) ⇒ Vista Premium logo Preloaded applications¹⁴ • Lenovo™ OneKey Recovery • Lenovo Anycomm
Memory	2GB std / 4GB max ³¹ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available	Norton® AntiVirus 2007 (90 days of virus definitions) Adobe® Reader
Diskette drive EIDE DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 120GB, 160GB, or 250GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day) Variable Tools Too
Widescreen display Camera	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy), 16:10 aspect ratio, 400:1 contrast ratio, 200 nits, frameless screen Camera on top of screen, 1.3-megapixel, fixed focus	VeriFace™ Facial Recognition EarthLink® Energy Cut Lenovo Shuttle Center (DVD±RW)
Graphics	Intel Graphics Media Accelerator X3100, integrated in GM965	Cyberlink Power2Go (DVD±RW)
Keyboard Multimedia controls Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	
Dimensions ³ Weight ² Case	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.4 lb (2.91 kg) Color: black top, black bottom; Material: ABS plastic	
Battery - type Battery - life ¹⁰	Lithium Ion 6-cel l, 5200 mAH, smart battery, 5-bar battery indicator Up to 4 hr	Available at these retailers • lenovo.com
	Mobile Intel GM965 Express Chipset (Graphics Memory Controller Hub); ICH8M I/O Controller Hub (SATA 3.0Gb/s, ATA-100 EIDE, PCI Express® x1, PCI bus, USB, LPC interface) One ExpressCard/54, PCI Express x1 6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick Pro,	65-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
Ports	Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external DB-15 monitor, S-video, RJ-11 (modem), RJ-45 (ethernet), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
TV tuner Video out Mini PCI Express Intel 11a/b/g Bluetooth™ Modem Ethernet Audio support	None S-video out port (TV-out), one 7-pin industry standard connector Two Mini PCI Express slot 11a/b/g wireless ⁴ , Mini PCI Express adapter, Intel PRO/Wireless 3945ABG None 56K ⁶ V-90 (V-92-designed¹5) modem 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC882 codec / two main speakers (2 watt), two secondary speaker (1 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / stereo microphone, microphone input jack (3.5 mm), stereo headphone jack (3.5 mm)	 Depot repair service¹⁰ Service upgrade options (in eligible locations):⁰ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software None	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686

									Mini PCle				
	Type-model	Processor	GHz	Memory	Widescreen display	Graphics controller	SATA disk	EIDE optical	802.11 wireless	Cam- era	Blue- tooth	Vista preload	Avail date
	7758-2DU	Core 2 Duo T5550	1.83	2GB	15.4" WXGA	8600M GT	160GB8	DVD±RW	* Intel 11n ²⁸	Cam	Blue	Home Prem	May 08
	7758-2EU	Core 2 Duo T5550	1.83	2GB	15.4" WXGA	8600M GT	250GB	DVD ±RW	★ Intel 11n	Cam	Blue	Home Prem	May 08
	7758-2FU	Core 2 Duo T5550	1.83	4GB	15.4" WXGA	8600M GT	250GB	DVD±RW	★ Intel 11n	Cam	Blue	Home Prem	May 08
ß	7758-3DU	Core 2 Duo T5750	2.00	2GB	15.4" WXGA	8600M GT	250GB	DVD±RW	★ Intel 11n	Cam	Blue	Home Prem	Aug 08
		Core 2 Duo T5750			15.4" WXGA					Cam	Blue	Home Prem	Aug 08
137	7758-3FU	Core 2 Duo T5750	2.00	4GB	15.4" WXGA	8600M GT	320GB	DVD±RW	★ Intel 11n	Cam	Blue	Home Prem	Aug 08

- 15.4" widescreen, glossy display
 Frameless screen (no plastic frame) to extend to the edges of the PC
- · Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.

 ■ Dolby® Home Theater™ premium audio system with four speakers and one subwoofer
- Shuttle Center offers a one-stop, total entertainment environment with Shuttle Key that puts volume and equalizer controls on the keyboard
- One key system recovery

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor T5550 or T5750 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep™ technology¹, Execute Disable Bit, 667MHz system bus, and 2MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (32-bit) > Vista Premium logo			
Memory	2GB or 4GB std / 4GB max ³¹ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available	Preloaded applications¹⁴ • Lenovo™ OneKey Recovery • Lenovo Anycomm			
Diskette drive EIDE DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 160GB, 250GB, or 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Norton® AntiVirus 2007 (90 days of virus definitions) Adobe® Reader Windows Live™ Toolbar			
Widescreen display Camera	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy), 16:10 aspect ratio, 400:1 contrast ratio, 200 nits, frameless screen Camera on top of screen, 1.3-megapixel, fixed focus	• Windows Live ™ Toolbar • Easy Capture • Microsoft Office 2007 Trial (60-day) • VeriFace™ Facial Recognition			
Graphics	NVIDIA® GeForce® 8600M GT , PCI Express x16, 256MB memory, DirectX® 10, TurboCache, PureVideo™ technology, VGA connector, S-video connector	EarthLink® Energy Cut			
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Lenovo Shuttle Center (DVD±RW) Cyberlink Power2Go (DVD±RW)			
Dimensions ³ Weight ² Case Battery - type	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.4 lb (2.91 kg) Color: black top, black bottom; Material: ABS plastic; Palm rest: aluminum Lithium Ion 6-cell, 5200 mAH, smart battery, 5-bar battery indicator				
Battery - life ¹⁰ Architecture	Up to 3 hr Mobile Intel PM965 Express Chipset (Memory Controller Hub);	Available at these retailers lenovo.com			
	ICH8M I/O Controller Hub (SATA 3.0Gb/s, ATA-100 EIDE, PCI Éxpress® x1, PCI bus, USB, LPC interface) One ExpressCard/54, PCI Express x1 6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick Pro, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external DB-15 monitor, S-video, RJ-11 (modem), RJ-45 (ethernet),	90-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant			
	IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty ¹²			
TV tuner Video out Mini PCI Express Intel 11n	None S-video out port (TV-out), one 7-pin industry standard connector Two Mini PCI Express slot 11a/b/g/n wireless, Mini PCIe adapter, Intel Wireless WiFi Link 4965AGN, MIMO 2x3 (Kedron)	 → 1-year parts and labor → Depot repair service¹⁹ → Service upgrade options (in eligible locations):⁹ • 1-year accidental damage 			
Bluetooth™ Modem Ethernet Audio support	Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator 56K ⁶ V.90 (V.92-designed¹5) modem 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC882 codec / two main speakers (2 watt), two secondary speaker (1 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / stereo microphone, microphone input jack (3.5 mm), stereo headphone jack (3.5 mm)	protection via depot 43R888 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day 43R888 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day with accidental damage protection 43R888			
Security	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹²			
Fingerprint reader	None	via 877-453-6686			





Lenovo IdeaPad Y530



Lenovo IdeaPad Y530



Lenovo IdeaPad Y530



Lenovo IdeaPad Y530



Lenovo IdeaPad Y530



Lenovo IdeaPad Y530

						_				Mini PCle				
	Type-model	Processor	GHz	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	802.11 wireless	Top color	Blue- tooth	Vista preload	Avail date
137	4051-2QU	Pentium T3200	2.00	2GB	15.4" WXGA	Cam	GMA	160GB8	DVD±RW	Intel 5100 ²⁸	Black		Prem 32	Sep 08
1337	4051-2RU	Pentium T3200	2.00	2GB	15.4" WXGA	Cam	GMA	250GB	DVD±RW	Intel 5100	Black		Prem 32	Sep 08
1337	4051-2SU	Pentium T3200	2.00	3GB	15.4" WXGA	Cam	GMA	250GB	DVD±RW	Intel 5100	Black		Prem 32	Sep 08
1337	4051-2TU	Core 2 Duo T5800	2.00	2GB	15.4" WXGA	Cam	GMA	250GB	DVD±RW	* Intel 5100	Black	Blue	Prem 32	Sep 08
	4051-42U	Core 2 Duo T5800	2.00	3GB	15.4" WXGA	Cam	GMA	250GB	DVD±RW	* Intel 5100	Black	Blue	Prem 32	Sep 08
138	4051-2WU	Core 2 Duo T5800	2.00	3GB	15.4" WXGA	Cam	GMA	250GB	DVD±RW	* Intel 5100	Black	Blue	Prem 32	Sep 08
1337	4051-2UU	Core 2 Duo T5800	2.00	3GB	15.4" WXGA	Cam	GMA	320GB	DVD±RW	* Intel 5100	Black	Blue	Prem 32	Sep 08
	4051-43U	Core 2 Duo T5800	2.00	4GB	15.4" WXGA	Cam	GMA	320GB	DVD±RW	* Intel 5100	Black	Blue	Prem 64	Sep 08

- 15.4" widescreen, glossy displayLight Weave textured cover
- Light Weave textured cover
 Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
 Dolby® Home Theater® premium audio system with four speakers and one subwoofer
 HDMI port, HDCP-compliant
 Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without

- booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® dual-core processor T3200 with dual-core, 667MHz system bus, and 1MB L2 cache or Intel Core™ 2 Duo processor T5800 with dual-core, 800MHz system bus, and 2MB L2 cache	Preloaded operating system ²⁰ - Some: Microsoft® Windows® Vista® Home Premium Edition (32-bit) - Some: Microsoft Windows Vista
Memory	2GB , 3GB , or 4GB std / 4GB max ³¹ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics</i> : standard memory in both sockets; no sockets available	Home Premium Edition (64-bit) Vista Premium logo
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 160GB, 250GB, or 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Preloaded applications¹⁴ (only some listed) • Lenovo™ OneKey Recovery
Widescreen display Camera	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy), 16:10 aspect ratio, 400:1 contrast ratio, 200 nits Camera on top of screen, 1.3-megapixel, fixed focus	 Lenovo ReadyComm Norton Internet Security™ (90 days of virus definitions) Easy Capture
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content	 Microsoft Office 2007 Trial (60-day) Carbonite Online Backup
Keyboard Multimedia controls Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	 VeriFace™ Facial Recognition Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW)
Dimensions ³ Weight ² Case Battery - type Battery - life ¹⁰	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.6 lb (2.98 kg) Color: black top, black bottom; Material: ABS plastic; Palm rest: aluminum Lithium Ion 6-cell, 5200 mAH, smart battery, 5-bar battery indicator Up to 3 hr	Available at these retailers lenovo.com Fry's Circuit City®
	Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), PCI bus (Ricoh® R5C833 Cardbus/1394/Multicard), LPC bus (IT8752 Super I/O) One ExpressCard/54 or ExpressCard/54	65-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
Ports	6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick Pro, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (DB-15, HDMI), RJ-11 (modem), RJ-45 (ethernet), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth TM Modem Ethernet Audio support	None Two Mini PCI Express slots 11a/b/g/n wireless ⁴ , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH9M, LED indicator 56K ⁶ V.92 ¹⁵ modem 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3 High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers (1 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	Service upgrade options (in eligible locations): 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686

										Mini PCle			
	Type-model	Processor	GHz	Memory	Widescreen display	Cam- era	Discrete graphics	SATA disk	SATA optical	802.11 wireless	Top color	Vista preload	Avail date
138	4051-2XU	Core 2 Duo T5800	2.00		15.4" WXGA		9300M GS					Home Prem	
	4051-2AU	Core 2 Duo P7350	2.00	2GB	15.4" WXGA	Cam	9300M GS	250GB	DVD±RW	Intel 5100	Black	Home Prem	Aug 08
	4051-2BU	Core 2 Duo P7350	2.00	3GB	15.4" WXGA	Cam	9300M GS	320GB	DVD±RW	Intel 5100	Black	Home Prem	Aug 08
1337	4051-2NU	Core 2 Duo P7350	2.00	2GB	15.4" WXGA	Cam	9300M GS	250GB	DVD±RW	Intel 5100	Black	Home Prem	Sep 08
137	4051-2PU	Core 2 Duo P7350	2.00	3GB	15.4" WXGA	Cam	9300M GS	320GB	DVD±RW		Black	Home Prem	Sep 08
138	4051-2YU	Core 2 Duo P8400	2.26	4GB	15.4" WXGA	Cam	9500M GS	320GB	DVD±RW		Black	Prem 64	Sep 08

- 15.4" widescreen, glossy display
- Frameless screen (no plastic frame) to extend to the edges of the PC
- Light Weave textured cover
 Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.

 • Dolby® Home Theater® premium audio system with four speakers and one subwoofer
- HDMI port, HDCP-compliant
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor T5800 with dual-core, 800MHz system bus, and 2MB L2 cache or Intel Core 2 Duo processor P7350 or P8400 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache	Preloaded operating system ²⁰ - Some: Microsoft® Windows® Vista® Home Premium Edition (32-bit) - Some: Microsoft Windows Vista Home Premium Edition
Memory	2GB , 3GB , or 4GB std / 4GB max ³¹ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available	(64-bit) ⇒ Vista Premium logo
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 250GB or 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Preloaded applications¹⁴ (only some listed) • Lenovo™ OneKey Recovery • Lenovo ReadyComm
Widescreen display Camera	15.4 " (391.2mm) WXGA (1280x800) TFT color , VibrantView (glossy), 16:10 aspect ratio, 400:1 contrast ratio, 200 nits, frameless screen Camera on top of screen, 1.3-megapixel, fixed focus	Norton Internet Security™ (90 days of virus definitions) Adobe® Reader
Discrete graphics	Some: NVIDIA® GeForce® 9300M GS, PCI Express® x16, 256MB memory, DirectX® 10, PureVideo® HD technology, VGA, HDMI, HDCP-compliant NVIDIA GeForce 9500M G, PCI Express x16, 512MB memory, DirectX 10, PureVideo HD technology, VGA, HDMI, HDCP-compliant	Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day) WildGames™
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Carbonite Online Backup VeriFace™ Facial Recognition Lenovo Energy Management Software
Dimensions ³ Weight ² Case Battery - type	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.6 lb (2.98 kg) Color: black top, black bottom; Material: ABS plastic; Palm rest: aluminum Lithium Ion 6-cell, 5200 mAH, smart battery, 5-bar battery indicator	Cyberlink Power2Go (DVD±RW) Available at these retailers
Battery - life ¹⁰	Up to 3 hr	lenovo.com
Architecture ExpressCard slot Multicard Reader	Mobile Intel PM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), PCI bus (Ricoh® R5C833 Cardbus/1394/Multicard), LPC bus (IT8752 Super I/O) One ExpressCard/54 or ExpressCard/54 6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick Pro,	90-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
Ports	Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card TM) Three USB 2.0, external monitor (DB-15, HDMI), RJ-11 (modem), RJ-45 (ethernet), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support	None Two Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Bluetooth 2.0 wireless, USB 2.0 interface via ICH9M, LED indicator 56K⁰ V.92¹⁵ modem 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers (1 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	 Service upgrade options (in eligible locations): 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software None	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686



Lenovo IdeaPad Y710



Lenovo IdeaPad Y710



Lenovo IdeaPad Y710



Lenovo IdeaPad Y710 (Game Zone on select models)



Lenovo IdeaPad Y710 (Game Zone on select models)



Lenovo IdeaPad Y710

Type-mod	Proc- el essor	GHz	Memory	Widescreen display	Graphics controller	SATA disk(s)	EIDE optical	Mini PCle 802.11 wireless	Camera	Blue- tooth	Keypad / Game Zone	Vista preload	Avail date
4054-2AU	T5750 T8100	2.00 2.10	2GB 4GB	17.0" WXGA+ 17.0" WUXGA	HD 2600 256M HD 2600 256M HD 2600 512M HD 2600 512M	1 x 250GB 1 x 250GB	DVD±RW DVD±RW	* Intel 11n * Intel 11n	Camera Camera	Blue Blue	Keypad Game	Home Prem Home Prem	Aug 08 May 08

- 17.0" widescreen, glossy display
- Frameless screen (no plastic frame) to extend to the edges of the PC
- Blue metallic finish
- Game Zone with secondary display, user-defined keys, performance control switch
- and enlarged direction keys on select models

 Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby[®] Home Theater[™] premium audio system with four speakers and one subwoofer
- HDMI port, HDCP-compliant
- Hot-swap secondary disk capability on select models



Positioning Processor	Widescreen flexibility Intel® Core™ 2 Duo processor T5550 or T5750 with dual-core, Intel 64 Technology, 667MHz system bus, and 2MB L2 cache or Intel Core 2 Duo processor T8100 with dual-core, Intel 64 Technology, Intel Dynamic Acceleration, 800MHz bus, and 3MB L2 cache or Intel Core 2 Extreme processor X9000 with dual-core, Intel 64 Technology, 800MHz bus, and 6MB L2 cache 2GB or 4GB std / 4GB max³¹ / PC2-5300 667MHz DDR2, non-parity,	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (32-bit) ⇒ Vista Premium logo Preloaded applications¹⁴ • Lenovo™ OneKey Recovery • Norton® AntiVirus 2007 (90 days of virus definitions)
	dual-channel capable, two 200-pin SO-DIMM sockets; Italics: standard memory in both sockets; no sockets available	Adobe® Reader Windows Live™ Toolbar
Diskette drive EIDE DVD±RW EIDE Blu-ray™	None (use optional USB-based diskette drive) Some: DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm, tray-in Some: Blu-ray Disc reader (no Blu-ray media burning), BD-ROM, no HD-DVD playback, DVD and CD recordable, not removable, 12.7mm high, tray-in	 VeriFace™ Facial Recognition EarthLink®
SATA disk Secondary disk	250GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable and upgradable Some: 250GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable and upgradable, hot-swap support, external support via USB cable	Energy Cut Lenovo Shuttle Center (DVD±RW, Blu-ray) Chestink Rever3Co (DVD+RW)
Widescreen display Camera	Some: 17.0" (431.8mm) WXGA+ (1440x900) TFT color, 200 nits Some: 17.0" (431.8mm) WUXGA (1920x1200) TFT color, 300 nits All: 16:10 aspect ratio, 5001: contrast ratio, VibrantView (glossy), frameless screen Compare part for forces 1.2 magnified from	Cyberlink Power2Go (DVD±RW, Blu-ray)
Graphics	Camera on top of screen, 1.3-megapixel, fixed focus ATI™ Mobility Radeon™ HD 2600, PCI Express® x16, DirectX® 10, ATI Avivo™, VGA connector (with VGA-in support), HDMI connector, HDCP-compliant, 256MB or 512MB graphic memory	
Keyboard Numeric keypad Game Zone	Full-size keyboard, 6-row, 84-key, multimedia Fn keys Some: Numeric keypad on right of keyboard Some: Secondary display, user-defined keys, performance switch, enlarged direction keys	
Multimedia control Touch pad	sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	
Dimensions ³ Weight ² Case	(WxDxH): 15.5" x 11.2" x 1.02" to 1.53"; 395mm x 285mm x 26 to 39mm with optical drive and battery: 7.9 lb (3.6 kg) Color: blue top, black bottom; Material: ABS plastic	
Battery - type Battery - life ¹⁰	Lithium Ion 6-cell , 5200 mAH, smart battery, 5-bar battery indicator Up to 3.5 hr	Available at these retailers lenovo.com
Architecture ExpressCard slot Multicard Reader	Mobile Intel GM965 Express Chipset (Memory Controller Hub); ICH8M I/O Controller Hub (SATA 3.0Gb/s, ATA-100 EIDE, PCI Express® x1, PCI bus, USB, LPC interface) One ExpressCard/54, PCI Express x1 6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick PRO™,	135-watt AC adapter Wireless on/off switch VGA in/out switch ENERGY STAR® 4.0-compliant RoHS-compliant
Ports	Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card TM) Four USB 2.0, HDMI, external DB-15 monitor, RJ-11 (modem), RJ-45 (ethernet), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty ¹² 1-year parts and labor
TV tuner Mini PCI Express Intel 11n ²⁸	None One Mini PCI Express slot 11a/b/g/n wireless ⁴ , Mini PCIe adapter, Intel Wireless WiFi Link 4965AGN, MIMO 23 (Kedron)	 Depot repair service¹⁰ Service upgrade options (in eligible locations):⁰ 1-year accidental damage
Bluetooth™ Modem Ethernet Audio support	MIMO 2x3 (Kedron) Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator 56K ⁶ V.90 (V.92-designed ¹⁵) modem 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers(1.5 watt) and subwoofer (3 watt), Dolby Home Theater Speaker System / stereo microphone, microphone input jack (3.5 mm), stereo headphone jack (3.5 mm)	protection via depot 43R8885 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole, VeriFace facial recognition software	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686



Lenovo IdeaPad Y730 Valencia Orange



Lenovo IdeaPad Y730 Valencia Orange



Lenovo IdeaPad Y730



Lenovo IdeaPad Y730 Dark Blue, Glossy Finish



Lenovo IdeaPad Y730 Valencia Orange



Lenovo IdeaPad Y730 Valencia Orange

Type-model	Proc- essor	GHz	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk(s)	SATA optical	Mini PCle 802.11 wireless	Top color	Blue- tooth	Keypad / Game Zone	Vista preload	Avail date
4053-2DU	T3200	2.00	2GB	17.0" WXGA+	Cam	GMA	1 x 160GB8	DVD±RW	Intel 5100 ²⁸	Blue	None	Keypad	Prem 32	Sep 08

- 17.0" widescreen, glossy display
 Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
 Dolby® Home Theater™ premium audio system with four speakers and one subwoofer
 HDMI port, HDCP-compliant
 Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility Intel® Pentium® dual-core processor T3200 with dual-core, 667MHz system bus, and 1MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (32-bit)
Memory	2GB std / 8GB max ³¹ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available	 ♦ Vista Premium logo Preloaded applications¹⁴ • Lenovo™ OneKey Recovery
SATA DVD±RW Primary SATA disk Second SATA disk Disk bays	DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm, tray-in (160GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable, upgradable None Two internal disk bays, 9.5mm high	 Lenovo ReadyComm Norton Internet Security™ (90 days of virus definitions) Adobe® Reader
Widescreen display Camera	17.0" (431.8mm) WXGA+ (1440x900) TFT color, 200 nits 16:10 aspect ratio, 500:1 contrast ratio, VibrantView (glossy) Camera on top of screen, 1.3-megapixel, fixed focus	Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day) Napster™ To Go®
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content	 WildGames™ Carbonite Online Backup
Keyboard Numeric keypad Game Zone Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys Numeric keypad on right of keyboard None sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	 VeriFace™ Facial Recognition Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW)
Dimensions ³ Weight ² Case color	(WxDxH): 15.5" x 11.2" x 1.22" to 1.53"; 395mm x 285mm x 31 to 39mm with optical drive and battery: 7.9 lb (3.6 kg) Top: dark blue, flat finish; Bottom: black	
Case material Battery - type Battery - life ¹⁰	ABS plastic Lithium Ion 6-cell , 5200 mAH, smart battery, 5-bar battery indicator Up to 3.5 hr	Available at these retailers • lenovo.com
	Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC) One ExpressCard/34 or ExpressCard/54	135-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
Multicard Reader Ports	6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Four USB 2.0, external monitor (DB-15, HDMI), RJ-45 (ethernet), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support	None One Mini PCI Express slot 11a/b/g/n wireless ⁴ , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) None None 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers (1.5 watt) and subwoofer (3 watt), Dolby Home Theater Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	 Service upgrade options (in eligible locations):³ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole, VeriFace facial recognition software	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686

See footnotes for important warranty information US model announced Septemper 16, 2008

	Type-model	Proc- essor	GHz	Memory	Widescreen display	Cam- era	Discrete graphics	SATA disk(s)	SATA optical	Mini PCle 802.11 wireless	Top color	Keypad / Game Zone	Vista preload	Avail date
1337	4053-2FU	T5800	2.00	2GB	17.0" WXGA+	Cam	HD 3650 512MB	1 x 320GB8	DVD±RW	* Intel 510028	Blue	Keypad	Prem 32	Sep 08
138	4053-2GU	T5800	2.00	3GB	17.0" WXGA+	Cam	HD 3650 512MB			* Intel 5100	Blue	Keypad	Prem 32	Sep 08
	4053-2CU	P7350	2.00	3GB	17.0" WXGA+	Cam	HD 3650 512MB	1 x 320GB	DVD±RW	Intel 5100	Blue	Keypad	Prem 64	Aug 08
	4053-2BU	P8400	2.26							Intel 5100			Prem 64	Aug 08
	4053-2AU	P8400	2.26	4GB	17.0" WUXGA	Cam	HD 3650 512MB	1 x 320GB	DVD±RW	Intel 5100	Orange	Game	Prem 64	Aug 08
137	4053-2EU	X9100	3.06	4GB	17.0" WUXGA	Cam	HD 3650 512MB	2 x 320GB	Blu-ray	Intel 5100	Orange	Game	Prem 64	Sep 08

- 17.0" widescreen, glossy display
 Holo lighting that changes color based on processor speed or customer preferences
- Dark blue or valencia orange color with glossy piano finish
- Game Zone with secondary display, user-defined keys, performance control switch and enlarged direction keys on select models
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby® Home Theater™ premium audio system with four speakers and one subwoofer
 Hot-swap secondary disk capability on select models
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Processor	Intel® Core™ 2 Duo processor T5800 with dual-core, 800Mtz system bus, and 2MB L2 cache or Intel Core 2 Duo processor P7350 or P8400 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache or Intel Core 2 Extreme processor X9100 with dual-core, Intel HD boost, 1066MHz system bus, and 6MB L2 cache	Preloaded operating system ²⁰ - Some: Microsoft® Windows® Vista® Home Premium Edition (32-bit) - Some: Microsoft Windows Vista Home Premium Edition
Memory	2GB, 3GB, or 4GB std / 8GB max ³¹ / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics</i> : standard memory in both sockets; no sockets available	(64-bit) Vista Premium logo Preloaded applications ¹⁴
SATA DVD±RW SATA Blu-ray™ Primary SATA disk Second SATA disk Disk bays	Some: DVD and CD burner, dual-layer support, fixed, not removable, 12.7mm, tray-in Some: Blu-ray Disc reader (no Blu-ray media burning), BD-ROM, no HD-DVD playback, DVD and CD recordable, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable, upgradable Some: 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable and upgradable, hot-swap support, external support via USB cable Two internal disk bays, 9.5mm high	Lenovo™ ÖneKey Recovery Lenovo ReadyComm Lenovo Idea Central (Premium 64-bit models only) Lenovo Idea Notes (Premium 64-bit models only) Norton Internet Security™
Widescreen display	Some: 17.0" (431.8mm) WXGA+ (1440x900) TFT color, 200 nits Some: 17.0" (431.8mm) WUXGA (1920x1200) TFT color, 300 nits All: 16:10 aspect ratio, 500:1 contrast ratio, VibrantView (glossy), frameless screen Camera on top of screen, 1.3-megapixel, fixed focus	(90 days of virus definitions) • Adobe® Reader • Windows Live™ Toolbar • Easy Capture • Microsoft Office 2007 Trial (60-day)
Discrete graphics	ATI™ Mobility Radeon™ HD 3650 , PCI Express® x16, 512MB memory, DirectX® 10, ATI Avivo™ HD, VGA connector (with VGA-in support), HDMI connector, HDCP-compliant	Napster™ To Go® (Premium 32-bit models only) WildGames™
Keyboard Numeric keypad Game Zone Multimedia controls Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys Some: Numeric keypad on right of keyboard Some: Secondary display, user-defined keys, performance switch, enlarged direction keys sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Carbonite Online Backup VeriFace™ Facial Recognition Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW, Blu-ray)
Dimensions ³ Weight ² Case color Case material Battery - type	(WxDxH): 15.5" x 11.2" x 1.22" to 1.53"; 395mm x 285mm x 31 to 39mm with optical drive and battery: 7.9 lb (3.6 kg) Top: dark blue or valencia orange, glossy finish; Bottom: black ABS plastic Lithium Ion 6-cell, 5200 mAH, smart battery, 5-bar battery indicator	Available at these retailers lenovo.com
Battery - lífe ¹⁰ Architecture ExpressCard slot		135-watt AC adapter Wireless on/off switch VGA in/out switch ENERGY STAR® 4.0-compliant RoHS-compliant
Multicard Reader Ports	6-in-1 Multicard Reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Four USB 2.0, external monitor (DB-15, HDMI), RJ-11 (modem), RJ-45 (ethernet), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty ¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth TM Modem Ethernet Audio support	None Three Mini PCI Express slots 11a/b/g/n wireless ⁴ , Mini PCle adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Bluetooth 2.0 wireless, USB 2.0 interface via ICH9M, LED indicator 56K ⁶ V.92 ¹⁵ modem 10/100 on systemboard, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers (1.5 watt) and subwoofer (3 watt), Dolby Home Theater Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security keyhole.	 Service upgrade options (in eligible locations):⁹ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884 24x7¹⁶ toll-free support for warranty
Fingerprint reader	VeriFace facial recognition software	issues during the warranty period ¹² via 877-453-6686

IdeaPad™ Accessories

Partial list of accessories supported on: IdeaPad S10, U110, U330, Y510, Y430, Y530, Y710, and Y730

-	-			
n	<i>n</i> -	m	•	PA.
		эm		

U110, Ý510, and Y710 1GB Y-Series PC2-5300 DDR2 SODIMM 43R1979 ann 09/25/07

Storage	and	removable	storage
Storage	and	removable	Storage

USB 2.0 MyKey E10 Flash Drive 1GB	45J7701	ann 04/29/08
USB 2.0 MyKey E10 Flash Drive 2GB	45J7702	ann 04/29/08
USB 2.0 MýKeý E10 Flash Drive 4GB	45J7703	ann 04/29/08
USB 2.0 MiniKey M10D1 Flash 2GB (gray)	45J7752	ann 05/20/08
USB 2.0 MiniKey M10D2 Flash 2GB (black)) 45J7754	ann 05/20/08
USB 2.0 MiniKey M10E1 Flash 2GB (teal)		ann 05/20/08
USB 2.0 MiniKey M10E2 Flash 2GB (pink)	45J7758	ann 05/20/08
USB 2.0 Essential Memory Key 1GB "	41U4940	ann 01/23/07
USB 2.0 Essential Memory Key 2GB	41U4944	ann 01/23/07
USB 2.0 Essential Memory Key 4GB	45J7904	ann 06/24/08
USB 2.0 Essential Memory Key 8GB	45J7905	ann 07/15/08
USB 2.0 Security Memory Key 1GB	41U5118	ann 07/17/07
USB 2.0 Security Memory Key 2GB	41U5119	ann 07/17/07
USB 2.0 Security Memory Key 4GB	41U5120	ann 07/17/07
USB 2.0 DataSlim E16 Portable HD 160GB	3 45J7700	ann 04/29/08
USB 2.0 Portable 160GB Hard Disk	43R1784	ann 09/23/08

Keyboard

Preferred Pro USB Keyboard 73P5220 ann 06/21/05 Enhanced Performance USB Keyboard 73P2620 ann 03/23/04 Wireless Kybd & Opt Wheel Mouse (via USB) 73P4067 ann 12/07/04 USB Keyboard with UltraNav 31P8950 ann 01/28/03 USB Travel Keyboard with UltraNav 31P9490 ann 04/27/04

Laser Tilt Wheel Mouse (USB, PS/2) 41U3074 ann 01/23/07 IdeaPad Mini Optical Mouse M10 (black) 47J7729 ann 06/17/08 IdeaPad Mini Optical Mouse M10A (black) 45J7730 ann 07/15/08 Lenovo Mini Optical Mouse M30 (black) 47J7735 ann 06/17/08 Lenovo Mini Optical Mouse M30 (white) 47J7736 ann 06/17/08 Lenovo Mini Optical Mouse M30 (red) 47J7737 ann 06/17/08 Lenovo Mini Optical Mouse M30 (blue) 47J7738 ann 06/17/08 Mini Wireless Laser Mouse N10 (black) 45J7731 ann 06/17/08 Mini Wireless Laser Mouse N10 (red) 45J7732 ann 06/17/08

Batteries

Y510 and Y710 Lenovo Y510/Y710 Li-Ion Battery 6-cell 45J7706 ann 04/29/08 IdeaPad 90W Slim AC/DC Combo Adapter 41N8460 ann 12/18/07 Lenovo Y Series 90W AC Adapter Lenovo 90W AC Adapter 41R4322 ann 09/25/07 45J7717 ann 08/12/08

Carrying Cases S10, U110 and U330 Women's Executive Red Leather Tote 22P8858 Lenovo Women's Tote L34 (brown) 45J7728 ann 06/03/08 \$10, U110, U330, Y430, Y510, and Y530 Lenovo Entry 15" Backpack B10 Lenovo 15" Top Loader T35 (black) 45J5468 ann 07/15/08 45J7726 ann 06/03/08 Lenovo Carrying Case - BackPack Lenovo Carr Case - Performance BackPack 40Y8603 ann 05/01/07 41U5254 ann 05/01/07 ThinkPad Sleek BackPack 41A4277

Monitors

ThinkVision® L174 17" Monitor ThinkVision L1700p 17" Monitor 9227AE1 ann 04/15/08 9417HE2 ann 09/17/08 ThinkVision L1940p Wide 19" Monitor ThinkVision L200p Wide 20.1" Monitor ThinkVision L2240p Wide 22" Monitor ThinkVision L2440p Wide 24" Monitor ThinkVision L2440p Wide 24" Monitor 4424HB6 ann 09/17/08 4438HB6 ann 04/15/08 4422HB6 ann 09/17/08 4420HB2 ann 09/17/08 ThinkVision L2440x Wide 24" Monitor 4421HB2 ann 09/17/08

Monitor Accessories⁴⁶

ThinkVision USB Soundbar (up to 22") 40Y7616 ann 08/23/05 ThinkVision USB Soundbar (24" monitors) 45K1263 ann 09/16/08 Kensington Cable Lock from Lenovo 73P2582 ann 12/29/03 Kensington Twin Head Cable Lock 45K1620 ann 09/30/08 ThinkPad Convertible Monitor Stand 40Y7620 ann 01/05/06 Radial Arm 19K4464 ann 05/05/00

⁴⁶ Compatible on selected ThinkVision monitors.

Consumer monitors

Lenovo L195 Wide 19" LCD Monitor 4418HC1 ann 09/02/08 Lenovo L222 Wide 22" LCD Monitor 4432HF1 ann 09/02/08

Other accessories at lenovo.com/accessories

Availability: All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

Warranty: For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

Footnotes:

- With Intel SpeedStep, processor speed may be reduced to conserve battery power.
- Weight includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.
- Thinness may vary at certain points on the system.
- Wireless capability: Requires compatible wireless-enabled options sold separately.
- Fost-warranty annual maintenance agreement: Service begins at the end of the base warranty or the end of any other applied warranty and maintenance option, whichever occurs last. Service delivery is not available the same day the maintenance agreement is purchased. Maintenance agreements must be purchased and the registration successfully completed prior to the service being available.
- Public network download speeds are limited to 53Kbps. Upload speeds are limited to 31.2Kbps. Compatible phone line and server equipment required. Actual speeds depend on many factors and are often less than the maximum possible.
- Maximum memory and hard disk drive capacity may require the replacement of standard component with largest supported component available.
- B Hard drive: GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.
- 8 Service upgrade options: Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees.

- ¹⁰ Battery: These model numbers achieved the battery life based on MobileMark® 2007 during testing. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.
- Wireless: Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.
- ¹² Limited warranty: Support unrelated to a warranty issue may be subject to additional charges.
- Onsite Repair: If a machine is listed as having "On-site", this means that on-site service is available for the replacement of parts for warranty repairs. Certain parts, referred to as Customer Replaceable Unit ("CRU") parts, are easy to install and require little or no tools or technical knowledge. Some examples of CRU parts are mice, keyboards, hard disk drives, speakers, and memory. If your problem can be resolved with a CRU, the Support Center will offer to ship the part to you for you to install.
- ¹⁴ Included software may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.
- Modem speeds: Public network download speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- ¹⁶ Response times may vary. May exclude some holidays. Telephone support may be subject to additional charges.
- ¹⁷ International Warranty Service is available for most products in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

- ¹⁸ Telephone support may be subject to additional charges, even during the limited warranty period. Response times may vary and may exclude some holidays.
- Depot repair service: In the United States call 1-877-453-6686. The customer may be asked certain diagnostic questions before a courier is sent. Your purchase includes this depot repair service, available in the U.S. during the limited warranty period.
- Operating System: Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/pc/support and enter your machine type and model number for more information.
- For combination drives, maximum possible speeds only are given in the following order: CD write, CD rewrite, CD read, DVD read.
- ²² Lenovo Care Services: These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part can be express shipped to you for quick replacement. For notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See terms and conditions for complete details and restrictions.
- Wireless WAN Cards: Wireless data service requires separate agreement with Verizon Wireless. Verizon Wireless, not Lenovo, is solely responsible for service. Monthly and airtime charges may apply. Service may not be available in all areas; purchaser is responsible for verifying with Verizon Wireless that service is available for the intended location before the purchase of the card. For complete details, including service plans, additional required hardware or software, and service coverage, visit www.verizonwireless.com.

- The IEEE 802.11n specification (MIMO) has not been finalized and is currently in draft release. The Lenovo 11a/b/g/n (11n) Wireless LAN Mini PCI Express Adapters are based on the Draft Release, Version 1.0, of the IEEE 802.11n specification. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, or 11a/b/g/n can communicate on any of its supported formats.
- ³¹ **Maximum memory capacity** may require the replacement of standard component with largest supported component available. On systems with an Intel GM965 or PM965 chipset, even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by an operating system will be limited to 3GB. This limitation does not exist with the Intel GM965 and PM965 with the 64-bit operating systems Windows XP Professional 64-bit and Windows Vista 64-bit Editions.



This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to vou.

Trademarks: Lenovo, the Lenovo logo, New World. New Thinking., Access Connections, Rescue and Recovery, ThinkVantage, and ThinkVision are trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other company, product, or service names may be trademarks or service marks of others.

ENERGY STAR: As an ENERGY STAR Partner, Lenovo has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

Visit lenovo.com/safecomputing periodically for the latest information on safe and effective computing.

© Lenovo, 2008. All rights reserved.

> Lenovo 1009 Think Place Morrisville, NC 27560 U.S.A.

September 2008 ipbook.pdf