



Ordering Information

Commercial model number:
CB509A

Canada model number:
CB509A (ABA)

Sidebar

In the box:

Print cartridge
Control panel overlay
Getting started guide
Right-angle power cord
Software and documentation on CD-ROM
Support flyer

Software:

Print drivers and installation (HP PCL 6, HP PCL 5e, PostScript, PostScript Printer Description, HP LaserJet Utility, Macintosh software)

Standard warranty:

1 year, Return to HP Authorized Service Center

Replaces

| | |
|---------------------------|--------|
| HP LaserJet 4250n Printer | Q5401A |
| HP LaserJet 4250 Printer | Q5400A |

HP Care Pack Options

Recommended Care Packs

Installation with Network Setup Service UC742E

Next Business Day Onsite: 3 years H5479E

Optional Care Packs

Installation with Network Setup Service UC742E

Same Day Onsite, Extended Business Hours: 3 years H4475E

Next Business Day Onsite: 3 years H5479E

Post Warranty Service, Remote User Assistance Support: 1 year HC128PE

Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year U2032PE

Post Warranty Service, Next Business Day Onsite: 1 year H2664PE

High-performance workgroup laser printer with leading security features and management tools.

Increasing productivity doesn't have to compromise security. Put this workhorse laser printer on the network for high-performance every day. Security features protect prints, limit user access and encrypt information sent across the network.

Your busy work environment needs a laser printer that will match your fast pace—up to 52 ppm. Jobs get finished quickly with a speedy processor and Instant-on Technology, even with your whole workgroup sharing the device.

Adapt to business changes easily thanks to this laser printer's expandable features—increase paper or printer cartridge capacity, easily upgrade memory or add third-party solutions with Hi-Speed USB connectivity.

Managers want independent, dependable workers—which is why IT managers will love this laser printer. Simplify management and maintenance for this device with HP Easy Printer Care software or manage an entire fleet with HP Web Jetadmin.



Compatible Operating Systems

Standard Desktop

| | |
|-----------------------------|--|
| Windows 2000 | * |
| Windows XP | * |
| Windows Server 2003 | * |
| Windows Vista® Ready | * |
| Mac OS | Mac OS X v10.2.8, 10.3, 10.4, 10.5 and later |

Standard Network

| | |
|-----------------------------|--|
| Windows 2000 | * |
| Windows XP/XP 64-bit | * |
| Windows Server 2003 | * |
| Windows Vista® | * |
| Other | Novell 5.1 and later; Mac OS X v10.2.8, 10.3, 10.4, 10.5, and later; Red Hat Linux 7.x and later; SuSE Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later 1; MPE-iX; Citrix MetaFrame Server; Windows Terminal Services |

Optional Desktop/Network

| | |
|---------------------------------|---|
| Optional Desktop/Network | Certified for Windows Vista(TM), Mac OS X v 10.5, OS/2, UNIX, Linux, HP OpenVMS |
|---------------------------------|---|

Additional Information

| | |
|---------------------------------|---|
| Sales | www.hp.com |
| Third-party solutions | Data Sheet 4AA1-6971ENUC |
| Reseller | www.hpgsc.com |
| Services | http://hp.com/partners/us |
| Supplies and accessories | http://www.hp.com/go/services |


Brand Specifications

PRINTER:**Print Speed Black, Letter:**

| | |
|-----------------------|--------------------------|
| Best Quality | Up to 52 ppm |
| First Page Out | <8.5 sec from Ready mode |
| Processor | 540 MHz |

| | |
|-----------------------------------|---|
| Paper Trays, Std | 2 |
| Paper Trays, Max | 6 |
| Input Capacity, Std | 600 sheets |
| Input Capacity, Max | 3,600 sheets |
| Output Capacity, Std | 600 sheets |
| Output Capacity, Max | 1,100 sheets |
| Envelope Input, Std | 10 |
| Envelope Feeder | 75 [with optional 75-sheet Envelope Feeder (CB524A)] |
| Two-Sided Printing | Automatic (optional) |
| Typefaces | 80 HP Font set |
| Prints Color | No |
| Print Quality, Black Best | Up to 1200 dpi |
| Print Resolution | HP RET, HP 300 dpi, HP 600 dpi, HP FastRes 1200, HP ProRes 1200 |
| Technology | HP PCL 6, HP PCL 5e, HP PostsScript level 3 emulation, direct PDF (v1.4) printing (192 MB printer memory recommended) |
| Print Languages, Std | HP Web Jetadmin, HP LaserJet Utility, HP Embedded Web Server |
| Printer Management | |
| GENERAL | |
| Duty Cycle, Monthly | 225,000 pages |
| Recommended Monthly Volume | 3,000 to 15,000 pages |
| Media Types | Paper (bond, color, letterhead, plain, preprinted, pre-punched, recycled, rough, light), envelopes, labels, cardstock, transparencies, user-defined |
| Media Sizes, Std | Letter, legal, executive, statement, 8.5 x 13 in, envelopes (No. 10, Monarch) |
| Media Sizes, Custom | 3 x 5 in to 8.5 x 14 in, tray 1; 5.8 x 8.3 in to 8.5 x 14 in, trays 2 and 3 |
| Media Weights | 16 to 53 lb, tray 1; 16 to 32 lb, trays 2 and 3 |
| Connectivity, Std | Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection, HP Jetdirect Gigabit Ethernet embedded print server |
| Connectivity, Opt | HP Jetdirect internal, external and wireless print servers |
| Memory, Std | 128 MB |
| Memory, Max | 640 MB |
| Energy Star Compliant | No |
| Mac Compatible | Yes |
| Dimensions (W x D x H) | 16.5 x 34 x 23 in |
| Weight | 56.92 lb |
| Shipping Dimensions | 22.4 x 21.1 x 19.7 in |
| Shipping Weight | 59 lb |

HP LaserJet P4015 Series (P4015x shown)



Front view



Rear view

Memory map
P4015 • P4015dn • P4015tn • P4015x
640 MB Maximum Usable Memory/1 Slot

Note: Automatic two-sided printing accessory is optional on P4015n and P4015tn

Jetdirect Products

HP Jetdirect ew2400 (J7951G)
HP Jetdirect 620n (J7934G)
HP Jetdirect 635n (J7961G)
HP Jetdirect en3700 (J7942G)
HP Jetdirect 630n (J7997G)
HP Jetdirect en1700 (J7988G)
HP Jetdirect 690n (J8007G)

Accessories (standard)

Staple Cartridge (1,000) (Q3216A)
HP High Performance Serial ATA Hard Disk (J7989G)
HP 1284B Parallel Card (J7972G)
500-sheet Input Tray (CB518A)
1,500-sheet High-Capacity Input Tray (CB523A)
75-sheet Envelope Feeder (CB524A)
Automatic Two-Sided Printing Accessory (CB519A)
500-sheet 5-Bin Mailbox (CB520A)
500-sheet Stacker (CB521A)
500-sheet Stapler/Stacker (CB522A)
Printer Stand (CB525A)
Printer Maintenance Kit, 110 Volt (CB388A)
Printer Maintenance Kit, 220 Volt (CB389A)

DDR2 DIMM (144-pin x32): 64 MB (CC413A)
DDR2 DIMM (144-pin x32): 256 MB (CC415A)
DDR2 DIMM (144-pin x32): 512 MB (CE483A)
DDR2 DIMM (144-pin x32): 128 MB (CC414A)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP LaserJet CC364A Black Print Cartridge(CC364A)

HP LaserJet CC364X Black Print Cartridge(CC364X)

Compatible Paper Products

Top Recommended Papers

| | | | |
|--------------------------|-------|------------|---------|
| HP LaserJet Paper | | | |
| 8.5 x 11 in | 24 lb | 500 sheets | HPJ1124 |
| HP LaserJet Paper | | | |
| 8.5 x 14 in | 24 lb | 500 sheets | HPJ1424 |

HP Everyday Papers

| | | | |
|--|-------|-------------------------|-----------|
| HP Premium Choice Laser Paper | | | |
| 8.5 x 11 in | 32 lb | 500 sheets | HPU1132 |
| HP LaserJet Paper | | | |
| 8.5 x 11 in | 24 lb | 500 sheets | HPJ1124 |
| 8.5 x 11 in | 24 lb | 2,500 sheets (5 reams) | HPJ115RC |
| HP All-in-One Printing Paper | | | |
| 8.5 x 11 in | 22 lb | 500 sheets | HPT1122 |
| 8.5 x 11 in | 22 lb | 500 sheets | HPT115 |
| HP All-in-One Printing Paper Grab N' Stow™ Carton | | | |
| 8.5 x 11 in | 22 lb | 1,200 sheets | INP207050 |
| HP Printing Paper | | | |
| 8.5 x 11 in | 22 lb | 5,000 sheets (10 reams) | HPP1122C |
| 8.5 x 11 in | 22 lb | 500 sheets | HPP1122R |
| HP Multipurpose Paper | | | |
| 8.5 x 11 in | 20 lb | 500 sheets | HPM1120R |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPM1120C |
| 8.5 x 11 in | 20 lb | 2,500 sheets (5 reams) | HPM115RC |
| 8.5 x 11 in, 3-hole punch | 20 lb | 500 sheets | HPM113H |
| 8.5 x 14 in | 20 lb | 500 sheets | HPM1420 |
| HP Office Paper | | | |
| 8.5 x 11 in | 20 lb | 2,500 sheets (5 reams) | HPC115RC |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPC8511C |
| 8.5 x 11 in, 3-hole punch | 20 lb | 500 sheets | HPC3HP |
| 8.5 x 14 in | 20 lb | 500 sheets | HPC8514 |
| 8.5 x 11 in | 20 lb | 500 sheets | HPC8511R |
| HP Office Quickpack | | | |
| 8.5 x 11 in | 20 lb | 2,500 sheets | HP2500S |
| HP Office Recycled Paper | | | |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPE1120C |
| 8.5 x 11 in | 20 lb | 500 sheets | HPE1120R |
| HP Everyday Copy and Print Paper | | | |
| 8.5 x 11 in | 20 lb | 500 sheets | HPA510 |

HP Business Communications

| | | | |
|--|-------|------------|--------|
| HP LaserJet Color and Monochrome Transparencies | | | |
| 8.5 x 11 in | | 50 sheets | C2934A |
| HP LaserJet Tough Paper | | | |
| 8.5 x 11 in | | 50 sheets | Q1298A |
| HP Soft-gloss Presentation Paper | | | |
| 8.5 x 11 in | 32 lb | 200 sheets | Q6541A |
| HP Color Laser Glossy Snapshot Photo Paper | | | |
| | | | |

| | | | |
|--|------------|------------|--------|
| 4 x 6 in, borderless | 58 lb bond | 100 sheets | Q8842A |
| HP Color Laser Glossy Photo Paper | | | |
| 8.5 x 11 in | 58 lb | 200 sheets | Q6607A |
| 8.5 x 11 in | 58 lb | 100 sheets | Q6608A |
| HP Laser Glossy Brochure Paper | | | |
| 8.5 x 11 in | 44 lb | 250 sheets | Q6610A |
| 8.5 x 11 in | 44 lb | 150 sheets | Q6611A |
| HP Glossy Presentation Paper | | | |
| 8.5 x 11 in | 34 lb | 300 sheets | Q2546A |
| HP Laser Glossy Tri-fold Brochure Paper | | | |
| 8.5 x 11 in | 43 lb bond | 150 sheets | Q6612A |

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.