

## **20 Pack Cable Raceway Outside Corner Connectors for CBMWWD1911 - Cable Management Accessories - Channel Raceway Fitting - Wiring Duct 90 Degree Outside Elbow - UL Rated**

Product ID: CBMWWD1911C



This 20-pack of raceway couplers work with the StarTech.com CBMWWD1911 raceway system.

### **Join Two Raceways Together**

Use these cable raceway couplers with the StarTech.com CBMWWD1911 raceway to join two of them together and extend the length of your raceway in your office or server room.

### **Industrial Strength**

Made from sturdy self-extinguishing ABS that's also warp proof, these wiring duct connectors are UL approved with 94HB Flamability (Horizontal Burning) Rating.

## **Use in Combination with Other Raceway Accessories**

Combine this coupler with other StarTech.com CBMWWD1911 raceway system accessories to give your cable management solution a finished look.

The End Piece (CBMWWD1911E) (20-Pack), cleanly caps off the end of your raceway.

The Inside Elbow (CBMWWD1911I) (20-Pack), joins two raceways together inside of corners at 90 degree angle.

The Lateral Elbow (CBMWWD1911L) (20-Pack), joins two raceways together and runs them up the wall at a 90 degree angle.

The Outside Elbow (CBMWWD1911O) (20-Pack), joins two raceways together around corners at a 90 degree angle.

The T Connector (CBMWWD1911T) (20-Pack), joins three raceways together in T-bar.

This cable management raceway coupler is TAA compliant and backed by a StarTech.com Lifetime warranty and free 24/5 technical support. StarTech.com has been the IT professionals choice for over 30 years.

### Certifications, Reports and Compatibility



### Applications

- Protects cables from damage while neatly routing them in your office or server room

### Features

- **GIVE YOUR CABLE MANAGEMENT RACEWAY A FINISHED LOOK:** Use these cable raceway couplers (20 pack) to join two StarTech.com CBMWWD1911 raceways & extend length of raceway in office or server room
- **INDUSTRIAL STRENGTH:** Made from sturdy warp-proof ABS, these raceway fitting midway straight connectors are UL approved with 94 HB Flammability (Horizontal Burning) Rating, self-extinguishing
- **OTHER RACEWAY ACCESSORIES:** End Piece (CBMWWD1911E), Inside Elbow (CBMWWD1911I), Lateral Elbow (CBMWWD1911L), Outside Elbow (CBMWWD1911O), T Connector (CBMWWD1911T); sold separately
- **TECHNICAL SPECIFICATIONS:** Product Length: 1.3" (34.3m) | Connector Width: 0.75" (19mm) | Connector Height: 0.43" (11mm) | White | RoHS
- **STARTECH.COM ADVANTAGE:** IT professionals choice for over 30 years; These wiring duct connectors are backed for life by StarTech.com, including free 24/5 North America based multi-lingual tech support

<b>Physical Characteristics</b>	Warranty	2 Years
	Color	White
	Material	ABS
	Product Height	12.770
	Product Length	21.490
	Product Width	40.260
	Weight of Product	2.000
<b>Packaging Information</b>	Package Height	17.000
	Package Length	150.000
	Package Width	190.000
	Shipping (Package) Weight	50.000

Product appearance and specifications are subject to change without notice.