

F22"- Limited edition



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Distinctive design with a sportive edge
- In pole position for gaming and media applications
- Rich color and crisp image details
- Future proof for digital imaging
- Acer eDisplay for advanced and easy display enhancements.

Standard Configuration

Display size	22"(473x296 mm)
Panel Technology	TN + Crystal Brite
Resolution	1680 x 1050 @ 60 Hz
Pixel pitch	0.282 mm
PPI	90.2
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	20'000:1 (ACM)
Brightness	300 cd/m2
Response rate	2 ms GTG
Colours	16.7m (6 bit + HiFRC)
NTSC Colour situation	72%
Internal speakers	No
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	170°/160°
Tilt / Swivel / Pivot	Tilt. -5°/15°
Height Adjustment	No
Wall-mount	100 x 100 mm
Kensington lock support	Supported
Connections	Analog (D-sub), Digital (DVI-D), HDMI, Internal Power Supply
Weight	4.7 Kg
Dimensions	511 x 416 x 203 mm
Power consumption	Energy Star On: TBA, Max On:<55W, Off: <1W, Standby: <2W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, TCO03, ISO 13406-2
Free Accessories	European, UK or Swiss Power Cables, VGA cable, HDMI connector, DVI Cable

Model	Part Number	Price Including VAT
F-22 bid Crystal Brite, 2ms, 20000:1 Max, DVI + HDMI, MPRII, Black Euro/UK power cord, EMEA, Adaptive Contrast Management, Acer Display Management	ET.LED0C.003	GBP 269.99

P193W - 19" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- A true reflection of image
- Future Proof...
- Acer CrystalBrite™ technology
- Text precision, clearly defined lines and rich color
- Dynamic digital media

Standard Configuration

Display Size	19"W 408x255mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.284mm
Resolution	1440x900@75Hz
PPI	89.6
Brightness	300 cd/m2
Contrast Ratio	2000:1
Horizontal-Vertical Frequency	24-80KHZ (H) - 56-60HZ (V)
Viewing angle	160°(H),160°(V)
Response time	5ms
Input signal	VGA standard (optional DVI / HDCP)
Power consumption	37W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	454.3x359.2x163.7
Weight	4.4KG
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 languages reset mode, power on/off sw, power led, function +/-, adjust +/-
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick, BSMI, WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P193W 19"Widescreen TFT, TN+Crystalbrite, Silver/Black, TCO '03, 1440x900, 16.7M, 160°, 300 cd/m2, 2000:1, 5ms, Analogue Input, Internal Power Supply, ISO 13406-2, 2 Year Warranty	ET.CP3WE.017	GBP 129.99
P193Wd 19"Widescreen TFT, TN+Crystalbrite, Silver/Black, TCO '03, 1440x900, 16.7M, 160°, 300 cd/m2, 2000:1, 5ms, VGA+DVI (with HDCP) Input, Internal Power Supply, ISO 13406-2, 2 Year Warranty	ET.CP3WE.012	

P193Ww - 19" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- A true reflection of image
- Future Proof...
- Acer CrystalBrite™ technology
- Text precision and rich media color
- Dynamic digital media

Standard Configuration

Display Size	19"W 408x255mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.284mm
Resolution	1440x900@75Hz
PPI	89.6
Brightness	300 cd/m2
Contrast Ratio	2000:1
Horizontal-Vertical Frequency	24~80KHZ (H) - 56~75HZ (V)
Viewing angle	160°(H),160°(V)
Response time	5ms
Input signal	VGA standard (optional DVI / HDCP)
Power consumption	37W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	454.3x359.2x163.7
Weight	4.4kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/- ,adjust +/-.
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P193Ww 19"Widescreen, CrystalBrite, 1440x900 Resolution, 5ms Response Rate, 2000:1 Contrast Ratio, 300 cd/m2 Brightness, VGA Input, White	ET.CP3WE.021	GBP 139.99
P193Wwd 19"Widescreen, CrystalBrite, 1440x900 Resolution, 2ms Response Rate, 2000:1 Contrast Ratio, 300cd/m2 Brightness, Dual (VGA & DVI with HDCP) Inputs, White	ET.CP3WE.A14	GBP 149.99

P194WA - 19" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- An impressive design
- High quality accelerated graphics
- Acer CrystalBrite™ technology
- Acer eDisplay and ecoler management

Standard Configuration

Display Size	19"W 408x255mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.283mm
Resolution	1440x900@75Hz
PPI	89.6
Brightness	300 cd/m2
Contrast Ratio	10'000:1
Horizontal-Vertical Frequency	24-80KHZ (H) - 56-60HZ (V)
Viewing angle	160°(H),160°(V) CR 10:1, 176°(H), 176°(V) CR 5:1
Response time	5ms
Input signal	VGA standard (optional DVI / HDCP)
Power consumption	< 50 W
Power saving	Off: < 1W , Standby: < 2W
Dimensions (WxHxD mm)	447 x 376 x 203
Weight	4.1 Kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/-,adjust +/-,
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P194WAb 19" Wide, Crystal Brite 5ms 10'000:1 MAX MPRII Black Euro/UK cables EMEA	ET.CP4WE.002	GBP 119.99

P223W - 22" Wide



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- A true reflection image!
- Acer CrystalBrite™ technology
- High definition digital imaging
- Text precision and rich color
- View 34% more content
- Detailed PPI (pixel per inch)
- Acer eDisplay, enhanced imaging and efficient management.

Standard Configuration

Display Size	22"W 473x296 mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.282mm
Resolution	1680x1050@60Hz
PPI	90.2
Brightness	300 cd/m2
Contrast Ratio	2500:1
Horizontal-Vertical Frequency	30~82KHz (H) - 56~76Hz(V)
Viewing angle	170°(H),160°(V)
Response time	5ms
Input signal	VAG Analog as standard (optional DVI w/HDCP)
Power consumption	45W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	517.5x400.1x177.4
Weight	5.25
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 languages reset mode, power on/off sw, power led, function +/-, adjust +/-.
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick, BSMI, WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P223W 22"Widescreen TFT, TN+Crystalbrite, 1680x1050, 16.7M, 170°, 300 cd/m2, 2500:1, 5ms, Analogue Input, ISO 13406-2, 2 Year Warranty	ET.EP3WE.017	GBP 149.99
P223Wd 22"Widescreen TFT, TN+Crystalbrite, 1680x1050, 16.7M, 170°, 300 cd/m2, 2500:1, 5ms, VGA+DVI (with HDCP) Input, ISO 13406-2, 2 Year Warranty	ET.EP3WE.012	GBP 149.99

P223Ww - 22" Wide

Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- A true reflection image!
- Acer CrystalBrite™ technology
- High definition digital imaging
- Text precision and rich color
- View 34% more display content
- Detailed PPI (pixel per inch)
- Acer eDisplay, enhanced imaging and efficient management.

Standard Configuration

Display Size	22"W 473x296 mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.282mm
Resolution	1680x1050@60Hz
PPI	90.2
Brightness	300 cd/m2
Contrast Ratio	2500:1
Horizontal-Vertical Frequency	30-82KHz (H) - 56-60Hz(V)
Viewing angle	170°(H),160°(V)
Response time	5ms
Input signal	VGA Analog as standard (optional DVI w/HDCP)
Power consumption	45W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	517.5x400.1x177.4
Weight	5.25
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 languages reset mode, power on/off sw, power led, function +/- adjust +/-
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick, BSMI, WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P223WAwd 22"Widescreen, CrystalBrite, 1680x1050 Resolution, 2ms Response Rate, 2500:1 Contrast Ratio, 300 cd/m2 Brightness, VGA & DVI + HDMI with HDCP, White	ET.EP3WE.B09	GBP 229.99
P223Wwd 22"Widescreen, CrystalBrite, 1680x1050 Resolution, 5ms Response Rate, 2500:1 Contrast Ratio, 300 cd/m2 Brightness, Dual (VGA & DVI with HDCP), White	ET.EP3WE.022	GBP 199.99

P224W - 22" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Distinctive media design
- Gaming with visual precision
- Powerful audio system
- Rich color and smooth moving graphics
- View 34% more content
- Future proof, advanced digital performance
- Acer eDisplay, enhanced imaging and efficient management.

Standard Configuration

Display Size	22"W 473x296 mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.282mm
Resolution	1680x1050@60Hz
PPI	90.2
Brightness	300 cd/m2
Contrast Ratio	10'000:1
Horizontal-Vertical Frequency	30-82KHz (H) - 56-76Hz(V)
Viewing angle	170°(H),160°(V) CR 10:1
Response time	2ms
Input signal	VGA, DVI w/ HDCP and HDMI. (advanced digital)
Power consumption	< 55W
Power saving	Off: <1W, </br> Standby: <2W
Dimensions (WxHxD mm)	511 x 416 x 203 mm
Weight	4.7 Kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Touch sensitive On Screen Display (empowering technology, Auto, Menu, <, >), On/Off button
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P224WAbmid 22" Wide, Crystal Brite, 2ms 10'000:1 Max Dolby Speakers, DVI + HDMI MPRII Black UK cable EMEA Docking+ Adaptive Contrast Management + Acer eDisplay Management	ET.EP4WE.004	GBP 289.99

P224W - 22" Wide Notebook Upgrade Kit



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- One-step and connect USB Plug notebook connectivity
- Multi-functionality
- Expanded connectivity
- Powerful display performance
- Superior ergonomics
- Acer SensorTouch technology

Standard Configuration

Display Size	22"W 473x296 mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.282mm
Resolution	1680x1050@60Hz
PPI	90.2
Brightness	300 cd/m2
Contrast Ratio	10'000:1
Horizontal-Vertical Frequency	30~82KHz (H) - 56~76Hz(V)
Viewing angle	170°(H),160°(V) CR 10:1, 176°(H),176°(V) CR 5:1
Response time	2ms
Input signal	VGA Analog, USB hub
Power consumption	< 55W
Power saving	Off: <1W, Standby: <2W
Dimensions (WxHxD mm)	511 x 416 x 203 mm
Weight	4.7 Kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/- ,adjust +/-,
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P224WBbmuz 22" Wide, CrystalBrite, 5ms 10'000:1 Max Dolby Speakers, MPRII Black UK cable, USB Docking + USB hub + USB Dongle + Wireless Keyboard(UK) + Wireless Mouse + Adaptive Contrast Management + Acer eDisplay Management	ET.EP4WE.B05	GBP 229.99

P243W - 24" Wide



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- A true reflection image!
- Acer CrystalBrite™ technology
- High definition digital imaging (HDMI)
- Text precision and rich color
- View 34% more content
- Detailed PPI (pixel per inch)
- Acer eDisplay, enhanced imaging and efficient management.

Standard Configuration

Display Size	24"W 547x352mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.270mm
Resolution	1920x1200@60Hz
PPI	90.2
Brightness	400 cd/m2
Contrast Ratio	3000:1
Horizontal-Vertical Frequency	30-82KHz (H) - 56-60Hz(V)
Viewing angle	160°(H),160°(V)
Response time	2ms
Input signal	VGA Analog Digital DVI and HDMI w/HDCP
Power consumption	90W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	572x431x190
Weight	7
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 languages reset mode, power on/off sw, power led, function +/-, adjust +/-.
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick, BSMI, WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P243Wd 24"Widescreen TFT, TN+Crystalbrite, 1920x1200, 16.7M, 170°, 300 cd/m2, 3000:1, 2ms, VGA+DVI (with HDCP) Input, ISO 13406-2, 2 Year Warranty	ET.FP3WE.012	GBP 259.99

P244W - 24" Wide 16:9 Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Superior graphics via full high definition
- Distinctive media design
- Future proof digital media, data and audio.
- Powerful audio system
- Gaming with visual precision
- Detailed PPI (pixel per inch)

Standard Configuration

Display Size	24" W - 16:9 Full HD, 531x299 mm
Panel Technology	TN+Film
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.276mm
Resolution	1920 x 1080 @ 60Hz
PPI	92
Brightness	300 cd/m2
Contrast Ratio	20'000:1
Horizontal-Vertical Frequency	30-82KHz (H) - 56-60Hz(V)
Viewing angle	170°(H),160°(V) CR 10:1 176°(H),176°(V) CR 5:1
Response time	2 ms
Input signal	Analog (VGA), 2 X HDMI (advanced DVI)
Power consumption	< 58W
Power saving	Off: < 1W, Standby: < 2W
Dimensions (WxHxD mm)	568x417x207 mm
Weight	5.7 Kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Touch sensitive On Screen Display (empowering technology, Auto, Menu, <, >), On/Off button
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
P244Wbmii 24" Wide, 16:9 FHD, 2ms 20'000:1 Max, HDMIx2, Dolby Speakers, MPRII Black Euro/UK cables, Docking, Adaptive Contrast Management, Acer eDisplay Management	ET.FP4WE.002	GBP 299.99

G24 - 24" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Radical and robust design
- Razor sharp imaging
- Cinematic Viewing
- Advanced digital graphics.
- Acer eDisplay for advanced and easy display enhancements.

Standard Configuration

Display size	24"W (518 x 324 mm)
Panel Technology	TN + Crystal Brite
Resolution	1920 x 1200 @ 60Hz
Pixel pitch	0.270 mm
PPI	90.2
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	50'000:1 (ACM)
Brightness	400 cd/m2
Response rate	2 ms GTG
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	92 %
Internal speakers	No
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt. -5°/15°
Height Adjustment	No
Wall-mount	100 mm x 100 mm
Kensington lock support	Supported
Connections	Analog (D-sub), Digital (DVI-D), HDMI, Internal Power Supply
Weight	7.2 Kg
Dimensions	574.5 x 445.7 x 253.5 mm
Power consumption	Energy Star On: <65W, Max On:<90W, Off: <1W, Standby: <2W
MTBF Hours	50000hr/25°C
Certifications	CE, TUV GS, TCO03, ISO 13406-2
Warranty	All of Acer Consumer LCDs support a two year carry-in warranty.
Free Accessories	European, UK or Swiss Power Cables, VGA cable, DVI & HDMI Cable

Model	Part Number	Price Including VAT
G24 oid Crystal Brite, 2ms, 50'000:1 Max, DVI + HDMI, MPRII, Copper, Euro / UK power cord, EMEA, Adaptive Contrast Management, Acer eDisplay Management	ET.LE904.005	GBP 359.99

H223HQ - 21.5" Wide 16:9 Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Full High Definition audio & graphics
- Distinctive Media Design
- Mind-blowing gaming with visual precision
- Integrated Audio System
- Future proof for Data, Media & Audio... All-digital HDMI™

Standard Configuration

Model	Part Number	Price Including VAT
H223HQAbmid 21.5" Wide, 16:9 Full High Definition, 2 ms 20'000:1, Speakers, DVI w/HDCP, HDMI TCO03 Black glossy with blue footstand euro/UK power cord, EMEA + Adaptive Contrast Management	ET.WH3HE.A01	GBP 229.99

H233H - 23" Wide 16:9 Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Cinematic Enjoyment over Full HD graphics
- A chic and stylish media design
- Exciting picture imaging
- Integrated Audio System
- Acer eDisplay and ecoler management
- Advanced digital audio and video

Standard Configuration

Display Size	23" Wide 16:9 Full High Definition, 509x286 mm
Panel Technology	TN + Film
Resolution	1920x1080 @ 60Hz
Format	16:9 Full High Definition
Brightness	300 cd/m2
Contrast	40'000:1
Viewing angle	170°(H), 160°(V) CR 10:1, 176°(H), 176°(V) CR 5:1
Response rate	2 ms
Tilt / Swivel / Pivot	Tilt: -5°~ 15°
Height Adjustment	-
Input Signal	VGA, DVI & HDMI (w/ HDCP)
VESA Wall Mounting Support	100x100mm
PPI	96
Colours	16.7M (6+HiFRC)
NTSC	72 %
Pixel Pitch	0.248 mm
Speakers	1.5W x 2
Power consumption	Energy Star On: 31.7W, Off: 0.72W, Standby: 0.76W
MTBF Hours	50000hr/25°C
Dimensions	561.6x393.9x177.5 mm
Net Weight	4.77 Kg
Certifications	CE, TÜV GS, TCO03, ISO 13406-2
Free Accessories	European, UK or Swiss Power Cables, VGA, DVI and HDMI Cable

Model	Part Number	Price Including VAT
H233HAbmid 23" Wide, 16:9 Full High Definition, 2 ms 40'000:1, speakers, DVI w/HDCP, HDMI, TCO03, Black glossy with blue footstand, euro/UK power cord EMEA + Adaptive Contrast Management	ET.VH3HE.A01	GBP 249.99

H243H - 24" Wide 16:9 Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Supreme Full HD digital graphics
- Classy media design
- Action packed gaming with visual precision
- Integrated Audio System
- Future proof for Data, Media & Audio... All-digital HDMI™
- Acer eColor and eDisplay management

Standard Configuration

Display Size	24" Wide 16:9 Full High Definition, 531.4x298.9 mm
Panel Technology	TN + Film
Resolution	1920x1080 @ 60Hz
Format	16:9 Full High Definition
Brightness	300 cd/m2
Contrast	40'000:1
Viewing angle	160°(H), 160°(V) CR 10:1, 176°(H), 176°(V) CR 5:1
Response rate	2 ms
Tilt / Swivel / Pivot	Tilt: -5°~15°
Height Adjustment	-
Input Signal	VGA, DVI & HDMI (w/ HDCP)
VESA Wall Mounting Support	100x100mm
PPI	92
Colours	16.7M (6+HiFRC)
NTSC	72 %
Pixel Pitch	0.276 mm
Speakers	1W x 2
Power consumption	Energy Star On: 30.8W
MTBF Hours	50000hr/25°C
Dimensions	575x424.5x171.6 mm
Net Weight	
Certifications	CE, TÜV GS, TCO03, ISO 13406-2
Free Accessories	European, UK or Swiss Power Cables, VGA, DVI and HDMI Cable

Model	Part Number	Price Including VAT
H243Hbmid 24" Wide 16:9 Full High Definition, 2 ms, 40'000:1, Speaker, DVI w/HDCP, HDMI, TCO03 Black glossy with blue footstand, euro/UK power cord EMEA + Adaptive Contrast Management	ET.FH3HE.002	GBP 269.99

X193W - 19''Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Appreciated value
- Enjoyable viewing experience
- Adaptive contrast mangement system
- Stylish and functional design
- High quality and Secured performance
- Convenient digital input

Standard Configuration

Display Size	19"W 408x255mm
Panel Technology	TN panel
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.284mm
Resolution	1440x900@75Hz
PPI	89.6
Brightness	300 cd/m2
Contrast Ratio	2000:1
Horizontal-Vertical Frequency	24-80KHZ (H) - 56-60HZ (V)
Viewing angle	160°(H),160°(V)
Response time	5ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	37W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	TBD
Weight	TBD
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/-,adjust +/-,
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
-------	-------------	---------------------

X193HQ - 18.5" Wide, 16:9 HD



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Appreciated value
- Enjoyable viewing experience
- Adaptive contrast management system
- Stylish and functional design
- High quality and secured performance

Standard Configuration

Display Size	18.5" Wide 16:9 HD (409.8x230mm)
Panel Technology	TN + film
Colors	16.7 M (6 + HiFRC)
Pixel Pitch	0.300 mm
Resolution	1366 x 768 @ 75 Hz
PPI	85
Brightness	300 cd/m2
Contrast Ratio	10'000:1 (ACM)
Horizontal-Vertical Frequency	30-80KHZ (H) - 55-60HZ (V)
Viewing angle	160°(H),160°(V) CR=10, 176°(H),176°(V) CR=5
Response time	5 ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	Energy Star On: 17W
Dimensions (WxHxD mm)	454.3x334.7x163.72 mm
Weight	4.5 Kg
VESA Wall Mounting	100 x 100 mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/-,adjust +/-,
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
X193HQb 18.5" Wide, 16:9 HD,5ms,10'000:1,TCO03,black,euro/uk cables, EMEA (Adaptive Contrast Management, Acer eDisplay Management)	ET.XX3HE.001	GBP 109.99

X203W - 20" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Widescreen multitasking, gaming and entertainment
- Superior 2500:1 contrast ratio
- High definition digital imaging
- Stylish and solid silver design
- Acer eColor management system
- Convenient digital input (optional)

Standard Configuration

Display Size	20"W 433x270mm
Panel Technology	TN panel
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.258mm
Resolution	1680x1050@75Hz
PPI	98.5
Brightness	300 cd/m2
Contrast Ratio	2500:1
Horizontal-Vertical Frequency	31.5~84KHz (H) - 56~75Hz(V)
Viewing angle	160°(H),160°(V)
Response time	5ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	49W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	TBD
Weight	TBD
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/-,adjust +/-,
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
-------	-------------	---------------------

X203H - 20" Wide 16:9 HD



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Cinematic 16:9 HD format
- Easy viewing and sharp imaging
- High definition digital imaging
- Higher resolution over a wider viewing area
- Acer eColor management system

Standard Configuration

Display Size	20" W - 16:9 (442.8 x 249mm)
Panel Technology	TN + film
Colors	16.7 M (6 + HiFRC)
Pixel Pitch	0.276mm
Resolution	1600 x 900 @ 60Hz
PPI	92
Brightness	300 cd/m2
Contrast Ratio	10'000:1 (ACM)
Horizontal-Vertical Frequency	30-80 KHz (H) / 55-75 Hz (V)
Viewing angle	170°(H),160°(V) CR=10, 176°(H),176°(V) CR=5
Response time	5 ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	
Power saving	Off: <1 W, Standby: < 2 W
Dimensions (WxHxD mm)	540x411x134 mm
Weight	
VESA Wall Mounting	100 x 100 mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT	
X203Hb 20" Wide, 16:9 HD, 5ms 10'000:1, TCO03 Black euro/UK cables EMEA + Adaptive Contrast Management	ET.DX3HE.002	GBP 129.99	

X222W - 22" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Chic and sophistication in design
- Acer CrystalBrite™ technology
- Premium ready for Vista
- Text precision, clearly defined lines and rich color
- View 34% more content on 22" Wide format
- Detailed PPI (pixel per inch)

Standard Configuration

Display Size	22"W 473x296 mm
Panel Technology	TN+Crystalbrite
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.282mm
Resolution	1680x1050@60Hz
PPI	90.2
Brightness	300 cd/m2
Contrast Ratio	1000:1
Horizontal-Vertical Frequency	30~82KHz (H) - 56~76Hz(V)
Viewing angle	160°(H),160°(V)
Response time	5ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	44W
Power saving	Off: 0.7W Standby: 0.8W
Dimensions (WxHxD mm)	513.8x417.7x203.8
Weight	5.2kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 languages reset mode, power on/off sw, power led, function +/-, adjust +/-
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick, BSMI, WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
X221W 22" Widescreen TFT, 1680 x 1050 Resolution, 5ms Response time, 800:1 Contrast Ratio, 300 cd/m2 Brightness, 160 degrees view angle, VGA input	ET.L980B.074	GBP 199.99
X221WD 22" Widescreen TFT, 1680 x 1050 Resolution, 5ms Response time, 800:1 Contrast Ratio, 300 cd/m2 Brightness, 160 degrees view angle, VGA and DVI input	ET.L980B.098	GBP 209.99

X223W - 22" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Vista Viewing on a 22" Widescreen
- Rich text and brilliant color
- Optimal pixel per inch - more detail
- Thrilling Media
- High definition digital imaging
- Slim, compact and secure

Standard Configuration

Display Size	22"W 473x296 mm
Panel Technology	TN panel
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.282mm
Resolution	1680x1050@60Hz
PPI	90.2
Brightness	300 cd/m2
Contrast Ratio	2500:1
Horizontal-Vertical Frequency	30-82KHz (H) - 56-76Hz(V)
Viewing angle	170°(H),160°(V)
Response time	5ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	45W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	TBD
Weight	TBD
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 languages reset mode, power on/off sw, power led, function +/-, adjust +/-
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick, BSMI, WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
-------	-------------	---------------------

X223WQ - 21.6" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Text precision and rich color
- View 76% more data content
- Convenient digital input DVI with HDCP (optional)
- Acer eDisplay, enhanced imaging and efficient management.
- Slim and attractive format design

Standard Configuration

Display Size	21.6"W 465x192 mm
Panel Technology	TN + film
Colors	16.7M (6+HIFRC)
Pixel Pitch	0.248 mm
Resolution	1680x1050@60Hz
PPI	92
Brightness	300 cd/m2
Contrast Ratio	2'500:1
Horizontal-Vertical Frequency	30-80KHz/55-75Hz
Viewing angle	160°(H), 160°(V)
Response time	5ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	
Dimensions (WxHxD mm)	518 x 401 x 177 mm
Weight	5.0 kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/-,adjust +/-.
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
-------	-------------	---------------------

X223HQ - 21.5" Wide Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Full High Definition Media
- Image precision and razor sharp motion video
- Seamless high definition digital content
- Solid quality and stylish design
- Acer eDisplay and ecoler management

Standard Configuration

Display Size	21.5"W (476.6x268.1 mm)
Panel Technology	TN + Film
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.248 mm
Resolution	1920 x 1080 @ 60 Hz
PPI	99
Brightness	300 cd/m2
Contrast Ratio	20'000:1
Horizontal-Vertical Frequency	30-80 KHz (H) / 55-75 Hz (V)
Viewing angle	170°(H),160°(V) CR=10, 176°(H),176°(V) CR=5
Response time	5 ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	Energy Star on: 50W </br> Max: < 58W
Dimensions (WxHxD mm)	521.8 x 376 x 177.4 mm
Weight	4.3 Kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/- ,adjust +/-.
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
X223HQb 21.5" Wide, 16:9 FHD, 5ms 20'000:1 Max TCO03 Black EURO/UK EMEA (Adaptive Contrast Management)	ET.WX3HE.001	GBP 149.99

X233H - 22" Wide 16:9 Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Cinematic Enjoyment over Full HD graphics
- Future proof digital content
- Thrilling and seamless media imaging
- High quality and long term viewing
- Acer eDisplay and ecoler management

Standard Configuration

Display Size	21.5"W Full HD 509.8 x 286.8 mm
Panel Technology	TN + Film
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.265 mm
Resolution	1920 x 1080 @ 60 Hz
PPI	96
Brightness	300 cd/m2
Contrast Ratio	40'000:1
Horizontal-Vertical Frequency	30-80 KHz (H) / 55-75 Hz (V)
Viewing angle	160°(H),160°(V) CR=10, 176°(H),176°(V) CR=5
Response time	5 ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	Energy Star on: 31.7W
Dimensions (WxHxD mm)	561.6 x 393.3 x 177.5 mm
Weight	6.57 Kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/- ,adjust +/-.
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
X233Hb 23" Wide, 16:9 FHD, 5ms 40000:1, TCO03 Black Euro/UK EMEA + Adaptive Contrast Management	ET.VX3HE.003	GBP 149.99

X243W - 24" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Text precision and rich color
- View 76% more data content
- Convenient digital input DVI with HDCP (optional)
- Acer eDisplay, enhanced imaging and efficient management.
- Slim and attractive format design

Standard Configuration

Display Size	24"W 547x352mm
Panel Technology	TN panel
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.270mm
Resolution	1920x1200@60Hz
PPI	94.1
Brightness	400 cd/m2
Contrast Ratio	3000:1
Horizontal-Vertical Frequency	24KHz --80KHz (H) - 49Hz-75Hz(V)
Viewing angle	160°(H),160°(V)
Response time	5ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	90W
Power saving	Off: 1W Standby: 2W
Dimensions (WxHxD mm)	TBD
Weight	TBD
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 languages reset mode, power on/off sw, power led, function +/-, adjust +/-.
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick, BSMI, WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
-------	-------------	---------------------

X243H - 24" Wide 16:9 Full HD

Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Full high definition digital media
- View 76% more data content
- Advanced digital and DRM protected content
- Acer empowering display technologies.
- Slim and attractive format design
- Large 16:9 widescreen multitasking

Standard Configuration

Display Size	24" Wide 16:9 Full HD - 531.4x298.9mm
Panel Technology	TN + Film
Colors	16.7M (6+HiFRC)
Pixel Pitch	0.276 mm
Resolution	1920x1080@60Hz
PPI	92
Brightness	300 cd/m2
Contrast Ratio	40'000:1
Horizontal-Vertical Frequency	30-80KHz/55-75Hz
Viewing angle	160°(H),160°(V) CR=10, 176°(H),176°(V) CR= 5
Response time	2 ms
Input signal	Analog or Dual Input (DVI w/HDCP)
Power consumption	
Dimensions (WxHxD mm)	578.5 x 423.1 x 201.9 mm
Weight	7.8 Kg
VESA Wall Mounting	100x100mm
Kensington lock	Supported
Video support mode	VGA, SVGA, XGA, SXGA, NEC, Apple and VESA
Front panel controls	Brightness, contrast, picture position, pixel clock frequency, color select and adjust, 5 lanuages reset mode,power on/off sw,power led,function +/- ,adjust +/-,
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13402-6

Model	Part Number	Price Including VAT
-------	-------------	---------------------

B173 - 17"



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Robust and solid display with height adjustment
- Sharp and crisp digital imaging
- Energy saving and environmentally friendly
- Zero bright pixel guaranteed
- Acer eDisplay for advanced and easy display enhancements.

Standard Configuration

Display size	17"(338x270mm)
Panel Technology	TN+film
Resolution	1280 x 1024
Pixel pitch	0.264mm
PPI	96.2
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	2000:1 (ACM)
Brightness	300 cd/m2
Response rate	5ms
Colours	16.2m (6 bit data)
NTSC Colour situation	72%
Internal speakers	2 X 1W
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°
Height Adjustment	80mm up/down Height Adjustment
Wall-mount	100mmX100mm
Kensington lock support	Supported
Connections	Analog (D-sub), Digital (DVI-D), Internal Power Supply
Weight	5.1kg
Dimensions	369.72x422.7-342.7x198.5
Power consumption	Energy Star On: 27.9W, Max On:<35W, Off: <1W, Standby: <2W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, TCO03, ISO 13406-2
Warranty	All Acer LCDs support a three year carry-in warranty. B173 supports zero bright dot pixel.
Free Accessories	European, UK or Swiss Power Cables, VGA cable, DVI Cable

Model	Part Number	Price Including VAT
-------	-------------	---------------------

B173A - 17"



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Robust and solid display with height adjustment
- Sharp and crisp digital imaging
- Energy saving and environmentally friendly
- Zero bright pixel guaranteed
- Acer eDisplay for advanced and easy display enhancements.

Standard Configuration

Display size	17"(338x270mm)
Panel Technology	TN+film
Resolution	1280 x 1024
Pixel pitch	0.264mm
PPI	96.2
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	7'000:1 (ACM)
Brightness	300 cd/m2
Response rate	5ms
Colours	16.2m (6 bit data)
NTSC Colour situation	72%
Internal speakers	2 X 1W
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°
Height Adjustment	80mm up/down Height Adjustment
Wall-mount	100mmX100mm
Kensington lock support	Supported
Connections	Analog (D-sub), Digital (DVI-D), Internal Power Supply
Weight	4.9 kg
Dimensions	369.72x422.7-342.7x198.5
Power consumption	Energy Star On: 22W, Off: 0W, Standby: 0.6W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, TCO03, ISO 13406-2
Warranty	All Acer LCDs support a three year carry-in warranty. B173 supports zero bright dot pixel.
Free Accessories	European, UK or Swiss Power Cables, VGA cable, DVI Cable

Model	Part Number	Price Including VAT
B173Aymdh 17", 5 ms,7000:1,DVI, Speakers, TCO03, Darkgrey, Height Adj., Euro/UK power cord, EMEA (Adaptive Contrast Management + Acer eDisplay Management + Zero Bright Dot)	ET.BB3ZE.A02	GBP 139.99

B193 - 19"



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- A solid display with a professional view
- Energy saving and environmentally friendly
- Acer eDisplay, your display assistant.
- Optimize your office space
- Seamless digital imaging
- Zero bright pixel guaranteed.

Standard Configuration

Display size	19"(376 x 301 mm)
Panel Technology	TN+film
Resolution	1280 x 1024
Pixel pitch	0.294mm
PPI	86.5
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	2000:1 (ACM)
Brightness	300 cd/m2
Response rate	5ms
Colours	16.7m (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	2 X 1W
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel : 35°/35°
Height Adjustment	Yes. 8 cm up/down
Wall-mount (VESA)	100mmX100mm
Kensington lock support	Yes
Connections	Analog (D-sub), Digital (DVI-D), Internal Power supply
Weight	4.5kg
Dimensions	408.3 x 437.3-357.3 x 198.5
Power consumption	Energy Star On: 27.3W, Max On: <45W, Off: <1W, Standby: <1.5W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	All Acer LCDs support a three year carry-in warranty. B193 supports zero bright dot pixel.
Free Accessories	European, UK and Swiss Power cables, VGA and DVI cable. Acer eDisplay management system.

Model	Part Number	Price Including VAT
B193ymdh 19", 5ms, 2000:1, Speakers, DVI, TCO03, Darkgrey, Height Adjustment, euro/uk cables, EMEA (Adaptive Contrast Management + Acer eDisplay Management + Zero Bright Dot Warranty)	ET.CB3RE.003	GBP 151.25

B193A - 19''



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- A solid display with a professional view
- Energy saving and environmentally friendly
- Acer eDisplay, your display assistant.
- Optimize your office space
- Seamless digital imaging
- Zero bright pixel guaranteed.

Standard Configuration

Display size	19"(376 x 301 mm)
Panel Technology	TN+film
Resolution	1280 x 1024
Pixel pitch	0.294mm
PPI	86.5
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	10'000:1 (ACM)
Brightness	300 cd/m2
Response rate	5 ms
Colours	16.7m (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	2 X 1W
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel : 35°/35°
Height Adjustment	Yes. 8 cm up/down
Wall-mount (VESA)	100mmX100mm
Kensington lock support	Yes
Connections	Analog (D-sub), Digital (DVI-D), Internal Power supply
Weight	5.2 kg
Dimensions	408.3 x 437.3-357.3 x 198.5
Power consumption	Energy Star On: 26.5W, Off: 0.65W, Standby: 0.8W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	All Acer LCDs support a three year carry-in warranty. B193 supports zero bright dot pixel.
Free Accessories	European, UK and Swiss Power cables, VGA and DVI cable. Acer eDisplay management system.

Model	Part Number	Price Including VAT
-------	-------------	---------------------

B193W - 19" Wide

Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Rich color and sharp text
- Reducing the cost of ownership
- Optimize your office space
- Seamless digital imaging
- Solid, Safe and Zero bright dot
- Acer eDisplay, your display assistant.

Standard Configuration

Display size	19" Wide (408x 255 mm)
Panel Technology	TN+film
Resolution	1440 x 900
Pixel pitch	0.284mm
PPI	89.6
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	2000:1 ACM
Brightness	300 cd/m2
Response rate	5ms
Colours	16.7m (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	2 X 1W
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°
Height Adjustment	Yes, 80 mm
Wall-mount (VESA)	100mmX100mm
Kensington lock support	Yes
Connections	Analog (D-sub), Digital (DVI-D), Internal Power Supply
Weight	5.4kg
Dimensions	440.24 x 413.58-333.58 x 198.5
Power consumption	Energy On: 26W, Max On: <37W, Off: <1W, Standby: <2W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	All Acer LCDs support a three year carry-in warranty. Supports zero bright dot pixel.
Free Accessories	European, UK and Swiss Power cables, VGA and DVI cable. Acer eDisplay management system.

Model	Part Number	Price Including VAT
B193Wymdh 19" Wide, 5ms, 2000:1, DVI w/HDCP, Speakers, TCO03, Darkgrey, Height Adjustment, euro cable, EMEA (Adaptive Contrast Management + Acer eDisplay Management + Zero Bright Dot Warranty)	ET.CB3WE.001	GBP 155.25

B193WB - 19" Wide

jfor V0.7.1:
org.jfor.jfor.rtf.lib.rtf
doc.RtfExternalGr
aphic\$ExternalGr
aphicException.org.jfor.
jfor.rtf.lib.rtf.doc.RtfExternalGraphic\$External
GraphicException: The attribute 'src' of
<fo:external-graphic> has a invalid value:
'http://cms.acer-euro.com/pricelist/wr-
resource/3856773767/upload/E0Entity3/1/A
cer B193W Series 02
fv.jpg'(java.io.IOException: Server returned
HTTP response code: 500 for URL:
http://cms.acer-euro.com/pricelist/wr-
resource/3856773767/upload/E0Entity3/1/A
cer B193W Series 02 fv.jpg)

Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Rich color and sharp text
- Reducing the cost of ownership
- Optimize your office space
- Seamless digital imaging
- Solid, Safe and Zero bright dot
- Acer eDisplay, your display assistant.

Standard Configuration

Display size	19" Wide (408 x 255 mm)
Panel Technology	TN+film
Resolution	1440 x 900
Pixel pitch	0.283 mm
PPI	89.6
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	10'000:1 ACM
Brightness	300 cd/m2
Response rate	5 ms
Colours	16.7m (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	2 X 1W
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°
Height Adjustment	Yes, 80 mm up/down
Wall-mount (VESA)	100mmX100mm
Kensington lock support	Yes
Connections	Analog (D-sub), Digital (DVI-D), Internal Power Supply
Weight	5.4kg
Dimensions	440.24 x 413.58-333.58 x 198.5 mm
Power consumption	Energy On: 22.1W, Off: 0.59W, Standby: 0.85W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	All Acer LCDs support a three year carry-in warranty. Supports zero bright dot pixel.
Free Accessories	European, UK and Swiss Power cables, VGA and DVI cable. Acer eDisplay management system.

Model	Part Number	Price Including VAT
-------	-------------	---------------------

B203W - 20" Wide



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Solid and Secure Display
- Acer eDisplay for advanced and easy display enhancements
- Energy saving and environmentally friendly
- Advanced color management
- Stunning picture quality

Standard Configuration

Display Size	20 Wide", 433x270 mm
Panel Technology	TN + Film
Resolution	1680x1050
Pixel pitch	0.258 mm
PPI	98.5
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast Ratio	2500:1 (ACM)
Brightness	300 cd/m2
Response rate	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC colour situation	72%
Loudspeakers	2 x 1W
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt : -5°/15°, Swivel : 35°/35°, Pivot: 90°
Height Adjustment	Yes 110 mm
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/HDCP), Internal Power supply
Net Weight	7.4kg
Dimensions (W x H x D)	471.5 x 346.5-456.5 x 216
Power Consumption	Energy Star ON: 32.7W, Max On: <49W, Off: 1W, Standby: 2W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	Three Years bring-in Service. Zero Bright Dot warranty
Chassis Colour	Darkgrey
Free Accessories	European, UK & Swiss Power Cables, VGA Analog, DVI Cable, Acer eDisplay Management, Acer GridVista and pivot Software

Model	Part Number	Price Including VAT
B203Wymdr 20" Wide, 5ms, 2500:1, Speakers, DVI w/HDCP, TCO03, Darkgrey, Pivot, Hgt Adj., euro-uk cables EMEA (Adaptive Contrast Management + Acer eDisplay Management + Acer GridVista + Zero Bright Dot Warranty)	ET.DB3WE.003	GBP 171.35

B203WA - 20" Wide



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Solid and Secure Display
- Acer eDisplay for advanced and easy display enhancements
- Energy saving and environmentally friendly
- Advanced color management
- Stunning picture quality

Standard Configuration

Display Size	20 Wide", 433x270 mm
Panel Technology	TN + Film
Resolution	1680x1050
Pixel pitch	0.258 mm
PPI	98.5
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast Ratio	10'000:1 (ACM)
Brightness	300 cd/m2
Response rate	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC colour situation	72%
Loudspeakers	2 x 1W
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt : -5°/15°, Swivel : 35°/35°, Pivot: 90°
Height Adjustment	Yes 110 mm
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/HDCP), Internal Power supply
Net Weight	5.8 kg
Dimensions (W x H x D)	471.5 x 346.5-456.5 x 216 mm
Power Consumption	Energy Star ON: 28W, Off: 0.6W, Standby: 0.65W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	Three Years bring-in Service. Zero Bright Dot warranty
Chassis Colour	Darkgrey
Free Accessories	European, UK & Swiss Power Cables, VGA Analog, DVI Cable, Acer eDisplay Management, Acer GridVista and pivot Software

Model	Part Number	Price Including VAT
-------	-------------	---------------------

B223W - 22" Wide



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- High definition digital content
- Easy viewing and sharp imaging
- View 34% more data on a large 22" display
- Versatile design and fully ergonomic
- Acer advanced eColor management, real power!
- Reliable performance and security, zero bright dot
- Acer eDisplay, your professional assistant!

Standard Configuration

Display Size	22 Wide", 473x296 mm
Panel Technology	TN + Film
Resolution	1680x1050
Pixel pitch	0.282mm
PPI	90.2
Horizontal frequency	30 - 80kHz
Vertical frequency	55 - 75 Hz
Contrast Ratio	2500:1 (ACM)
Brightness	300 cd/m2
Response rate	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	2 x 1W
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	170°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°, Pivot: 90°
Height Adjustment	Yes, 110mm
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/HDCP), Internal Power supply
Net Weight	7.5 kg
Dimensions (WxHxD)	506 x 357-467 x 216
Power Consumption	Energy Star On: 33.4W, Max On: 43.9W, Off: 0W, Standby: 0.9W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	3 years bring in service and zero bright dot policy
Chasis Color	Darkgrey
Free Accessories	European, UK & Swiss Power Cables, VGA Analog, DVI Cable & Acer GridVista Software, Acer eDisplay, Acer ecoler

Model	Part Number	Price Including VAT
B223Wymdr 22" Wide, 5ms, 2500:1, Speakers, DVI w/HDCP, TCO03, Darkgrey, Pivot, Height Adjustment, euro/ uk cables, EMEA (Adaptive Contrast Management + Acer eDisplay Management + Acer GridVista + Zero Bright Dot Warranty)	ET.EB3WE.003	GBP 210.33

B223WB - 22" Wide



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- High definition digital content
- Easy viewing and sharp imaging
- View 34% more data on a large 22" display
- Versatile design and fully ergonomic
- Acer advanced eColor management, real power!
- Reliable performance and security, zero bright dot
- Acer eDisplay, your professional assistant!

Standard Configuration

Display Size	22 Wide", 473x296 mm
Panel Technology	TN + Film
Resolution	1680x1050
Pixel pitch	0.282mm
PPI	90.2
Horizontal frequency	30 - 80kHz
Vertical frequency	55 - 75 Hz
Contrast Ratio	10'000:1 (ACM)
Brightness	300 cd/m2
Response rate	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	2 x 1W
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	170°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°, Pivot: 90°
Height Adjustment	Yes, 110mm
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/HDCP), Internal Power supply
Net Weight	6.4 kg
Dimensions (WxHxD)	506 x 357-467 x 216 mm
Power Consumption	Energy Star On: 30W, Off: 0.59W, Standby: 0.7W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	3 years bring in service and zero bright dot policy
Chassis Color	Darkgrey
Free Accessories	European, UK & Swiss Power Cables, VGA Analog, DVI Cable & Acer GridVista Software, Acer eDisplay, Acer ecolor

Model	Part Number	Price Including VAT
B223WBymdr 22" Wide, 5ms, 10'000:1, Speakers, DVI w/HDCP, TCO03, Darkgrey, Pivot, Height Adj., euro/uk power cord, EMEA (Adaptive Contrast Management + Acer eDisplay Management + GridVista + Zero Bright Dot)	ET.EB3XE.B02	GBP 205.85

B223W - 22" Notebook up-grade kit



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- One-step, notebook connectivity
- Multi-functionality
- Powerful graphic performance
- Solid ergonomics with enhanced mobility
- Acer advanced eColor management, real power!
- Expanded connectivity
- Acer eDisplay, your professional assistant!

Standard Configuration

Display Size	22 Wide", 473x296 mm
Panel Technology	TN + Film
Resolution	1680x1050
Pixel pitch	0.282mm
PPI	90.2
Horizontal frequency	30 – 80kHz
Vertical frequency	55 - 75 Hz
Contrast Ratio	10'000:1 (ACM)
Brightness	300 cd/m2
Response rate	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	2 x 1W
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	170°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°, Pivot: 90°
Height Adjustment	Yes, 110mm
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub), 2X USB w/ wireless dongle, Internal Power supply
Net Weight	7.5 kg
Dimensions (WxHxD)	506 x 357-467 x 216
Power Consumption	Energy Star On: 30W, Off: 0.59W, Standby: 0.7W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	3 years bring in service and zero bright dot policy
Chassis Color	Darkgrey
Free Accessories	USB Hub, Wireless Keyboard & Mouse, European, UK & Swiss Power Cables, VGA Analog Cable & Acer GridVista Software, Acer eDisplay, Acer ecoler

Model	Part Number	Price Including VAT
-------	-------------	---------------------

B243W - 24" Wide



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Ease of multi-tasking plus viewing multiple applications
- Acer eDisplay for advanced and easy display enhancements.
- Brilliant display & vibrant colors
- High connectivity level
- Acers FlxArm Technology for superior ergonomics
- Zero bright pixel policy

Standard Configuration

Display Size	24 Wide", 547x352mm
Panel Technology	TN + Film
Resolution	1920 X 1200
Pixel pitch	0.270 mm
PPi	94.1
Horizontal frequency	30 – 80 KHz
Vertical frequency	55 – 75 Hz
Contrast Ratio	3000:1 (ACM)
Brightness	400 cd/m2
Response rate	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	No
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°, Pivot: 90°
Height Adjustment	Yes 110mm
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/ HDCP), Internal Power supply
Net Weight	8.6 kg
Dimensions (WxHxD)	562.4 x 407.8-517.8 x 234.7 mm
Power Consumption	Energy Star On : 48.6W, Max On: <90W, Off : <1.0W, Stand By : <2W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	3 years bring in and zero bright dot pixel policy.
Chasis Color	Darkgrey
Free Accessories	European, UK & Swiss Power Cables, VGA Analog, DVI Cable & Acer eDisplay, Acer ecolor management

Model	Part Number	Price Including VAT
B243Wydr 24" Wide, 5ms, 3000:1, DVI w/HDCP, TCO03, Darkgrey, Pivot, Height Adjustment, euro/uk cables, EMEA (Adaptive Contrast Management + Acer eDisplay Management + Acer GridVista + Zero Bright Dot Warranty)	ET.FB3WE.003	GBP 280.83

B243WB - 24" Wide



Target User

- Professional and Small Business Solutions
- Small and Medium Companies
- Enterprises

Key Selling Points

- Ease of multi-tasking plus viewing multiple applications
- Acer eDisplay for advanced and easy display enhancements.
- Brilliant display & vibrant colors
- High connectivity level
- Acers FlxArm Technology for superior ergonomics
- Zero bright pixel policy

Standard Configuration

Display Size	24 Wide", 547x352mm
Panel Technology	TN + Film
Resolution	1920 X 1200
Pixel pitch	0.270 mm
PPi	94.1
Horizontal frequency	30 – 80 KHz
Vertical frequency	55 – 75 Hz
Contrast Ratio	40'000:1 (ACM)
Brightness	400 cd/m2
Response rate	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	No
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°, Pivot: 90°
Height Adjustment	Yes 110mm
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/ HDCP), Internal Power supply
Net Weight	8.6 kg
Dimensions (WxHxD)	562.4 x 407.8-517.8 x 234.7 mm
Power Consumption	Energy Star On : 38.8W, Off : 0.8W, Stand By : 1.02W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	3 years bring in and zero bright dot pixel policy.
Chasis Color	Darkgrey
Free Accessories	European, UK & Swiss Power Cables, VGA Analog, DVI Cable & Acer eDisplay, Acer ecoler management

Model	Part Number	Price Including VAT
-------	-------------	---------------------

V173 - 17"



Target User

- Home/Private Users
- Small and Medium Companies

Key Selling Points

- High speed imaging for action-packed visuals.
- Rich details for easy viewing.
- No distortion for high quality view
- Customize your view
- Low power consumption

Standard Configuration

Display size	17", 338 X 270mm
Panel Technology	TN + Film
Resolution	1280 X 1024
Pixel pitch	0.264 mm
PPI	96.2
Horizontal frequency	30 ~ 80KHz
Vertical frequency	55 ~ 75Hz
Contrast Ratio	2000:1
Brightness	300 cd/m2
Response rate	5ms
Colour	16.2M colors (6 bit)
NTSC Colour situation	72%
Multimedia	2 x 1W (optional Speakers)
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°, Swivel: 35°/35°
Wall-mount	VESA wall-mount 100x100mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Dgital (optional) Internal Power supply
Net Weight	3.75 kg
Dimensions (H x W x D)	370.2x376x160.2
Power Consumption	Energy Star On: 27.9W, Max On: <34W, Off: <1W, Stan By: <2W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO03
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Free Accessories	All European Power Cables and VGA Cable

Model	Part Number	Price Including VAT
V173b 17"LCD 5ms 2000:1, TCO03, Black, Euro/UK cable, EMEA (Adaptive Contrast Management + Acer eDisplay Management)	ET.BV3RE.001	GBP 93.15
V173b 17"LCD 5ms 2000:1,TCO03, Black, euro/uk cables, EMEA (Adaptive Contrast Management + Acer eDisplay Management)	ET.BV3RE.003	GBP 93.15
V173Ab 17"LCD 5ms 7000:1, TCO03, Black, UK/Euro cable, EMEA (Adaptive Contrast Management + Acer eDisplay Management)	ET.BV3RE.A03	GBP 93.15
V173Bm 17"LCD 5ms 2000:1 Speakers, TCO03, Black, Euro/UK cables, EMEA, Acer eDisplay Management	ET.BV3RE.018	GBP 98.90
V173Abm 17"LCD 5ms 7000:1 Speakers, TCO03, Black, Euro/UK cables, EMEA, Acer eDisplay Management	ET.BV3RE.A13	GBP 98.90

V173A - 17"



Target User

- Home/Private Users
- Small and Medium Companies

Key Selling Points

- High speed imaging for action-packed visuals.
- Rich details for easy viewing.
- No distortion for high quality view
- Customize your view
- Low power consumption

Standard Configuration

Display size	17", 338 X 270mm
Panel Technology	TN + Film
Resolution	1280 X 1024
Pixel pitch	0.264 mm
PPI	96.2
Horizontal frequency	30 ~ 80KHz
Vertical frequency	55 ~ 75Hz
Contrast Ratio	7'000:1
Brightness	300 cd/m2
Response rate	5 ms
Colour	16.2M colors (6 bit)
NTSC Colour situation	72%
Multimedia	2 x 1W (optional Speakers)
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount	VESA wall-mount 100x100mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Digital (optional), Internal Power supply
Net Weight	3.75 kg
Dimensions (H x W x D)	370.2x376x160.2 mm
Power Consumption	Energy Star On: 22W, Off: 0.5W, Stand By: 0.6W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO03
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Free Accessories	All European Power Cables and VGA Cable

Model	Part Number	Price Including VAT
V173Ab 17"LCD 5ms, 7000:1, TCO03, Black, euro/UK cord, EMEA (Adaptive Contrast Management + Acer eDisplay Management)	ET.BV3RE.A03	GBP 93.15
V173Abm 17"LCD 5ms, 7000:1, Speakers, TCO03, Black, euro/UK cord, EMEA (Adaptive Contrast Management + Acer eDisplay Management)	ET.BV3RE.A13	GBP 98.90
V173Abdm 17"LCD 5ms, 7000:1, DVI, Speakers, TCO03, Black, euro/UK cord, EMEA (Adaptive Contrast Management + Acer eDisplay Management)	ET.BV3RE.A18	GBP 98.90

V193 - 19"



Target User

- Home/Private Users
- Small and Medium Companies

Key Selling Points

- Action packed visuals
- Sharp colors and rich data
- Acer empowering technology
- Reliability and Office performance
- Acer eDisplay for advanced and easy display enhancements.

Standard Configuration

Display Size	19" TFT (376X301mm)
Panel Technology	TN + Film
Resolution	1280 x 1024
Pixel Pitch	0.294 mm
PPI	86.5
Horizontal Frequency	30-80KHZ
Vertical Frequency	55-75HZ
Contrast Ratio	2000:1
Brightness	300 cd/m2
Response Time	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Multimedia	2 x 1W
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°, Swivel: 35°/35°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub), Optional Digital (DVI) Internal Power supply
Weight	3.91 kg
Dimensions (WXHXD)	408 x 406.8 x 180.4
Power Consumption	Energy Star On: 27.3W, Max On: <38.5W, Standby: <1.5W, Off: <1W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick, BSMI, WHQL, ISO 13402-6
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Additional Accessories	Includes Euro, Swiss and UK power cables, VGA.

Model	Part Number	Price Including VAT
V193b 19"LCD 5ms, 2000:1, TCO03, Black, euro/uk cables, EMEA, Acer eDisplay Management	ET.CV3RE.003	GBP 108.10
V193Ab 19"LCD 5ms, 10000:1, TCO03, Black, euro/uk cables, EMEA, Acer eDisplay Management	ET.CV3RE.A03	GBP 108.10
V193bm 19"LCD 5ms, 2000:1, Speakers, TCO03, Black, euro/uk cables, EMEA, Acer eDisplay Management	ET.CV3RE.018	GBP 113.85
V193Abm 19"LCD 5ms, 10000:1, Speakers, TCO03, Black, euro/uk cables, EMEA, Acer eDisplay Management	ET.CV3RE.A13	GBP 113.85

V193A - 19"



Target User

- Home/Private Users
- Small and Medium Companies

Key Selling Points

- Action packed visuals
- Sharp colors and rich data
- Acer empowering technology
- Reliability and Office performance
- Acer eDisplay for advanced and easy display enhancements.

Standard Configuration

Display Size	19" TFT (376X301mm)
Panel Technology	TN + Film
Resolution	1280 x 1024
Pixel Pitch	0.294 mm
PPI	86.5
Horizontal Frequency	30-80KHZ
Vertical Frequency	55-75HZ
Contrast Ratio	10'000:1
Brightness	300 cd/m2
Response Time	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Multimedia	2 x 1W Optional
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub), Optional Digital (DVI) Internal Power supply
Weight	3.91 kg
Dimensions (WXHXD)	408 x 406.8 x 180.4 mm
Power Consumption	Energy Star On: 26.5W, Standby: 0.8W, Off: 0.65W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick, BSMI, WHQL, ISO 13402-6
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Additional Accessories	Includes Euro, Swiss and UK power cables, VGA.

Model	Part Number	Price Including VAT
V193Ab 19"LCD 5ms,10000:1, TCO03, Black, euro/UK cord, EMEA (Acer eDisplay Management)	ET.CV3RE.A03	GBP 108.10
V193Abm 19"LCD 5ms,10000:1, Speakers, TCO03, Black, euro/UK cord, EMEA (Acer eDisplay Management)	ET.CV3RE.A13	GBP 113.85

V193W - 19" Wide



Target User

- Home/Private Users
- Small and Medium Companies

Key Selling Points

- True home cinema
- Crisp and clean images
- Intelligent adaptive contrast management
- Slim format for the modern home
- Long term performance
- Reliability and long term performance

Standard Configuration

Display Size	19" Wide 408x255mm
Panel Technology	TN + Film
Resolution	1440X900
Pixel Pitch	0.284 mm
PPI	89.6
Horizontal Frequency	30-80KHZ
Vertical Frequency	55-75HZ
Contrast Ratio	2000:1
Brightness	300 cd/m2
Response Time	5ms
Colours	16.2M (6 bit)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°, Swivel: 35°/35°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional Digital (DVI) Internal Power Supply
Weight	4.3 kg
Dimensions (WXHXD)	441.8 x 360.1 x 161.5
Power Consumption	Energy Star On: 26W, Max On: <37, Stand By: <2W, Off: <1W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick, BSMI, WHQL, ISO 13402-6
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black

Model	Part Number	Price Including VAT
V193Wb 19" Wide 5ms, 2000:1, TCO03, Black, euro/uk cable , EMEA, Acer eDisplay Management	ET.CV3WE.003	GBP 95.45
V193Wab 19" Wide 5ms, 10000:1, TCO03, Black, euro/uk cable , EMEA, Acer eDisplay Management	ET.CV3WE.A03	GBP 95.45

V193WA - 19" Wide



Target User

- Home/Private Users
- Small and Medium Companies

Key Selling Points

- True home cinema
- Crisp and clean images
- Intelligent adaptive contrast management
- Slim format for the modern home
- Long term performance
- Reliability and long term performance

Standard Configuration

Display Size	19" Wide 408x255mm
Panel Technology	TN + Film
Resolution	1440X900
Pixel Pitch	0.284 mm
PPI	89.6
Horizontal Frequency	30-80KHZ
Vertical Frequency	55-75HZ
Contrast Ratio	10'000:1
Brightness	300 cd/m2
Response Time	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional Digital (DVI) Internal Power Supply
Weight	4.3 kg
Dimensions (WXHXD)	441.8 x 360.1 x 161.5 mm
Power Consumption	Energy Star On: 22.1W, Stand By: 0.85W, Off: 0.59W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick, BSMI, WHQL, ISO 13402-6
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black

Model	Part Number	Price Including VAT
V193WAb 19" Wide 5ms, 10'000:1, TCO03, Black, euro/UK cord, EMEA (Acer eDisplay Management)	ET.CV3WE.A03	GBP 95.45

V193HQ 18.5" Wide 16:9 HD



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Appreciated value
- Enjoyable viewing experience
- Adaptive contrast management system
- Stylish and functional design
- High quality and secured performance

Standard Configuration

Size/Type	18.5" TFT LCD 16:9 HD, 409.8x230 mm
Panel Technology	TN + Film
Maximum Resolution	1366x768
Maximum Refresh Rate	75Hz
Horizontal Frequency	30KHz - 80KHz
Vertical Frequency	55Hz - 75Hz
Dynamic Contrast Ratio	10'000:1
Viewing Angle 5:1 (H/V)	176°/176°
Viewing Angle 10:1 (H/V)	160°/160°
Brightness	300 cd/m
Response Time	5ms
Pixel Pitch	0.300 mm
Maximum Colors	16.7 million
Color Saturation	72% NTSC
Bit	Six + HiFRC (high frame rate control)
Acer® CrystalBrite Technology	No
Connections	Analog (VGA), Digital (DVI with HDCP), internal power supply
Power Consumption	Energy Star On: 21.2W, Stand by: 0.67W, Off: 0.67W
Audio	No speakers
Mechanical Adjustments	Tilt: -5°~15° Swivel: No Pivot: No Height adjustment: No
Kensington® Lock	Supported
VESA Wall Mount	Supported 100x100 mm
Dimensions & Weight	444x334.96x176.52 mm 3.5 Kg
Compliance	Energy Star® TCO'03
Chassis Color	Black
Limited Warranty	Three-year parts and labor limited warranty*

Model	Part Number	Price Including VAT
-------	-------------	---------------------

V203W - 20" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Widescreen multitasking and entertainment
- Action packed gaming.
- Sharp and crisp digital imaging
- Digital input for the latest PC graphic card support
- Acer eDisplay for advanced and easy display enhancements.
- Energy saving and environmentally friendly

Standard Configuration

Display Size	20" Wide - 433 x 270 mm
Panel Technology	TN + Film
Resolution	1680 x 1050
Pixel Pitch	0.258 mm
PPI	98.5
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast Ratio	2500:1
Brightness	300 cd/m2
Response Time	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Optional Digital (DVI) Internal Power Supply
Weight	Net : 5.5kgs
Dimensions (WXHXD)	471.5 x 376 x 108.3
Power Consumption	Energy Star On : 32.7W, max On: 39W, Off: 0.7W, Standby: 0.85W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-mark, ISO 13406-2, CE, CB, FCC TCO 03, TUV/EGO
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black

Model	Part Number	Price Including VAT
V203Wb 20" Wide 5ms, 2500:1, TCO03, Black, euro/uk cables, EMEA, Acer eDisplay Management	ET.DV3WE.003	GBP 98.90

V203WA - 20" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Widescreen multitasking and entertainment
- Action packed gaming.
- Sharp and crisp digital imaging
- Digital input for the latest PC graphic card support
- Acer eDisplay for advanced and easy display enhancements.
- Energy saving and environmentally friendly

Standard Configuration

Display Size	20" Wide - 433 x 270 mm
Panel Technology	TN + Film
Resolution	1680 x 1050
Pixel Pitch	0.258 mm
PPI	98.5
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast Ratio	10'000:1
Brightness	300 cd/m2
Response Time	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Optional Digital (DVI) Internal Power Supply
Weight	Net : 5.5kgs
Dimensions (WXHxD)	471.5 x 376 x 108.3 mm
Power Consumption	Energy Star On : 28W, Off: 0.6W, Standby: 0.65W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-mark, ISO 13406-2, CE, CB, FCC TCO 03, TUV/EGO
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black

Model	Part Number	Price Including VAT
V203WAb 20" Wide 5ms, 10'000:1, TCO03, Black, euro/UK cord, EMEA (Acer eDisplay Management)	ET.DV3WE.A03	GBP 98.90

V203H - 20" Wide 16:9 HD



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Cinematic 16:9 HD format
- Easy viewing and sharp imaging
- High definition digital imaging
- Higher resolution over a wider viewing area
- Acer eColor management system

Standard Configuration

Size/Type	20" wide-screen TFT LCD, 16:9 HD, 442.8x249 mm
Panel Technology	TN + Film
Maximum Resolution	1600 x 900
Horizontal Frequency	30KHz - 80KHz
Vertical Frequency	55Hz - 75Hz
Dynamic Contrast Ratio	10'000:1
Viewing Angle 5:1 (H/V)	176°/176°
Viewing Angle 10:1 (H/V)	170°/160°
Brightness	300 cd/m
Response Time	5ms
Pixel Pitch	0.276 mm
Maximum Colors Supported	16.7 million
Color Saturation	72% NTSC
Bit	Six + HiFRC (high frame rate control)
Acer® CrystalBrite Technology	No
Signal Connectors	VGA DVI with HDCP (optional)
Power Consumption	Energy Star On: 25.4W Off: 0.42W Standby: 0.52W
Audio	Optional
Mechanical Adjustments	Tilt: -5°~15° Swivel: No Pivot: No Height adjustment: No
Kensington® Lock	Supported
VESA Wall Mount	Supported
Dimensions & Weight	474.8x350.2x177 mm 4.2 Kg
Compliance	Energy Star® TCO'03
Chassis Color	Black
Limited Warranty	Three-year parts and labor limited warranty

Model	Part Number	Price Including VAT
V203Hb 20" Wide, 16:9 HD, 5ms 10000:1 Max, TCO03 Black euro/UK cord, Adaptive contrast management, Acer eDisplay Management	ET.DV3HE.001	GBP 98.90

V223W - 22" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Text precision and rich color
- View 34% more data or media content
- Acer eDisplay for advanced and easy display enhancements.
- Energy saving and environmentally friendly
- Detailed PPI (pixel per inch)
- High definition digital imaging

Standard Configuration

Display Size	22 Wide", 473x296 mm
Panel Technology	TN + Film
Resolution	1680x1050
Pixel pitch	0.282mm
PPI	90.2
Horizontal frequency	30~ 80 kHz
Vertical frequency	55 ~ 75 Hz
Contrast Ratio	2500:1
Brightness	300 cd/m2
Response rate	5ms
Colours	16.7M (6 + HiFRC)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	170° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°, Swivel: 35°/35°
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional digital (DVI) Internal Power supply
Net Weight	5.2 kg
Dimensions (H x W x D)	506x399x180
Power Consumption	Energy Star On: 33.4W, Max On:<45W, Off: <1W, Standby: <2W
MTBF Hours	50000hr/25°C
Compliance & Approvals	TCO03
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Free Accessories	VGA cable, power cables

Model	Part Number	Price Including VAT
V223Wb 22" Wide 5ms, 2500:1, TCO03, Black, euro/uk cables, EMEA, Acer eDisplay Management	ET.EV3WE.003	GBP 132.25
V223Wab 22" Wide 5ms, 10000:1, TCO03, Black, euro/uk cables, EMEA, Acer eDisplay Management	ET.EV3WE.A03	GBP 132.25

V223WA - 22" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Text precision and rich color
- View 34% more data or media content
- Acer eDisplay for advanced and easy display enhancements.
- Energy saving and environmentally friendly
- Detailed PPI (pixel per inch)
- High definition digital imaging

Standard Configuration

Display Size	22 Wide", 473x296 mm
Panel Technology	TN + Film
Resolution	1680x1050
Pixel pitch	0.282mm
PPI	90.2
Horizontal frequency	30~ 80 kHz
Vertical frequency	55 ~ 75 Hz
Contrast Ratio	10'000:1
Brightness	300 cd/m2
Response rate	5ms
Colours	16.7M (6 + HiFRC)
NTSC Colour situation	72%
Multimedia	optional
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	170° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional digital (DVI) Internal Power supply
Net Weight	4.6 kg
Dimensions (H x W x D)	506x399x180
Power Consumption	Energy Star On: 30W, Off: 0.59W, Standby: 0.7W
MTBF Hours	50000hr/25°C
Compliance & Approvals	TCO03
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Free Accessories	VGA cable, power cables

Model	Part Number	Price Including VAT
V223WAb 22" Wide 5ms, 10000:1, TCO03, Black, euro/UK cord, EMEA (Acer eDisplay Management)	ET.EV3WE.A03	GBP 132.25

V223HQ - 21.5" Wide 16:9 Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Text precision and rich color
- View 34% more data or media content
- Acer eDisplay for advanced and easy display enhancements.
- Energy saving and environmentally friendly
- Detailed PPI (pixel per inch)
- High definition digital imaging

Standard Configuration

Display Size	21.5 Wide", 16:9 Full HD, 476.6x268 mm
Panel Technology	TN + Film
Resolution	1920x1080
Pixel pitch	0.248 mm
PPI	99
Horizontal frequency	30~ 80 kHz
Vertical frequency	55 ~ 75 Hz
Contrast Ratio	20'000:1
Brightness	300 cd/m2
Response rate	5ms
Colours	16.7M (6 + HiFRC)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional digital (DVI) Internal Power supply
Net Weight	4.5 kg
Dimensions (H x W x D)	507.84x371.52x195 mm
Power Consumption	Energy Star On: 30W Off: 0.67W, Standby: 0.79W
MTBF Hours	50000hr/25°C
Compliance & Approvals	TCO03
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Free Accessories	VGA cable, power cables

Model	Part Number	Price Including VAT
-------	-------------	---------------------

V233H - 23" Wide 16:9 Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Standard Configuration

Size/Type	22" wide-screen TFT LCD, 16:9 Full HD, 509.8x286.8 mm
Panel Technology	TN + Film
Maximum Resolution	1920 x 1080
Horizontal Frequency	30KHz - 80KHz
Vertical Frequency	55Hz - 75Hz
Dynamic Contrast Ratio	40'000:1
Viewing Angle 5:1 (H/V)	176°/176°
Viewing Angle 10:1 (H/V)	160°/160°
Brightness	300 cd/m
Response Time	5ms
Pixel Pitch	0.265 mm
Maximum Colors Supported	16.7 million
Color Saturation	72% NTSC
Bit	Six + HiFRC (high frame rate control)
Acer® CrystalBrite Technology	No
Connections	VGA DVI with HDCP (optional)
Power Consumption	On: 31.7W Off: 0.72W Standby: 0.76W
Audio	No speakers
Mechanical Adjustments	Tilt: -5°~15° Swivel: No Pivot: No Height adjustment: No Detachable foot stand: Yes
Kensington® Lock	Supported
VESA Wall Mount	Supported
Dimensions & Weight	544.5x390.8x221.8 mm 7.10 Kg
Compliance	Energy Star® TCO'03
Chassis Color	Black
Limited Warranty	Three-year parts and labor limited warranty

Model	Part Number	Price Including VAT
V233Hb 23" Wide, 16:9 FHD, 5ms 40000:1, TCO03 Black Euro/UK power cord, Adaptive Contrast Management	ET.VV3HE.005	GBP 138.00
V233Hbd 23" Wide, 16:9 FHD, 5ms 40000:1, DVI w/HDCP, TCO03 Black Euro/UK power cord, Adaptive Contrast Management	ET.VV3HE.008	GBP 172.50

V243W - 24" Wide



Target User

- Home/Private Users
- Professional and Small Business Solutions

Key Selling Points

- Increase productivity by multi-tasking
- View 76% more data and media content
- High definition image quality
- Render razor sharp details.
- Sharp and crisp digital imaging
- Solid and Slim design
- Acer eDisplay for advanced and easy display enhancements.

Standard Configuration

Display Size	24 Wide", 547x352mm
Panel Technology	TN + Film
Resolution	1920 X 1200
Pixel pitch	0.270 mm
PPI	94.1
Horizontal frequency	30KHz - 80KHz
Vertical frequency	55Hz-75Hz
Contrast Ratio	3000:1
Brightness	400 cd/m2
Response rate	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Speakers	No
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°, Swivel: 35°/35°
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Internal Power supply
Net Weight	6.55 Kg
Dimensions (H x W x D)	562.4 x 368 x 210.3
Power Consumption	Energy Star On:: 48.6W, Max On: <90W, Off: <1W, Standby: <2W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO 03 .
Manufacturers Guarantee	3 Years bring-in service
Chassis Color	Black
Free Accessories	European, UK & Swiss power cables. VGA (anagog) cable.

Model	Part Number	Price Including VAT
V243Wb 24" Wide 5ms, 3000:1, TCO03, Black, euro/uk cables, EMEA, Acer eDisplay Management	ET.FV3WE.003	GBP 251.85

V243H - 24" Wide 16:9 Full HD



Target User

- Home/Private Users
- Professional and Small Business Solutions
- Small and Medium Companies

Key Selling Points

- Full high definition digital media
- Advanced digital and DRM protected content
- View 76% more data and media content
- Acer empowering display technologies.
- Sharp and crisp digital imaging
- Large 16:9 widescreen multitasking
- Acer eDisplay for advanced and easy display enhancements.

Standard Configuration

Display Size	24 Wide", 16:9 Full HD, 531x299 mm
Panel Technology	TN + Film
Resolution	1920 X 1200
Pixel pitch	0.276 mm
PPI	92
Horizontal frequency	30KHz - 80KHz
Vertical frequency	55Hz-75Hz
Contrast Ratio	40'000:1
Brightness	300 cd/m2
Response rate	2 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Speakers	No
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Digital (DVI with HDCP), Internal Power supply
Net Weight	
Dimensions (H x W x D)	
Power Consumption	Energy Star On: W, Off: W, Standby: W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO 03 .
Manufacturers Guarantee	3 Years bring-in service
Chasis Color	Black
Free Accessories	European, UK & Swiss power cables. VGA (analog) cable.

Model	Part Number	Price Including VAT
-------	-------------	---------------------