



Create dazzling colour business documents
with HP's incredibly affordable printer
– HP Color LaserJet 2605 printer series

Amazingly easy to use print solution for home office/small office




ColorSphere
HP TONERS





Boost your office productivity to new levels with vibrant professional-quality colour documents

Now you can add vivid colour to all your documents with ease and enjoy surprising affordability with the HP Color LaserJet 2605 printer series. Open up a whole new world of possibilities for promoting your business with impressive superior-quality documents printed in the comfort of your office. Compactly designed with two-sided printing¹ feature and photo card slots², enjoy convenient file transfers and outstanding performance that belies its remarkably small footprint.



Dazzling colour

ColorSphere
HP TONERS

- **Create brilliant documents in-house.** With HP ColorSphere toner and HP ImageRET 2400, your office documents, brochures, company literature and more can be printed in vivid colour. Achieve vibrant results as dynamic as your business.
- **Effortlessly smart and convenient.** HP Smart Printing Technology³ ensures consistent high-quality result. Automatically optimising print quality and reliability while HP SureSupply⁴ enables convenient, online ordering of supplies.
- **Create more impact.** Using original HP printing supplies, you can integrate realistic images and photos into your business documents for a lasting impression and greater results.



Exceptional performance

- **Count on speed.** Easily boost your productivity and support flexible workteam sharing with quick print speeds of up to 12 pages per minute (ppm) for black-and-white documents and up to 10 ppm in colour.
- **Every second matters.** HP Instant-on Technology lets you print your first colour page from a cold start in as little as 20 seconds.

Outstanding value

- **Rely on industry-leading performance and features.** Enhanced print drivers deliver broad compatibility to help you get the most from your Windows® or Macintosh environment. Full-featured support for HP PCL 6 and HP postscript level 3 emulation lets you print complex documents quickly and fuss-free.



Print complex documents quickly with comprehensive printer language support

- **Comprehensive printing options.** Expand your office printing versatility with two-sided printing¹, built-in memory card slots², and a generous input capacity of up to 500 sheets⁵. Meet specific office needs with ease and efficiency.



Add photos easily to your documents with built-in memory card slots²

- **Seamless sharing with built-in networking.** Share printing functions easily with the built-in internal print server that connects to a 10/100 Base-TX Ethernet/Fast Ethernet network⁶. With HP Easy Printer Care software, managing your printers in a small office is a breeze. Download it free at www.hp.com/go/easyprintercare today!



Enhance your office productivity with built-in Fast Ethernet networking

¹ Two-sided printing is standard on the HP Color LaserJet 2605dn Printer and HP Color LaserJet 2605dn Printer.
² Photo slots come standard on the HP LaserJet 2605dn printer.
³ Using genuine HP supplies ensures availability of all HP printing features.
⁴ Program features and availability may vary by country. For more information, visit www.hp.com/learn/suresupply.
⁵ The HP LaserJet 2605dn Printer comes with two 250-sheet paper trays; the HP Color LaserJet 2605 and HP Color LaserJet 2605dn Printer each come with one 250-sheet tray.
⁶ 10/1000 Base-T networking comes standard on the HP Color LaserJet 2605dn Printer and HP Color LaserJet 2605 dtn Printer.

Printer highlights



12
ppm black

10
ppm colour

HP ImageREt 2400

automatically provides the best colour print quality without changing driver settings between print quality and performance.

HP ColorSphere toner gives you consistent, sharp colour so you can easily integrate realistic images into your business documents.

Fast printing speeds of up to 12 pages per minute (ppm) for black, and 10 ppm for colour.



Easy maintenance with an intuitive, two-line, 16-character display so you can focus on your business.



Save cost with the automatic two-sided printing¹ on a variety of media.



Award-winning reliability, customer service and support with one year limited warranty including 24/7 e-Support and phone support.

HP Color LaserJet 2605 printer series



- 1 125-sheet output bin
- 2 Two-line, LCD control panel provides instant printer status and supplies levels
- 3 One-door access to the four easy-to-install print cartridges
- 4 Priority feed slot for specialty paper and 250-sheet multipurpose tray 2
- 5 250-sheet input tray 3 (standard on dtn model; optional with base and dn models)
- 6 Automatic two-sided printing increases efficiency (dn and dtn models only)
- 7 64 MB of standard printing memory and 300 MHz processor
- 8 Built-in Hi-Speed USB 2.0 port
- 9 Built-in 10/100 Base-T Ethernet/Fast Ethernet print server enables cost-effective networking (dn and dtn models only)
- 10 Photo memory card slots enable convenient photo printing (dtn model only)

Series at a glance



HP Color LaserJet 2605 printer

- Priority feed slot for specialty paper
- 250-sheet multipurpose tray 2
- 2,500-page HP Color LaserJet Black Print Cartridge with HP ColorSphere toner⁷
- 2,000-page HP Color LaserJet Cyan, Yellow, and Magenta print cartridges with HP ColorSphere toner⁷



HP Color LaserJet 2605dn printer

- Same as HP Color LaserJet 2605, plus:
- Automatic two-sided printing
 - Built-in 10/100 Base-T Ethernet/Fast Ethernet print server



HP Color LaserJet 2605dtn printer

- Same as HP Color LaserJet 2605dn, plus:
- 250-sheet input tray 3
 - Photo memory card slots

HP Color LaserJet 2605 printer series

Technical specifications	HP Color LaserJet 2605 printer (Q7821A)	HP Color LaserJet 2605dn printer (Q7822A)	HP Color LaserJet 2605dtn printer (Q7823A)
Print speed	Black: up to 12 ppm (A4); colour: up to 10 ppm (A4)		
First page out	20 seconds (A4)		
Resolution	HP ImageREt (Resolution Enhancement technology) 2400		
Processor	300 MHz		
Memory	64 MB built-in; expandable to 320 MB with one open, industry-standard, 100-pin DIMM slot		
Photo memory cards supported			CompactFlash, SmartMedia, Multi Media, Memory Stick, Memory Stick PRO, SD, xD Picture Card
Duty cycle	Up to 35,000 pages per month		
Media			
Media handling	Priority feed tray 1 for special media, 250-sheet multipurpose tray 2	Priority feed tray 1 for special media, 250-sheet multipurpose tray 2, automatic two-sided printing	Priority feed tray 1 for special media, 250-sheet multipurpose tray 2, 250-sheet input tray 3, automatic two-sided printing
Output	125-sheet face down bin		
Sizes	Priority feed tray 1, tray 2 and tray 3: 76.2 x 127 mm to 216 x 356 mm (3 x 5 in to 8.5 x 14 in); U.S. sizes: letter, legal, executive, No. 10 envelopes, Monarch envelopes; Metric sizes: A4, A5, B5 (ISO, JIS); Automatic two-sided printing: letter, legal, A4		
Weights	Priority feed tray 1, tray 2: 60 to 176 g/m ² (16 to 47 lb), up to 200 g/m ² (53 lb) with HP laser cover papers, up to 220 g/m ² (59 lb) with HP laser glossy photo papers; Tray 3, automatic two-sided printing: 60 to 163 g/m ² (16 to 28 lb)		
Types	Paper (plain, letterhead, prepunched, bond, color, rough, preprinted, recycled), HP Color Laser Glossy Photo Paper, HP Color Laser Glossy Brochure Paper, HP Color Laser Matte Brochure Paper, HP Color Laser Matte Photo & Imaging Paper, HP Color Laser Soft Gloss Presentation Paper, HP color laser transparencies, labels, envelopes, cardstock		
Connectivity			
Interfaces	Hi-Speed USB 2.0 port	Hi-Speed USB 2.0 port, built-in 10/100 Base-T Ethernet/Fast Ethernet print server	
Languages and fonts	HP PCL 6 and HP postscript level 3 emulation; 80 scalable TrueType™ fonts		
Client operating systems	Microsoft® Windows 2000, XP® 32-bit, Server 2003; Mac OS X v.10.2 and later (complete solution); Microsoft® Windows 98 SE, ME, UNIX®, Linux®, and OS/2 (driver software only)		
Network operating systems	Via built-in print server: Microsoft Windows 98 SE, 2000, Me, XP 32-bit, Server 2003; Mac OS X v.10.2 and later		
Network protocols supported	Via built-in print server: TCP/IP (IP Direct Mode, LPD, SLP, Bonjour, BOOTP/DHCP/AutoIP, WINS, SNMP v1), HTTP		
Dimensions (W x D x H)	407 x 453 x 370 mm (16.1 x 17.8 x 14.7 in)	407 x 453 x 395 mm (16.1 x 17.8 x 15.5 in)	407 x 453 x 492 mm (16.1 x 17.8 x 19.4 in)
Weight	18.5 kg (40.9 lb)	19.9 kg (43.8 lb)	23.6 kg (52.1 lb)
What's in the box	2605 printer, power cable, CD (includes the User Guide and printer software), Getting Started Guide, output tray extension, paper tray cover, 2,500-page HP Color LaserJet Black Print Cartridge with HP ColorSphere toner, and 2,000-page HP Color LaserJet Cyan, Yellow, and Magenta print cartridges with HP ColorSphere toner [†]	2605dn printer, power cable, CD (includes the User Guide and printer software), Network Getting Started Guide, output tray extension, paper tray cover, 2,500-page HP Color LaserJet Black Print Cartridge with HP ColorSphere toner, and 2,000-page HP Color LaserJet Cyan, Yellow, and Magenta print cartridges with HP ColorSphere toner [†]	2605dtn printer (includes photo card reader), power cable, CD (includes the User Guide and printer software), Network Getting Started Guide, 250-sheet input tray 3, output tray extension, paper tray cover, 2,500-page HP Color LaserJet Black Print Cartridge with HP ColorSphere toner, and 2,000-page HP Color LaserJet Cyan, Yellow, and Magenta print cartridges with HP ColorSphere toner [†]
Operating environment	Operating temperature: 59 to 90.5 degrees F (15 to 32.5 degrees C); Recommended temperature: 68 to 81 degrees F (20 to 27 degrees C) Storage temperature: -4 to 104 degrees F (-20 to 40 degrees C); Relative humidity: 20 to 70 percent, non-condensing		
Acoustics[‡]	Sound power Printing: 6.1 B(A), Standby: 4.6 B(A)		
Bystander sound pressure	Printing: 47 dB(A), Standby: 32 dB(A)		
Power specifications	110-volt models: 110 to 127 VAC (± 10 percent), 60 Hz (± 3 Hz); 220-volt models: 220 to 240 VAC (± 10 percent), 50 Hz (± 3 Hz)		
Power consumption[†]			
Printing	255 watts	255 watts	260 watts
Standby	18 watts	18 watts	18 watts
Off	<1 watt	<1 watt	<1 watt
Energy Star® compliant	Yes		
Product certifications			
Safety certifications	IEC 60950-1 (International), EN 60950-1 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1+A11+A2 Class 1, 21 CFR Ch. 1/SubCh. J (Class 1 Laser/LED Device) GB4943:2001, Low Voltage Directive 73/23/EEC with CE Marking (Europe), other safety approvals as required by individual countries		
EMC certifications	CISPR 22:1993 +A1 +A2/EN 55022:1998 +A1 +A2 Class B, EN 61000-3-2:2000, EN 61000-3-3:1995+A1, EN 55024:1998+A1 +A2 FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 89/336/EEC with CE Marking (Europe), other EMC approvals as required by individual countries		
Warranty	One year, limited hardware, return to authorised service centre warranty		

Ordering information

Product	Number	Service and support	Number
HP Color LaserJet 2605 printer	Q7821A	Hardware installation service	H4513E
HP Color LaserJet 2605dn printer	Q7822A	Installation for 1 Network Configuration for Personal or Workgroup printer	H3110E
HP Color LaserJet 2605dtn printer	Q7823A	1 year, post warranty, return to depot service	HC124PE
Paper handling		1 year, post warranty, next business day exchange service	UC739PE
250-sheet input tray 3	Q6459A	1 year, post warranty, phone assistance service	HC127PE
HP print cartridges with HP ColorSphere toner⁷		2 year, next business day onsite service	UD914E
HP Color LaserJet Black Print Cartridge (approximately 2,500-page)	Q6000A	2 year, next business day exchange service	UD913E
HP Color LaserJet Cyan Print Cartridge (approximately 2,000-page)	Q6001A	2 year, return to depot service	UD912E
HP Color LaserJet Yellow Print Cartridge (approximately 2,000-page)	Q6002A	3 year, next business day exchange service	UC733E
HP Color LaserJet Magenta Print Cartridge (approximately 2,000-page)	Q6003A	3 year, return to depot service	HC123E
		Media	
		Asia Pacific: www.hp.com/apac/printingsupplies	
		Asia: 65-6253-8500	
		Australia and New Zealand: 61-2997-2299LAR	
		Third-party solutions	
		www.hp.com/go/gsc	
Memory			
128 MB 100-pin SRAM DIMM	C9121A		
64 MB 100-pin SRAM DIMM	Q1887A		
32 MB 100-pin SRAM DIMM	C7845A		
Cables			
USB cable, 2-meter	C6518A		

⁷ Approximate page yield based on five percent coverage.

⁸ Configuration tested: base model, simplex printing, A4 paper at an average of 12 ppm. Values are subject to change. For current information see www.hp.com/support.

⁹ Values subject to change. See www.hp.com/support for current information. Power numbers are the highest values measured using all standard voltages.





For more information, call your local Hewlett-Packard sales office or your nearest HP authorised dealer or visit us at www.hp.com

HP customer information centre (for product information)

Australia	13 23 47
China	800 820 2255
Hong Kong	800-938-833
India	3030 4499
Indonesia	0800 1111 222
Korea	080 703 0700
Malaysia	1800 88 4848
New Zealand	0800 733 547
Philippines	1800 1441 6688
Singapore	1800 278 8100
Taiwan	0800 236 686
Thailand	+66 2 353 9000
Vietnam	+84-8 823 6215

For the following countries, please fax your queries to: +65 6275 6707
Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan and Sri Lanka

HP customer care centre (for post-sales service)

Australia	13 10 47
China	800 810 5959
Hong Kong	+852 3002 8555
India	1600 112 267
Indonesia	+62 21 350 3408
Korea	+82 2 3270 0700
Malaysia	1800 80 5405
New Zealand	0800 449 553
Philippines	+63 2 867 3551
Singapore	+65 6 272 5300
Taiwan	+886 2 8722 8000
Thailand	+662 353 9000
Vietnam	+848 823 4530

For more information visit our website at www.hp.com/smartoffice

© Copyright 2006 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Printed in Singapore, 2001-7795-EEP, April 2006

