## **UU670H**

Enhance guests in-room experience and hotel brand image with the interactive smart solution, Pro:Centric SMART. The UU670H series offers Ultra HD Display, Customizable Apps, and hospitality content management software, Pro:Centric which enables you to create customized content easily. Also, its smart connectivity capabilities including SmartShare, SmartScreen, Bluetooth Sound Sync, as well as integrated Pro:Idiom DRM technology provide enhanced guests' in-room entertainment and convenience, in secure way.





### UU670H

### **Pro:Centric Smart Application Platform**

#### **Pro:Centric Hotel Management Solution**


Pro:Centric SMART is optimized for customizing hospitality services for hotel brands and guests through an IP & RF infrastructure. With its high picture quality, sophisticated design and advanced connectivity functions, it upscales in-room entertainment and increases convenience through implementation of high-end technology.


#### **Pro:Centric Server Application**

You can now differentiate your hotel with our customizable templates and pages which can be specialized for your property. Pro:Centric provides you a solution that is easily customizable for your business.

#### **Pro:Centric Direct Solution**

Pro:Centric Direct is a hotel content management system that supports simple editing tools and provides various solutions such as 1-click service and IP-network-based remote management. With the solution, users enable to design UI easily and provide customized service while managing TV efficiently.










Wake-up Setting Weather Information



<sup>\*</sup> Actual UI may be litter different

<sup>\*</sup> Customized UI may be little different.


### UU670H

#### **Pro:Centric V Hotel Management Solution**

Pro:Centric V provides comprehensive solutions in RF infrastructure. Through the Pro:Centric Server and App, hoteliers are able to customize their settings and deliver information on hotel facilities and wake-up call services, weather forecasts and other messages to guests, all while reinforcing the hotel's brand image.

#### Multi Languages

39 languages including Hebrew, Arabic and Farsi, and language alignment are supported, making your guests' stay a more comfortable one.



Right Alignment (Hebrew, Arabic, Farsi)



Left Alignment (36 languages)

#### **Basic & Easy Templates**

Pro:Centric Application (PCA) provides one Basic & Easy Template. making a total of three templates, that customers can select according to their preference.



Welcome image of PCA

### Customizable Template & Page

Choose an alternative look & feel template based on your preference, and edit multiple sections with 40 pages of billboards by yourself with the web based tool. (Max 15pages / section Available)



#### **Multi Channel Spooling**

Operation of up to 8 hotel channels (22 sub-channels) can offer various information and added services.



### UU670H

#### **Value Added Features**



#### New Quick Menu (2.0)

You can enjoy LG's simple home menu solution. It provides editable welcome message, date/time and other frequently used menus in the form of bar. These can be all set with a remote control or USB, and guests are able to easily access the menus they want improving satisfaction of their stay.



4 Templates

#### **Voice Recognition**

New Voice Recognition feature enables guest to easily control LG TV. This Smart Interaction may be manipulated by TV native control and Server based control.



#### Commercial App(Pre-loaded)

Guest can be served with pre-loaded applications, Including Youtube, WebBrowser and others.



- \* TV native Control
- \* Server Based control
- \* Magic Motion Remote is required(sold separately)

### UU670H

#### **Value Added Features**



#### Smart TV by LG WebOS 4.0


This is LG Smart TV with WebOS 4.0. Explore the latest LG Smart TV features, and discover TVs that deliver innovative technology, remarkable clarity, and true-to-life colors.



webOS

#### **Smart Clock**

This Visualized app-based clock provides information on current local time and times from around the world in smart way.





<sup>\*</sup> Actual In-screen image may be little different.

### **Facility Virtual View**

Guests may see the Hotel facility or room they stay through 360 VR or Panorama view contents.



- \* All pictures shown below are for illustration purpose only (for a better understanding). Actual device and screen may differ.
- \* Contents have to be uploaded by Hotel

<sup>\*</sup> Actual In-screen image may be little different.

### UU670H

### **Hospitality Features**



#### **SmartShare**

SmartShare allows users to share content more easily and quickly. It also searches for the content they want in order to share it more easily and accurately, there by simplifying the process of sharing between various devices.



#### ScreenShare

Connect a smartphone or a laptop PC to TV via a Wi-Fi Direct connection. The TV will display the device's screen, and users can share their content and memories together.



Bluetooth Sound Sync enables users to listen to music on a mobile device through TV speakers via Bluetooth connection.







<sup>\*</sup> Support devices for Bluetooth Sound Sync : Android (above v4.4 KitKat) / iOS based Mobile Device

### UU670H

### **Hospitality Features**



#### **SoftAP**

SoftAP means Software enabled Access Point. This "Virtual" Wi-Fi feature executes by software working on the device to create a wireless hotspot.

0




EzManager provides convenient installation function that helps to set up Pro:Centric TV settings automatically without extra effort of configuration. Auto-installation requires 1~3 minutes while manual installation requires 3~5 minutes.



#### **MPI Protocol**

LG Protocal through MPI (RJ12) allows communication between TV and SI interface box, eventually giving smart service and more contents to Hotel guests.





Guest Benefit	Hotelier Benefit
Convenience with one Remote controller	Hotelier can use Smart service with legacy Set top box.

\* MPI: Multiple Protocol Interface

- \* SoftAP should be set in installation menu after TV is on.
- \* Smart Mirroring may not be operated at the same time.

### UU670H

### **Hospitality Features**



#### **Instant On**

The high speed loading system enables users to enjoy content immediately after turning on the TV.



Enhance the entertainment experience by adding an additional speaker. Guests listen to and control the TV audio from anywhere in the business areas, including restrooms.

### Commercial Swivel Stand

Expand the rage of comfort for the guests with a commercial grade stand by allowing them to watch a TV from any angle.







### - -

### A Standard Smart Hotel TV with Pro: Centric Smart

### UU670H

### **Hospitality Features**



#### Multi IR

Multi IR function eliminates the remote control signal interference between TVs in multiple dwelling beds. This system will work using the same LG TV model.






#### Pro:Idiom

Prevent any illegal copying of content by the widely used DRM (Digital Right Management).



### **Dimension**



<sup>\*</sup> Dimensions & Jack Panels (Read/Side) may differ from the above image, so please reach LG salesteam to ensure before order.

Specific	cations	65UU670H	55UU670H	49UU670H	43UU670H	
	Inch	65"	55"	49"	43"	
	Panel Technology	LED (Direct)	LED (Direct)	LED (Direct)	LED (Direct)	
	Resolution	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	
PANEL	Brightness (cd/m²)	450	450	360	360	
	Dynamic Contrast Ratio (Dynamic MCI (Hz))	10,000,000:1	10,000,000:1	10,000,000:1	10,000,000:1	
	Static (Panel) Contrast Ratio	1,300:1	1,300:1	1,300:1	1,200:1	
	Viewing Angle (H x V)	178 x 178	178 x 178	178 x 178	178 x 178	
	Response Time (G to G, ms)	9	9	9	9	
BROADCASTING	Analog	• (NTSC)	• (NTSC)	• (NTSC)	• (NTSC)	
SYSTEM	Digital	• (ATSC)	• (ATSC)	• (ATSC)	• (ATSC)	
VIDEO	HDR	HDR 10	HDR 10	HDR 10	HDR 10	
	XD Engine	•	•	•	•	
	Aspect Ratio	• 5 modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	• 5 modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	• 5 modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	• 5 modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom	
AUDIO	Audio Output	10W + 10W	10W + 10W	10W + 10W	10W + 10W	
	Speaker System	2.0 ch	2.0 ch	2.0 ch	2.0 ch	
	Sound Mode	• 6 modes (Standard / Cinema / Clear Voice III / Sports / Music / Game)	• 6 modes (Standard / Cinema / Clear Voice     / Sports / Music / Game)	• 6 modes (Standard / Cinema / Clear Voice     / Sports / Music / Game)	• 6 modes (Standard / Cinema / Clear Voice     / Sports / Music / Game	
	Clear Voice	• (Clear Voice III)	• (Clear Voice III)	• (Clear Voice III)	• (Clear Voice III)	
HOSPITALITY SOLUTION	Solution Type	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)	
	Data Streaming (IP &RF)	•	•	•	•	
	RF	• (2 Tuner)	• (2 Tuner)	• (2 Tuner)	• (2 Tuner)	
	HCAP (SDK)	GEM / Flash / HTML5	GEM / Flash / HTML5	GEM / Flash / HTML5	GEM / Flash / HTML5	
	Pro:Centric Application	PCA 3.7.5	PCA 3.7.5	PCA 3.7.5	PCA 3.7.5	
	DRM	Pro:Idiom	Pro:ldiom	Pro:Idiom	Pro:ldiom	
SMART FEATURE		Web OS 4.0, Commercial Smart Home, DeepThinQ, Voice Recognition (LG NLP), Web Browser, Pre-loaded App, SDP Server compatibility, Magic Remote Compatibility, Soft AP, WiFi (bandwidth), Screen Share (Miracast), Smart Share (DLNA), DIAL, Bluetooth Audio Playback, LG Sound Sync / Bluetooth, Mobile Connection Overlay, Music Player				
HOSPITALITY FEATURES		Hotel Mode, Welcome Screen, Insert Image, One Channel Map, External Speaker Out, Instant On, V-Lan Tag, RJP Interface, RJP Compatibility, Clock (World Clock / Alarm), 360 Viewer, Auto Off / Sleep Timer, Smart Energy Saving, Motion Eye Care, b-LAN embedded, Ezmanager, USB Cloning, MPI Protocol				
JACK INTERFACE	Set Side	HDMI In, USB 2.0 (2)	HDMI In, USB 2.0 (2)	HDMI In, USB 2.0 (2)	HDMI In, USB 2.0 (2)	
	Set Rear	RF In, AV In, Digital Audio Out (Optical), HDMI / HDCP Input, RS-232C (Control), RJ45 (2), External Speaker Out, TV link Configuration (b-LAN Service), MPI Port, Debug				
DIMENSION (UNIT : mm)	Vesa	300 x 300	300 x 300	300 x 300	200 x 200	
	W x H x D / Weight (with stand)	1,468 x 917 x 269 / 21 kg	1,247 x 781 x 303 / 16.9 kg	1,110 x 705 x 303 / 14.3 kg	977 x 630 x 303 / 11.5 kg	
	W x H x D / Weight (without stand)	1,468 x 854 x 79.3 / 20.6 kg	1,247 x 729 x 74.3 / 13.7 kg	1,110 x 650 x 72 / 11.1 kg	977 x 575 x 71.7 / 8.3 kg	
	W x H x D / Weight (Packing)	1,600 x 970 x 190 / 28.2 kg	1,360 x 860 x 207 / 22.5 kg	1,296 x 770 x 171 / 17.2 kg	1,147 x 660 x 175 / 13.9 kg	
POWER (UNIT : WATTS)	Voltage, Hz	100 ~ 240 V, 50/60 Hz	100 ~ 240 V, 50/60 Hz	100 ~ 240 V, 50/60 Hz	100 ~ 240 V, 50/60 Hz	
	Max	179.2	153.0	135.8	119.8	
	Typical	153.0	127.6	109.3	93.5	
	Energy saving (Min/Med/Max)	-	-	-	-	
	Stand-by	0.5W↓	0.5W↓	0.5W↓	0.5W↓	

<sup>\*</sup> Specifications are subject to change without notice, so please reach LG salesteam to ensure before order.



Specifications

www.lg.com/b2b

www.youtube.com/c/LGECommercialDisplay

www.facebook.com/LGInformationDisplay

in www.linkedin.com/company/LGInformationDisplay

LG may make changes to specifications and product descriptions without notice. Copyright © 2018 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.

