

	07150) 0 151 11
Aspire one (AOD150) Specifications	
Operating system ¹	Genuine Windows XP® Home (Service Pack 3)
Platform ¹	Intel® Atom™ processor N270 (1.60 GHz, 533 MHz FSB, 512 KB L2 cache)
	Mobile Intel® 945GSE Express Chipset (DDR2 400/533/667 MHz)
	Mobile Intel® 82801GBM Chipset
	Acer InviLink [™] 802.11b/g Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology ²
System memory ^{1, 3,}	Single channel with one soDIMM slot
	DDR2 533/667 MHz SDRAM memory interface design
	• soDIMM slot: Supports 512 MB / 1 GB / 2 GB soDIMMs for total system memory of up to 2 GB ⁵
Display	10.1" WSVGA high-brightness (typical 180-nit) Acer CrystalBrite™ TFT LCD, 1024 x 600 pixel resolution
	LED backlight
	• 262,000 colors supported
Storage ⁶	2.5" 9.5 mm 160 GB hard disk drive
	Multi-in-1 card reader:
	 Supporting Secure Digital[™] (SD) Card, MultiMediaCard (MMC), Reduced-Size Multimedia Card (RS-MMC), Memory Stick[™] (MS), Memory Stick PRO[™] (MS PRO), xD-Picture Card[™] (xD)
	 Supporting storage cards with adapter: miniSD[™], microSD[™], Memory Stick Duo[™], Memory Stick PRO Duo[™]
Audio	High-definition audio support
	Two built-in stereo speakers
	MS-Sound compatible
	Built-in digital microphone
Communication	Integrated Acer Crystal Eye webcam, supporting 0.3 megapixel resolution
	WLAN ² : Acer InviLink [™] 802.11b/g Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™]

Aspire one (AOD150) Specifications		
	wireless technology	
	LAN: 10/100 Mbps Fast Ethernet	
	WPAN¹: Bluetooth® 2.0+EDR (Enhanced Data Rate)	
	WWAN ⁷ : UMTS/HSPA at 850/1900/2100 MHz and quad-band GSM/GPRS/EDGE (850/900/1800/1900 MHz), upgradeable to 7.2 Mb/s HSDPA and 2 Mb/s HSUPA, supporting receiver diversity and equalizing at 2100 MHz (for 3G models)	
Dimensions and weight ¹	260 (W) x 185 (D) x 33.4 (H) mm (10.2 x 7.28 x 1.31 inches)	
	1.18 kg (2.62 lbs.) for SKUs with 3-cell battery pack	
	1.33 kg (2.95 lbs.) for SKUs with 6-cell battery pack	
Power ¹	24.4 W 2200 mAh 3-cell Li-ion battery pack	
	• 3-hour battery life ⁸	
	48.8 W 4400 mAh 6-cell Li-ion battery pack	
	• 6-hour battery life ⁸	
	57.7 W 5200 mAh 6-cell Li-ion battery pack	
	• 7-hour battery life ⁸	
	30 W adapter with power cord	
Special keys and	84-key keyboard with 1.6 mm (minimum) key travel	
controls	Touchpad pointing device with two buttons	
	12 function keys, four cursor keys, one Windows® key for Windows® XP Home, hotkey controls, embedded numeric keypad, international language support	
	Power button with LED	
	Easy-access switches with LED: WLAN, WWAN ¹	
I/O ports	Multi-in-1 card reader	
	Three USB 2.0 ports	
	External display (VGA) port	
	Headphone/speaker/line-out jack	
	Microphone-in jack	
	Ethernet (RJ-45) port	
Software	DC-in jack for AC adapter	
BOLUMALE	Acer eRecovery Management Acer Launch Manager	
	Adobe [®] Reader [®]	
	AUODE KEAUET	

Aspire one (A	AOD150) Specifications
	McAfee® Internet Security Suite
	Microsoft® Office Trial 2007
Accessories	In-box:
	• Protective bag ¹
	Optional:
	Carrying bag
	• 3-cell Li-ion battery pack
	• 6-cell Li-ion battery pack
	• 3-pin 30 W AC adapter
	External USB HDD
	External USB optical disc drive
Warranty	One-year International Travelers Warranty (ITW)

- 1. Specifications vary depending on model.
- 2. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 3. All available system memory may be allocated for system resource requirements.
- 4. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.
- 5. Manufacturing option.
- 6. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment.
- 7. Manufacturing option, with the GTM380 module (Gobi[™] 3G module for the US market).
- 8. Battery life varies depending on product specifications, computer settings, and applications or features launched. All batteries' maximum capacity diminishes with time and use.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2009 Acer Inc. All rights reserved. Acer, the Acer logo, and Aspire are registered trademarks of Acer Inc. Other trademarks, registered trademarks, and/or service marks, indicated or otherwise, are the property of their respective owners.

Aspire one (AOD150) Specifications

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are registered trademarks of Intel Corporation.

About Acer

Since its founding in 1976, Acer has constantly pursued the goal of breaking the barriers between people and technology. Focused on marketing its brand-name IT products around the globe, Acer ranks as the world's No. 3 vendor for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful mergers of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S., and enhancing its strong position in Europe. Acer Inc. employs 5,000 people worldwide. 2007 revenues reached US\$14.07 billion. See www.acer.com for more information.





















