


## Heavy-Duty USB-C Sync/Charge Cable with Lightning Connector - M/M, USB 2.0, 6 ft. (1.8 m)

MODEL NUMBER: M102-006-HD



USB/Lightning cable connects your Apple iPhone, iPad or iPod to the USB-C port on your MacBook Pro, laptop or wall/car charger.

### Features

#### 6 ft. USB-C Cable Charges and Syncs Your Latest-Generation iPhone, iPad and iPod

This USB-C sync/charge cable (M/M) connects your iPhone, iPad or iPod to the USB-C port on your MacBook Pro, Windows laptop, car charger or wall charger. It allows you to charge and power your Apple device, while simultaneously syncing and transferring image files and other personal data at USB 2.0 speeds up to 480 Mbps. The cable is backward compatible with previous USB generations, allowing you to use it with older equipment.

#### Heavy-Duty Aramid Fiber Construction Designed to Endure the Stress of Everyday Use

The M102-006-HD is tested to withstand over 150,000 bends without failing, thanks to its advanced bulletproof Aramid fiber construction. Its double-braided nylon exterior is also built to withstand wear and tear over a long period. The nylon braiding also resists tangles while you're carrying the cable in your car, bag or briefcase. Integral strain relief gives the cable extra flexibility, reduces stress, and helps the cable move freely without cracking or breaking loose from the connectors.

#### MFi-Certified for Broad Device Compatibility

The 20V 3A (60W) Lightning cable is MFi-certified for use with the latest generation of iPhone, iPad and iPod devices.

#### Reversible Lightning and USB Type-C Plugs Connect in Either Direction

Connect the reversible 8-pin Lightning plug to your Apple device for charging and synchronizing, and the reversible USB-C connector to a USB-C port on a MacBook Pro, Windows laptop or charger. The fumble-free plugs connect in either direction for immediate no-fuss use every time.

### Highlights

- Bulletproof Aramid fiber allows cable to bend over 150,000 times without failing
- MFi-certified for broad compatibility with your Apple iPhone, iPad or iPod
- Supports USB 2.0 speeds up to 480 Mbps to ensure reliable data transfers
- Durable double-braided exterior resists tangles and withstands long-term wear and tear
- Reversible plugs connect in either direction for immediate no-fuss use

### Applications

- Charge and sync your Apple iPhone, iPad or iPod using the USB-C port on your computer or a wall charger up to 6 ft. away
- Transfer photos and other important files between an external hard drive and your Apple device

### System Requirements

- Device or charger with USB-C port
- iPhone, iPad, iPad mini, iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPad Air 3, iPad Pro 12.9 inch, iPad Pro 10.5 inch, iPad Pro 9.7 inch and iPod Touch devices with Lightning port

### Package Includes

- M102-006-HD Heavy-Duty USB-



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
www.tripplite.com

C to Lightning Cable (M/M), 6 ft.

## Specifications

| OVERVIEW                              |                                  |
|---------------------------------------|----------------------------------|
| UPC Code                              | 037332252609                     |
| INPUT                                 |                                  |
| Cable Length (ft.)                    | 6                                |
| Cable Length (m)                      | 1.8                              |
| Cable Length (in.)                    | 72                               |
| PHYSICAL                              |                                  |
| Cable Outer Diameter (OD)             | 4.0mm                            |
| Color                                 | Black; White                     |
| Material of Construction              | Shore 76A TPE, Nylon             |
| Wire Gauge (AWG)                      | 26/21                            |
| ENVIRONMENTAL                         |                                  |
| Operating Temperature Range           | -4 to 140 F (-20 to 60 C)        |
| Storage Temperature Range             | -4 to 176 F (-20 to 80 C)        |
| Relative Humidity                     | 0% to 90% RH, Non-Condensing     |
| Power Provided to Connected Device(s) | 60W (20V/3A)                     |
| CONNECTIONS                           |                                  |
| Side A - Connector 1                  | USB C (MALE)                     |
| Side B - Connector 1                  | LIGHTNING (MALE)                 |
| Connector Plating                     | Nickel                           |
| Contact Plating                       | Gold                             |
| FEATURES & SPECIFICATIONS             |                                  |
| USB Specification                     | USB 2.0 (up to 480 Mbps)         |
| Technology                            | Lightning; USB                   |
| CERTIFICATIONS                        |                                  |
| Certifications                        | RoHS, CA65, REACH; MFI-Certified |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

| WARRANTY                               |                         |
|----------------------------------------|-------------------------|
| Product Warranty Period<br>(Worldwide) | 2-year limited warranty |

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>