



A new era of low-cost color,  
high productivity, and strong security

HP PageWide Color 755dn  
HP PageWide Color MFP 774 and 779 series



"HP product lines  
stand out above the rest"<sup>1</sup>



Low cost for color



Minimal interruptions.  
Maximum uptime.



Strong security designed to  
detect and stop attacks



# Low cost for color




Color printing is within the budget of every business with HP PageWide Technology. Print professional-quality color for a breakthrough low cost on sizes up to 12 x 18 inches (305 x 457 mm)—results you expect from HP for an exceptional value you can rely on.



## Breakthrough low-cost color

Get the professional quality you expect for a game-changing value—HP PageWide Technology delivers a low cost per color page.

Original HP PageWide cartridges provide the consistent printing performance, quality, and affordability businesses demand. Quickly replace cartridges—simply push twice to insert or remove. Optional high-yield cartridges offer an even better value, so you can print more pages and replace cartridges less often.<sup>2</sup>



## General Office mode for faster, lower-cost prints<sup>3</sup>

Equip employees to speed through tasks with high-performance, professional-quality printing. Print even faster—and save even more per page—by setting your printer or MFP to General Office (GO) mode.<sup>3</sup> Get the quality your business needs while helping to reduce printing costs.

Minimize interruptions in productivity with an HP PageWide device designed with the fewest parts in its class for the least maintenance.<sup>4</sup>



## Best-in-class energy efficiency<sup>5</sup>

Help keep energy costs down with the most efficient device in its class.<sup>5</sup> HP PageWide Technology conserves resources without compromising performance.

This device meets rigorous standards for ISO class 5 cleanrooms—perfect for sensitive environments. Keep noise to a minimum with a device designed to be quiet. Place it near people without disrupting work.

Help reduce your environmental impact. Consume up to 50% less paper, with automatic two-sided printing. Easily recycle your Original HP cartridges at no charge through HP Planet Partners.<sup>6</sup>

# Minimal interruptions. Maximum uptime.

Annoying interruptions and complex maintenance can slow down printing and, ultimately, the pace of business. Avoid pauses in productivity with an HP PageWide device designed for maximum uptime—so you can count on reliable results day in and day out.

## Move business forward

Print up to 50% faster than the competition<sup>7</sup>—as fast as 65 pages per minute (ppm), GO mode (MFP 779 series).<sup>8</sup> These devices wake up and print fast, so your pages are ready right when you need them.



With the MFP 774 and MFP 779 series, accelerate workflow with single-pass, two-sided scanning up to 60 ppm, simplex, and up to 120 images per minute (ipm), duplex.<sup>9</sup>

## Launch tasks at the device

Preview and edit scans, adjust images, and launch print, scan, copy, and fax jobs<sup>10</sup>—all at the 9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display (MFP 774dns and MFP 779 series models).<sup>11</sup> For more information, see Appendix A on page 20.



Turn paper files into digital assets and send your work to more places without using a PC. Scan documents directly to Microsoft® SharePoint®, plus email, USB, and network folders.<sup>12</sup>

## Expand your capacity

Equip this device with a variety of paper-handling accessories to meet the needs of your office. Optional trays support media sizes up to 11.7 x 17 inches (297 x 432 mm), including a 550-sheet paper tray, 550-sheet paper tray and stand, and 3x550-sheet paper tray and stand.<sup>13</sup>



Print up to 4,650 pages without reloading paper, using the optional 4,000-sheet high-capacity input (HCI) tray and stand, with support for letter (A4) size.<sup>14</sup>

Organize, staple, and collate documents with in-line finishing that helps you save time and look professional.

# Strong security designed to detect and stop attacks



HP Print Security isn't just about securing printers. It's about helping to secure your network with real-time threat detection, automated monitoring, and software validation—designed to detect and stop an attack as it happens.



## Always on guard

Count on strong protection for devices, data, and documents with printer security from HP.

A suite of embedded security features, including secure boot and secure firmware, preserve sensitive data and help protect the printer from being the entry point for attacks.

Help ensure important documents and confidential information stay secure. Enter a PIN or use an optional proximity card reader<sup>15</sup> at the device to retrieve your print job.

Thwart potential attacks by receiving instant notification of security issues, so immediate action can be taken. This device works with tools like Splunk, ArcSight, McAfee and SIEMonster.



## Take security to the next level

Help protect this device with more than 135/200 (printers/MFPs) embedded security features.<sup>16</sup>

Easily deploy and integrate HP and third-party solutions with the HP Open Extensibility Platform (OXP). Add features such as card readers and more through the Hardware Integration Pocket (HIP) (supported on all models except the 774dn).<sup>17</sup>

Further safeguard data stored on the device, using the standard HP Trusted Platform Module (MFP 774 and 779 series only).<sup>18</sup>



## Expand capabilities with top-flight flexibility

Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>19</sup> Optional HP JetAdvantage Security Manager offers an effective, policy-based approach to help secure HP printing and imaging devices.<sup>20</sup> Easily set security configuration policies and automatically validate settings for every HP printer and MFP in your fleet.

HP JetAdvantage Secure Print<sup>21</sup> and HP Access Control (HPAC) help secure documents by requiring authentication to release print jobs. In addition, extend capabilities and easily customize with HPAC—integrate job accounting, manage rights, and establish quotas for things such as color use.<sup>22</sup> Save IT time and make printing easy for the entire enterprise by using a single driver for all HP devices.<sup>23</sup>

### ▶ For more information

#### Fleet management

HP Web Jetadmin visit: [hp.com/go/wja](http://hp.com/go/wja)

Solution brief: <http://h20195.www2.hp.com/v2/GetPDF.aspx/4aa5-2718enw.pdf>

Video: <http://hp.brightcovegallery.com/solutions/detail/video/4271055504001/>

HP Universal Print Driver visit: [hp.com/go/upd](http://hp.com/go/upd)

Solution brief: <http://h20195.www2.hp.com/v2/GetPDF.aspx/4aa2-4781enw.pdf>

#### Security

HP JetAdvantage Security Solutions visit: [hp.com/go/printsecurity](http://hp.com/go/printsecurity)

Solution overview: <http://h20195.www2.hp.com/v2/GetPDF.aspx/4aa3-1295enw.pdf>

Video: <http://hp.brightcovegallery.com/products/detail/video/4270905124001/>

HP JetAdvantage Security Manager visit: [hp.com/go/securitymanager](http://hp.com/go/securitymanager)


Brochure: <http://h20195.www2.hp.com/v2/GetPDF.aspx/4aa3-9275enw.pdf>

Video: <http://hp.brightcovegallery.com/products/detail/video/4270837770001/>

# Give workgroups the tools they need



Accelerate workflow and enhance productivity. With the MFP models, complete scan jobs quickly—up to 60 ppm,<sup>9</sup> simplex and up to 120 ipm,<sup>9</sup> duplex. Easily share resources and connect people throughout your organization.



## Complete tasks at the device

Preview and edit scans, adjust images, and launch print, scan, copy, and fax<sup>10</sup> jobs—all at the intuitive color touchscreen.

Turn stacks of paper documents into digital files. Load up to 100 pages into the automatic document feeder (ADF) for fast, unattended scanning on all MFP models.<sup>24,25</sup>

Save time with a walk-up USB port<sup>26</sup> that quickly recognizes, formats, and prints the Microsoft Word and PowerPoint® files businesses use every day.<sup>27</sup>



## Advanced finishing options

Organize, staple, and collate with inner finishing options.<sup>28</sup>

On the MFP 774dns and MFP 779dns models, smart in-line finishing helps you save time and look professional. Get an 850-sheet output paper capacity, automatically staple multiple sets of documents—up to 50 in each set—and staple any corner of Microsoft Word documents or PowerPoint presentations.



## Keep your office connected

Built-in Ethernet and optional wireless capabilities on all models let you easily access, print, and share resources on a network.<sup>29</sup>

Detect nearby printers from a mobile device, quickly connect, and easily print with optional Bluetooth® Low Energy connectivity.<sup>30</sup>

# Get to know the HP PageWide Color 755dn printer



## At a glance



Model (product number)	755dn (4PZ47A)
Functions	Print
Print speeds (black and color, letter and A4) <sup>8</sup>	Up to 35/55 ppm, Professional/GO mode
Automatic two-sided printing	✓
Control panel display	4.3-inch (10.9 cm) pivoting color touchscreen
Hardware Integration Pocket <sup>17</sup>	✓
Paper input trays (standard)	100-sheet multipurpose tray 1 and 550-sheet tray 2
Input capacity (standard/maximum <sup>14</sup> )	Up to 650/4,650 sheets
Output capacity	Up to 300 sheets
Optional wireless printing <sup>29</sup> /Bluetooth Low Energy <sup>30</sup>	✓

# HP PageWide Color 755dn printer – Configuration

Select one category of input accessory:



**550-sheet Paper Tray (A7W99A)**

- Select only one
- Media up to 11.7 x 17 inches
- Media weight: 16 to 58 lb



**550-sheet Paper Tray and Stand (W1B50A)**

- Select only one
- Media up to 11.7 x 17 inches
- Media weight: 16 to 58 lb



**3x550-sheet Paper Tray and Stand (W1B51A)**

- Select only one
- Media up to 11.7 x 17 inches
- Media weight: 16 to 58 lb



**4,000-sheet HCI Paper Tray and Stand (W1B52A)**

- Select only one
- Supports letter-size media
- Media weight: 16 to 58 lb

Standard on 755dn:

300-sheet output bin

100-sheet multipurpose tray 1

- Media up to 12 x 18 inches
- Media weight: 16 to 58 lb

550-sheet tray 2

- Media up to 11.7 x 17 inches
- Media weight: 16 to 58 lb





# Get to know the HP PageWide Color MFP 774 and 779 series

## HP PageWide Color MFP 779dns shown



## Series at a glance



Model (product number)	774dn (4PZ43A)	774dns (4PZ44A)	779dn (4PZ45A)	779dns (4PZ46A)
Functions	Print, scan, copy, optional fax <sup>10</sup>	Print, scan, copy, optional fax <sup>10</sup>	Print, scan, copy, optional fax <sup>10</sup>	Print, scan, copy, optional fax <sup>10</sup>
Print speeds (black and color, letter and A4) <sup>8</sup>	Up to 35/55 ppm, Professional/GO mode	Up to 35/55 ppm, Professional/GO mode	Up to 45/65 ppm, Professional/GO mode	Up to 45/65 ppm, Professional/GO mode
Scan speeds (black and color, letter and A4) <sup>9</sup>	60 ppm/120 ipm, simplex/duplex	60 ppm/120 ipm, simplex/duplex	60 ppm/120 ipm, simplex/duplex	60 ppm/120 ipm, simplex/duplex
Hardware Integration Pocket <sup>17</sup>	Not available	✓	✓	✓
350-sheet inner finisher with stapler (staples up to 50 sheets) <sup>28</sup>	Not available	✓	Not available	✓
Control panel display	4.3-inch (10.9 cm) pivoting color touchscreen	9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display		
Input capacity (standard/maximum) <sup>14</sup>	Up to 650/4,650 sheets	Up to 650/4,650 sheets	Up to 650/4,650 sheets	Up to 650/4,650 sheets
Output capacity	Up to 500 sheets	Up to 850 sheets <sup>28</sup>	Up to 500 sheets	Up to 850 sheets <sup>28</sup>
Optional wireless printing <sup>29</sup> /Bluetooth Low Energy <sup>30</sup>	✓	✓	✓	✓

# HP PageWide Color MFP 774 and 779 series – Configuration

Select one category of input accessory:



### 550-sheet Paper Tray (A7W99A)

- Select only one
- Media up to 11.7 x 17 inches
- Media weight: 16 to 58 lb



### 550-sheet Paper Tray and Stand (W1B50A)

- Select only one
- Media up to 11.7 x 17 inches
- Media weight: 16 to 58 lb



### 3x550-sheet Paper Tray and Stand (W1B51A)

- Select only one
- Media up to 11.7 x 17 inches
- Media weight: 16 to 58 lb



### 4,000-sheet HCl Paper Tray and Stand (W1B52A)

- Select only one
- Supports letter-size media
- Media weight: 16 to 58 lb

### Standard on dn models:

- 100-sheet ADF
  - Single-pass, two-sided scanning
  - Up to 60 ppm/120 ipm, simplex/duplex

500-sheet output bin

- 100-sheet multipurpose tray 1
  - Media up to 12 x 18 inches
  - Media weight: 16 to 58 lb

- 550-sheet tray 2
  - Media up to 11.7 x 17 inches
  - Media weight: 16 to 58 lb



779dn shown

### Standard on dns models:

- 100-sheet ADF
  - Single-pass, two-sided scanning
  - Up to 60 ppm/120 ipm, simplex/duplex

- 350-sheet inner finisher with stapler
  - Staples up to 50 sheets

500-sheet output bin

- 100-sheet multipurpose tray 1
  - Media up to 12 x 18 inches
  - Media weight: 16 to 58 lb

- 550-sheet tray 2
  - Media up to 11.7 x 17 inches
  - Media weight: 16 to 58 lb



779dns shown

# Paper-handling capabilities

The HP PageWide Color 755dn printer and MFP 774 and 779 series models may be configured with optional input and finishing accessories described in the tables below. Other optional accessories are included in the Ordering information on page 19.

## HP PageWide Color 755dn

The 755dn printer comes standard with a 100-sheet multipurpose tray that supports up to 12 x 18 inches (305 x 457 mm) and one 550-sheet tray that supports up to 11.7 x 17 inches (297 x 432 mm).



550-sheet Paper Tray (A7W99A)

Supports up to 11.7 x 17 inches (297 x 432 mm)



550-sheet Paper Tray and Stand (W1B50A)

Supports up to 11.7 x 17 inches (297 x 432 mm)



3x550-sheet Paper Tray and Stand (W1B51A)

Supports up to 11.7 x 17 inches (297 x 432 mm)



4,000-sheet HCI Paper Tray and Stand (W1B52A)

HCI tray supports letter (A4)

**Optional:** These input accessories are optional for the 755dn model (only one input accessory may be added)

Maximum input with accessory:<sup>14</sup>

1,200 sheets

1,200 sheets

2,300 sheets

4,650 sheets

## HP PageWide Color MFP 774 and 779 series

The MFP 774 and 779 series models come standard with a 100-sheet multipurpose tray that supports up to 12 x 18 inches (305 x 457 mm) and one 550-sheet tray that supports up to 11.7 x 17 inches (297 x 432 mm).



550-sheet Paper Tray (A7W99A)

Supports up to 11.7 x 17 inches (297 x 432 mm)



550-sheet Paper Tray and Stand (W1B50A)

Supports up to 11.7 x 17 inches (297 x 432 mm)



3x550-sheet Paper Tray and Stand (W1B51A)

Supports up to 11.7 x 17 inches (297 x 432 mm)



4,000-sheet HCI Paper Tray and Stand (W1B52A)

HCI tray supports letter (A4)



350-sheet inner finisher with stapler

Staples up to 50 sheets

**Optional:** These input accessories are optional for the MFP 774 and 779 series models (only one input accessory may be added)

Maximum input with accessory:<sup>14</sup>

1,200 sheets

1,200 sheets

2,300 sheets

4,650 sheets

**Standard:** Both dns models; not supported on dn models

Maximum output with finisher:

850 sheets

# HP PageWide Color 755dn technical specifications

HP PageWide Color 755dn	
<b>Product number</b>	4PZ47A
<b>Functions</b>	Print
<b>Control panel/data entry</b>	4.3-inch (10.9 cm) pivoting color touchscreen; Easy-access USB port <sup>26</sup>
<b>Print speed (letter and A4)<sup>8</sup></b>	
Single-sided	Up to 35/55 ppm, Professional/General Office mode (black and color)
Two-sided	Up to 24 ipm, Professional mode (black and color)
<b>First page out</b>	From ready: <sup>31</sup> as fast as 8.5/8.2 seconds (letter/A4, black); as fast as 8.2 seconds (letter/A4, color) From sleep: <sup>32</sup> as fast as 11.4/11.1 seconds (letter/A4, black); as fast as 9.5/7.8 seconds (letter/A4, color)
<b>Print resolution</b>	Black: Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Color: Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)
<b>Printing features</b>	HP PageWide Technology with pigmented inks, HP EasyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booklet printing, cover pages, tray selection, scaling, portrait/landscape orientation, high-quality grayscale and black ink only, General Office/Professional/Presentation dpi print modes
<b>Processor</b>	1.2 GHz
<b>Memory</b>	Standard: 1536 MB; Maximum: 2560 MB <sup>33</sup>
<b>Storage</b>	eMMC solid state drive (SSD) for printer operating system and job storage
<b>Durability ratings</b>	
RMPV <sup>34</sup>	2,500 pages to as high as 15,000 pages
Duty cycle <sup>35</sup>	Up to 75,000 pages
<b>Media specifications</b>	
Input capacity	Up to 650 sheets (up to 4,650 sheets maximum <sup>14</sup> ) Tray 1: up to 100 sheets Tray 2: up to 550 sheets
Output capacity	Up to 300 sheets
Two-sided printing	Automatic
Media sizes	Tray 1: 12 x 18 in, 11 x 17 in, legal, oficio (8.5 x 13 in), letter, letter-R, executive, statement, 5 x 8 in, 5 x 7 in, 4 x 6 in, envelope #10; A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom media sizes: 3.9 x 5.83 to 12 x 18 in (99.1 x 127 to 305 x 457 mm) Tray 2: 11 x 17 in, legal, oficio (8.5 x 13 in), letter, letter-R, executive; A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom media sizes: 8.27 x 5.83 to 11.7 x 17 in (210.1 x 148.1 to 297 x 432 mm) Optional 1x550 tray, 1x550 tray/stand, 3x550 tray/stand: 11 x 17 in, legal, oficio (8.5 x 13 in), letter, letter-R, executive; A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom media sizes: 8.27 x 5.83 to 11.7 x 17 in (210.1 x 148.1 to 297 x 432 mm) Optional HCL: Letter and A4 only Duplex: Letter; legal; oficio; executive; ledger(B); A3, A4, A5, B5
Media weights	Tray 1: 16 to 58 lb (60 to 220 g/m <sup>2</sup> ), 80 lb (300 g/m <sup>2</sup> ) photo paper only Tray 2, optional trays 3-5, HCL: 16 to 58 lb (60 to 220 g/m <sup>2</sup> )
Media types	Plain paper, HP EcoFFICIENT, HP Premium Presentation Matte 120g, HP Brochure Matte 180g, HP Brochure Glossy, HP Advanced Photo Papers, Light 60-74g, Intermediate 85-95g, Mid-Weight 96-110g, Heavy 111-130g, Extra Heavy 131-175g, Cardstock 176-220g, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored, Bond, Recycled, Rough
<b>Print languages</b>	HP PCLXL (PCL6), PCL5, native PDF, HP postscript level 3 emulation, PJI, JPEG, PCLM
<b>Fonts</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode font (Andale Mono WorldType); 2 Internal Windows Vista® 8 fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet fonts and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>
<b>Connectivity</b>	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket <sup>17</sup>

## HP PageWide Color 755dn

<b>Mobile printing</b>	Standard: HP ePrint, <sup>36</sup> Apple® AirPrint®, <sup>37</sup> Google Cloud Print 2.0™ Optional: Wireless direct printing, <sup>29</sup> NFC touch-to-print, <sup>38</sup> and Bluetooth Low Energy <sup>30</sup>
<b>Network capabilities</b>	Standard: via HP Jetdirect Ethernet embedded print server supports 10Base-T, 100Base-TX, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard) Optional: 802.11b/g/n wireless networking (with purchase of optional HP Jetdirect 2900nw Print Server) <sup>29</sup>
<b>Network protocols</b>	IPv4/IPv6: Apple Bonjour® Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
<b>Security</b>	Secure boot, secure firmware integrity, runtime code integrity, SSL/TLS (HTTPS), LDAP authentication, optional HP and third-party authentication solutions (e.g., badge readers) IPP over TLS; WPA2-enterprise wired, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP), Pre-Shared Key Authentication for Wireless (PSK), firewall, certificates configuration, control panel lock, password protect EWS, unused protocol and service disablement, Syslog, signed firmware, administrator settings, native authentication and authorization access control, native color access restriction, configurable authentication time out, UPD PIN printing, Mopy mode via UPD PIN printing, compatible with optional HP JetAdvantage Security Manager, <sup>20</sup> SIEM tool compatibility, encrypted print and scan, encrypted storage with secure erase, IPPS
<b>Printer management</b>	HP Web Jetadmin; <sup>19</sup> Embedded Web Server; HP UPD Printer Administrator Resource Kit; <sup>23</sup> HP Utility (Mac), HP JetAdvantage Security Manager <sup>20</sup>
<b>Compatible operating systems<sup>39</sup></b>	Windows® OS: Windows 10 all 32- and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- and 64-bit editions, Windows 8/8.1 all 32- and 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP® SP3 32-bit editions (XP Home, XP Pro, etc.) Mac OS: 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan Mobile OS: Android™ Linux® Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10) Other OS: UNIX®
<b>Compatible network operating systems</b>	Citrix® MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server® 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32- and 64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop® 5.6 (for Windows Server 2008 R2 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit) Novell NetWare 6.5/SP8 Novell Clients <a href="http://novell.com/iprint">novell.com/iprint</a> , Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers <a href="http://novell.com/iprint">novell.com/iprint</a> Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/ 64-bit Standard/Essential/Datacenter (+ Cluster & Terminal Services)
<b>System requirements, Windows</b>	A compatible operating system (see above); 2 GB available hard disk space; OS hardware requirements (see <a href="http://microsoft.com">microsoft.com</a> )
<b>System requirements, Macintosh</b>	A compatible operating system (see above); Internet; 1.2 GB available hard disk space; OS hardware requirements (see <a href="http://apple.com">apple.com</a> )
<b>Dimensions (width x depth x height)</b>	Operating: 23.8 x 25.7 x 18.4 in (604 x 652 x 467 mm) Maximum: <sup>40</sup> 31.6 x 27.3 x 18.4 in (802 x 694 x 467 mm)
<b>Weight (with print cartridges)</b>	110 lb (49.9 kg)
<b>What's in the box</b>	HP PageWide Color 755dn; HP Setup Ink Cartridges; Installation guide; Support flyer; documentation on CD-ROM; Power cord
<b>Warranty</b>	One-year, on-site warranty, service and support; one-year technical phone support, chat, and email. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP world-class service and support options in your region.
<b>Software included</b>	HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (directs users to <a href="http://123.HP.com">123.HP.com</a> or OS App Source for printer software), online user manuals

# HP PageWide Color 755dn environmental specifications

## HP PageWide Color 755dn

<b>Temperatures<sup>41</sup></b>	Recommended operating: 63 to 77° F (17 to 25° C); Operating: 59 to 86° F (15 to 30° C); Storage before initial setup (Non-purged): -40 to 140° F (-40 to 60° C); Storage after initial setup (Purged): 32 to 140° F (0 to 60° C)
<b>Relative humidity</b>	Recommended operating range: 30 to 70% RH; Operating range: 20 to 80% RH; Non-operating range: 5 to 90% RH
<b>Acoustic power emissions<sup>42</sup></b>	6.9 B(A) (printing at 36 ppm); Ready: inaudible
<b>Acoustic pressure emissions</b>	54 dB(A) (Printing from ready mode, A4 media, simplex color, General Office mode); Ready: inaudible
<b>Power<sup>43</sup></b>	Power supply type: Built-in power supply; Power requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Power consumption: 535 watts (max printing), 61 watts (printing), 17 watts (ready), 0.97 watts (auto-on/auto-off) (sleep), 0.3 watts (auto-on/manual off), 0.3 watts (off)
<b>Energy-saving features</b>	HP Auto-On/Auto-Off Technology <sup>44</sup>
<b>Environmental specifications</b>	ENERGY STAR® certified; EPEAT® Silver <sup>45</sup>
<b>Safety and regulatory compliance</b>	IEC 60950 -1: 2005+ A1:2009 + A2: 2013/EN 60950-1: 2006+A11: 2009 +A1:2010 +A12:2011 +A2: 2013/+AC:2011; IEC 62479:2010/EN 62479:2010; Australia/New Zealand AS/NZS 60950.1: 2011; Canada/America CAN/CSA-C22.2 No 60950-1-07, Amendment 1:2011, ANSI/UL Std No 60950-1, 2nd Ed.; Low Voltage Directive 2014/35/EU with CE Marking (Europe); Singapore PSB; Korea KCC; Taiwan BSMI; Other safety approvals as required by individual countries.
<b>Typical Electricity Consumption (TEC)</b>	1.015 kWh/Week (ENERGY STAR)

# HP PageWide Color MFP 774 and 779 series technical specifications

	HP PageWide Color MFP 774dn	HP PageWide Color MFP 774dns	HP PageWide Color MFP 779dn	HP PageWide Color MFP 779dns
<b>Product number</b>	4PZ43A	4PZ44A	4PZ45A	4PZ46A
<b>Functions</b>	Standard: print, copy, scan; Optional: fax ( <i>all models</i> )			
<b>Control panel/data entry</b>	4.3-inch (10.9 cm) pivoting color touchscreen; Easy-access USB <sup>26</sup>	9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display; Easy-access USB <sup>26</sup>		
<b>Print speed (letter and A4)<sup>8</sup></b>				
Single-sided	Up to 35/55 ppm, Professional/General Office mode (black and color)		Up to 45/65 ppm, Professional/General Office mode (black and color)	
Two-sided	Up to 24 ipm, Professional mode (black and color)		Up to 31 ipm, Professional mode (black and color)	
<b>First page out</b>	From ready: <sup>31</sup> as fast as 8.5/8.4 seconds (letter/A4, black); as fast as 8.6/8.5 seconds (letter/A4, color) From sleep: <sup>32</sup> as fast as 11.3/12 seconds (letter/A4, black); as fast as 11.6/11.8 seconds (letter/A4, color)		From ready: <sup>31</sup> as fast as 7.5/7.3 seconds (letter/A4, black); as fast as 7.5 /7.3 seconds (letter/A4, color) From sleep: <sup>32</sup> as fast as 10/10.5 seconds (letter/A4, black); as fast as 10.6 seconds (letter/A4, color)	
<b>Print resolution</b>	Black: Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Color: Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)			
<b>Scanning resolution</b>	Up to 600 dpi ( <i>all models</i> )			
<b>ADF scan speed (letter and A4)<sup>9</sup></b>				
Single-sided	Up to 60 ppm (black and color) ( <i>all models</i> )			
Two-sided	Up to 120 ipm (black and color) ( <i>all models</i> )			
<b>Features</b>				
Printing	HP PageWide Technology with pigmented inks, HP EasyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booklet printing, cover pages, tray selection, scalability, N-up, N or Z-ordering, content orientation, edge-to-edge, portrait/landscape orientation, high-quality grayscale and black ink only, General Office/Professional/Presentation dpi print modes, control panel shortcuts, store print jobs; print Microsoft Word and PowerPoint files from easy-access USB			
Scanning	Flatbed scanner: 11.7 x 17 in (297 x 432 mm); 100-sheet ADF with single-pass, two-sided scanning up to 11.7 x 34 in (297 x 864 mm); <sup>24</sup> Advanced features: optimize text/picture, image adjustments, job build, output quality setting, selectable scan resolution 75 to 600 dpi, auto detect color, edge erase, job notification, blank page suppression, ID Scan, HP Quick Sets; bit depth: 24-bit (color); 8-bit (gray); Scan file type supported by software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)			
Digital sending	Scan to email with LDAP email address lookup, scan to network folder, scan to USB, <sup>26</sup> scan to FTP, send to Internet fax, send to LAN fax, blank page removal, edge erase, auto color sense, scan to Microsoft SharePoint <sup>46</sup>			
File formats	PDF, JPEG, TIFF, XPS, PDF/A; Scan to easy-access USB: PDF, JPEG, TIFF, XPS, PDF/A; Print from easy-access USB: <sup>26</sup> PDF, PS, print ready files (.prn, .pcl, .cht)			
Copying	Copy speed: Up to 35 copies per minute (cpm) (black and color) and first copy out as fast as 10.5/10.3 seconds (black/color) <sup>47</sup>		Copy speed: Up to 45 cpm (black and color) and first copy out as fast as 8.3/9.8 seconds (black/color) <sup>47</sup>	
Optional faxing	Auto-scale, reduce/enlarge from scanner glass (25 to 400%), collate, auto-color detection, two-sided copying, job build, image adjustments (darkness, background clean-up, sharpness); Copy resolution: Up to 600 x 600 dpi Fax speed: <sup>48</sup> 3 seconds per page/33.6 kbps (letter/A4); fax forwarding, receive fax polling, broadcasting to up to 210 locations, speed dial up to 1000 numbers, each with 210 destinations, auto-fax reduction, auto-redialing, stored faxes, fax archiving, scale-to-fit, fax address book, LAN/Internet fax, fax number confirmation, holiday fax schedule Fax resolution: Black: 204 x 98 dpi (standard), 204 x 196 dpi (fine); Color: 300 x 300 dpi (400 x 400 dpi for received faxes only)			
<b>Processor</b>	1.2 GHz ( <i>all models</i> )			
<b>Memory</b>	2816 MB/3584 MB (standard/maximum) <sup>49</sup> ( <i>all models</i> )			
<b>Storage</b>	eMMC solid state drive (SSD) for printer operating system and job storage			
<b>Durability ratings</b>				
RMPV <sup>34</sup>	2,500 pages to as high as 15,000 pages		2,500 pages to as high as 20,000 pages	
RMSV <sup>25</sup>	2,000 pages to as high as 50,000 pages ( <i>all models</i> )			
Duty cycle <sup>35</sup>	Up to 75,000 pages		Up to 100,000 pages	

	HP PageWide Color MFP 774dn	HP PageWide Color MFP 774dns	HP PageWide Color MFP 779dn	HP PageWide Color MFP 779dns
<b>Media specifications</b>				
Input capacity	Up to 650 sheets (up to 4,650 sheets maximum <sup>14</sup> ) ( <i>all models</i> ) Tray 1: up to 100 sheets Tray 2: up to 550 sheets			
Output capacity	Up to 500 sheets	Up to 850 sheets; including 350-sheet inner finisher with stapler (staples up to 50 sheets)	Up to 500 sheets	Up to 850 sheets; including 350-sheet inner finisher with stapler (staples up to 50 sheets)
Two-sided printing	Automatic ( <i>all models</i> )			
Media sizes	<p>Tray 1: 12 x 18 in, 11 x 17 in, legal, oficio (8.5 x 13 in), letter, letter-R, executive, statement, 5 x 8 in, 5 x 7 in, 4 x 6 in, envelope #10; A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm), envelopes (B5, C5, C6); Custom media sizes: 3.9 x 5.83 to 12 x 18 in (99.1 x 127 to 305 x 457 mm)</p> <p>Tray 2: 11 x 17 in, legal, oficio (8.5 x 13 in), letter, letter-R, executive; A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom media sizes: 8.27 x 5.83 to 11.7 x 17 in (210.1 x 148.1 to 297 x 432 mm)</p> <p>Optional 1x550 tray, 1x550 tray/stand, 3x550 tray/stand: 11 x 17 in, legal, oficio (8.5 x 13 in), letter, letter-R, executive; A3, A4, A4-R, A5, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8K (260 x 368 mm), 16K (184 x 260 mm), 8K (273 x 394 mm), 16K (197 x 273 mm), oficio (216 x 340 mm); Custom media sizes: 8.27 x 5.83 to 11.7 x 17 in (210.1 x 148.1 to 297 x 432 mm)</p> <p>Optional HCI: Letter and A4 only</p> <p>Duplex: Letter; legal; oficio; executive; ledger(B); A3, A4, A5, B5</p> <p>ADF: 11.7 x 34 in, legal, 8.5 x 13 in, letter; A3, ledger, B4-JIS, A4, B5-JIS, A5, B6-JIS, A6</p>			
Media weights	<p>Tray 1: 16 to 58 lb (60 to 220 g/m<sup>2</sup>), 80 lb (300 g/m<sup>2</sup>) photo paper only</p> <p>Tray 2, optional trays 3-5, optional HCI: 16 to 58 lb (60 to 220 g/m<sup>2</sup>)</p> <p>ADF: 16 to 32 lb (60 to 120 g/m<sup>2</sup>), plain paper; 33 to 80 lb (125 to 300 g/m<sup>2</sup>), photo; 20 to 24 lb (75 to 90 g/m<sup>2</sup>), envelope; 32 to 48 lb (120 to 180 g/m<sup>2</sup>), brochure; 90 lb (163 g/m<sup>2</sup>), card</p>			
Media types	Plain paper, HP EcoFFICIENT, HP Premium Presentation Matte 120g, HP Brochure Matte 180g, HP Brochure Glossy, HP Advanced Photo Papers, Light 60-74g, Intermediate 85-95g, Mid-Weight 96-110g, Heavy 111-130g, Extra Heavy 131-175g, Cardstock 176-220g, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored, Bond, Recycled, Rough			
Print languages	HP PCLXL (PCL6), PCL5, native PDF, HP postscript level 3 emulation, PJI, JPEG, PCLM			
Fonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode font (Andale Mono WorldType); 2 Internal Windows Vista 8 fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet fonts and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>			
Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host (1 easy-access and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network			
	Plus: Hardware Integration Pocket <sup>17</sup>			
Mobile printing	Standard: HP ePrint, <sup>36</sup> Apple AirPrint, <sup>37</sup> Mopria-certified, Google Cloud Print 2.0			
	Optional: Wireless direct printing, <sup>29</sup> NFC touch-to-print, <sup>38</sup> and Bluetooth Low Energy <sup>30</sup>			
Network capabilities	Standard: via HP Jetdirect Ethernet embedded print server supports: 10Base-T, 100Base-TX, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec			
	Optional: 802.11b/g/n wireless networking (with purchase of optional HP Jetdirect 2900nw Print Server) <sup>29</sup>			
Network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print			



	HP PageWide Color MFP 774dn	HP PageWide Color MFP 774dns	HP PageWide Color MFP 779dn	HP PageWide Color MFP 779dns
<b>Security</b>	Secure boot, secure firmware integrity, runtime code integrity, SSL/TLS (HTTPS), LDAP authentication, optional HP and third-party authentication solutions (e.g., badge readers) IPP over TLS; WPA2-enterprise wired, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP), Pre-Shared Key Authentication for Wireless (PSK), firewall, certificates configuration, control panel lock, password protect EWS, unused protocol and service disablement, Syslog, signed firmware, administrator settings, native authentication and authorization access control, native color access restriction, configurable authentication time out, UPD PIN printing, Mopy mode via UPD PIN printing, compatible with optional HP JetAdvantage Security Manager, <sup>20</sup> SIEM tool compatibility, encrypted print and scan, encrypted storage with secure erase, IPPS			
<b>Printer management</b>	Optional HP JetAdvantage Security Manager; <sup>20</sup> HP SNMP Proxy Agent; HP Web Jetadmin Software; <sup>19</sup> Printer Administrator Resource Kit for HP Universal Print Driver <sup>23</sup>			
<b>Compatible operating systems<sup>39</sup></b>	<p>Windows OS: Windows 10 all 32- and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- and 64-bit editions, Windows 8/8.1 all 32- and 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)</p> <p>Mac OS: 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan</p> <p>Mobile OS: Android</p> <p>Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10)</p> <p>Other OS: UNIX</p>			
<b>Compatible network operating systems</b>	<p>Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (plus Feature Pack 2 &amp; 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32- and 64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit)</p> <p>Novell NetWare 6.5/SP8 Novell Clients <a href="http://novell.com/iprint">novell.com/iprint</a>, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers <a href="http://novell.com/iprint">novell.com/iprint</a></p> <p>Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster &amp; Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster &amp; Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster &amp; Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster &amp; Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster &amp; Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster &amp; Terminal Services), Windows Server 2016/64-bit Standard/Essential/Datacenter (+ Cluster &amp; Terminal Services)</p>			
<b>System requirements, Windows</b>	A compatible operating system (see above); 2 GB available hard disk space; OS hardware requirements (see <a href="http://microsoft.com">microsoft.com</a> )			
<b>System requirements, Macintosh</b>	A compatible operating system (see above); Internet; 1.2 GB available hard disk space; OS hardware requirements (see <a href="http://apple.com">apple.com</a> )			
<b>Dimensions (width x depth x height)</b>	Operating: 23.8 x 23.8 x 26.2 in (604 x 604 x 664 mm) Maximum: <sup>40</sup> 50.0 x 40.4 x 37.3 in (1270 x 1027 x 946 mm)	Operating: 23.8 x 25.7 x 30.4 in (604 x 652 x 772 mm) Maximum: <sup>40</sup> 50.0 x 40.4 x 41.5 in (1270 x 1027 x 1054 mm)	Operating: 23.8 x 23.8 x 26.2 in (604 x 604 x 664 mm) Maximum: <sup>40</sup> 50.0 x 40.4 x 37.3 in (1270 x 1027 x 946 mm)	Operating: 23.8 x 25.7 x 30.4 in (604 x 652 x 772 mm) Maximum: <sup>40</sup> 50.0 x 40.4 x 41.5 in (1270 x 1027 x 1054 mm)
<b>Weight (with print cartridges)</b>	142.8 lb (64.8 kg)	181.5 lb (82.5 kg)	146.5 lb (66.6 kg)	181.5 lb (82.5 kg)
<b>What's in the box</b>	HP PageWide Color MFP; HP Setup Ink Cartridges; Installation guide; Support flyer; documentation on CD-ROM; Power cord			
<b>Warranty</b>	One-year, on-site warranty, service and support; one-year technical phone support, chat, and email. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP world-class service and support options in your region.			
<b>Software included<sup>50</sup></b>	HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (directs users to <a href="http://123.HP.com">123.HP.com</a> or OS App Source for printer software), online user manuals			

# HP PageWide Color MFP 774 and 779 series environmental specifications

	HP PageWide Color MFP 774dn	HP PageWide Color MFP 774dns	HP PageWide Color MFP 779dn	HP PageWide Color MFP 779dns
<b>Temperatures<sup>41</sup></b>	Recommended operating: 63 to 77° F (17 to 25° C); Operating: 59 to 86° F (15 to 30° C); Storage before initial setup (Non-purged): -40 to 140° F (-40 to 60° C); Storage after initial setup (Purged): 32 to 140° F (0 to 60° C)			
<b>Relative humidity</b>	Recommended operating range: 30 to 70% RH; Operating range: 10 to 80% RH; Non-operating range: 10 to 80% RH			
<b>Acoustic power emissions<sup>42</sup></b>	Ready mode: Inaudible Active print: 6.7 B(A) Active copy: 6.7 B(A) Active scan: 6.7 B(A)	Ready mode: Inaudible Active print: 6.7 B(A) Active copy: 6.7 B(A) Active scan: 6.7 B(A)	Ready mode: Inaudible Active print: 6.7 B(A) Active copy: 6.7 B(A) Active scan: 6.7 B(A)	Ready mode: Inaudible Active print: 6.7 B(A) Active copy: 6.7 B(A) Active scan: 6.7 B(A)
<b>Acoustic pressure emissions</b>	Ready mode: Inaudible; Active print: 53 dB(A) (printing at 45 ipm); Active scan: 52 dB(A) ( <i>all models</i> )			
<b>Power<sup>43</sup></b>	Power supply type: Built-in power supply; Power requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Power consumption: 525 watts (max. printing), 78 watts (printing), 30 watts (ready), 1.22 watts (sleep), 0.2 watts (auto-off/manual-on), 0.2 watts (off)			
<b>Energy-saving features</b>	HP Auto-On/Auto-Off Technology <sup>44</sup>			
<b>Environmental specifications</b>	ENERGY STAR certified; EPEAT Gold <sup>45</sup>			
<b>Safety and regulatory compliance</b>	IEC 60950 -1: 2005+ A1:2009 + A2: 2013/EN 60950-1: 2006+A11: 2009 +A1:2010 +A12:2011 +A2: 2013/+AC:2011; IEC 62479:2010/EN 62479:2010; Australia/New Zealand AS/NZS 60950.1: 2011; Canada/America CAN/CSA-C22.2 No 60950-1-07, Amendment 1:2011, ANSI/UL Std No 60950-1, 2nd Ed.; Low Voltage Directive 2014/35/EU with CE Marking (Europe); Singapore PSB; Korea KCC; Taiwan BSMI; Other safety approvals as required by individual countries.			
<b>Typical Electricity Consumption (TEC)</b>	1.25 kWh/Week (ENERGY STAR) ( <i>all models</i> )			

# Ordering information

<b>Product</b>	HP PageWide Color 755dn	4PZ47A
	HP PageWide Color MFP 774dn	4PZ43A
	HP PageWide Color MFP 774dns	4PZ44A
	HP PageWide Color MFP 779dn	4PZ45A
	HP PageWide Color MFP 779dns	4PZ46A
<b>Supplies<sup>51</sup></b>	HP 990A Black PageWide Cartridge (~10,000 pages) <sup>51</sup>	MOJ85AN
	HP 990A Cyan PageWide Cartridge (~8,000 pages) <sup>51</sup>	MOJ73AN
	HP 990A Yellow PageWide Cartridge (~8,000 pages) <sup>51</sup>	MOJ81AN
	HP 990A Magenta PageWide Cartridge (~8,000 pages) <sup>51</sup>	MOJ77AN
	HP 990X Black PageWide Cartridge (~20,000 pages) <sup>51</sup>	MOK01AN
	HP 990X Cyan PageWide Cartridge (~16,000 pages) <sup>51</sup>	MOJ89AN
	HP 990X Yellow PageWide Cartridge (~16,000 pages) <sup>51</sup>	MOJ97AN
	HP 990X Magenta PageWide Cartridge (~16,000 pages) <sup>51</sup>	MOJ93AN
	HP PageWide Printhead Wiper Kit (~150,000 pages)	W1B43A
	HP PageWide Service Fluid Container (~150,000 pages)	W1B44A
	HP PageWide Roller Kit (~150,000 pages)	W1B45A
	<b>MFP models only:</b>	
	HP PageWide ADF Roller Replacement Kit (~50,000 pages)	W1B47A
	<b>dns models only:</b>	
HP Staple Cartridge Refill (~5,000 staples)	J8J96A	
<b>Accessories</b>	HP PageWide 550-sheet Paper Tray	A7W99A
	HP PageWide 550-sheet Paper Tray and Stand	W1B50A
	HP PageWide 3x550-sheet Paper Tray and Stand	W1B51A
	HP PageWide 4000-sheet HCl Paper Tray and Stand	W1B52A
	HP Jetdirect 2900nw Print Server <sup>29</sup>	J8031A
	HP Jetdirect 3000w NFC/Wireless Accessory <sup>38</sup>	J8030A
	HP Internal USB ports	B5L28A
	HP Accessibility Assistant	2MU47A
	<b>MFP models only:</b>	
	HP LaserJet MFP Analog Fax Accessory 500	CC487A
	HP 128 GB Memory Module	W1B49A
	HP Foreign Interface Harness	B5L31A
HP 1 GB DDR3 x 32 144-Pin 800 MHz SODIMM	E5K48A	
<b>Solutions</b>	HP Web Jetadmin: <a href="http://hp.com/go/wja">hp.com/go/wja</a>	
	HP Universal Print Driver: <a href="http://hp.com/go/upd">hp.com/go/upd</a>	
	HP JetAdvantage Security Manager: <a href="http://hp.com/go/securitymanager">hp.com/go/securitymanager</a>	
	HP JetAdvantage On Demand Cloud Solutions: <a href="http://hp.com/go/jetadvantageondemand">hp.com/go/jetadvantageondemand</a>	
	HP LaserJet fonts, barcodes, and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a> To learn more about available infrastructure, management, and workflow solutions, visit <a href="http://hp.com/go/printing_solutions">hp.com/go/printing_solutions</a>	

# Appendix A: Control panel features

## Upgrade to a modern interface

The HP PageWide Color 755dn, and MFP 774 and 779 series models are powered by HP FutureSmart firmware. The modern, tablet-like interface keeps things simple and intuitive across your fleet of devices. A scalable control panel interface improves future extensibility and allows for customization, along with a robust set of new apps and usability features. You can even customize with your own wallpaper image and company logo. The new Message Center, with more detailed information and helpful animations, makes it easy to address device events. The simplified home screen displays just a few core apps by default (three apps for products without fax). Additional apps are easily accessed by swiping right to left, like with a smartphone or tablet.



To access additional apps on the new printer user interface, simply swipe right to left




## Edit jobs right at the MFP

The MFP control panel features an enhanced image preview—now for both copies and scans. Right from the MFP's 9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display, you can easily preview and edit scans before sending them. You can apply changes (like rotating) to a single page, or to multiple pages at once. Batch separation allows users to create separate PDF or PDF/A files from scanned pages.



The new MFP user interface enables **swipe**, **rotate**, and **drag-and-drop** capabilities




You can start a **preview** prior to committing to the copy job

## Use Quick Sets to launch automated workflows

The digital sending capability on the MFP models allows users to route documents to a variety of destinations like email recipients, network folders, fax, FTP, a USB device, or Microsoft SharePoint.

Quick Sets automate all of the steps of a complicated workflow and provide easy access to the configurations you use most, such as page size, resolution, and file format. You can also specify security settings, such as encrypted PDFs to be delivered through encrypted and signed emails.


Help users find what they need by moving individual Quick Sets to any screen or folder using the home screen customization feature. With Quick Sets, IT can promote or block access to certain device features. Calls to the helpdesk can be reduced when users have everything they need and are restricted from accessing settings they shouldn't tamper with.



Save **Quick Sets** and **default job options** directly from the application

## Troubleshoot with ease

The HP PageWide Color 755dn printer and MFP 774 and 779 series models can help save your IT department valuable time when it comes to troubleshooting problems. The Remote Control Panel allows users to operate the user interface remotely, so IT can troubleshoot problems without running to the printer or MFP.<sup>52</sup> Users can also quickly troubleshoot technical issues with HP's innovative, cloud-based Online Help services that are relevant and up to date. Easily solve problems from your PC or mobile device. A Quick Response (QR) code on the touchscreen links to Online Help using smart phones and tablets.<sup>53</sup> You can also find these links in the HP Embedded Web Server event log.





<sup>1</sup> In July 2018, HP was named Buyer's Lab's Most Reliable Business Printer & MFP Brand by the analysts at Buyers Lab (BLI), based on the lab testing from 2012 to 2018. For more information, see [keypointintelligence.com/news/awards](http://keypointintelligence.com/news/awards).

<sup>2</sup> High-yield cartridges are not included in printer purchase; purchase separately. Learn more at [hp.com/go/learnaboutsupplies](http://hp.com/go/learnaboutsupplies).

<sup>3</sup> Comparison based on printing in Professional mode.

<sup>4</sup> Fewer service parts claim based on HP analysis of leading in-class A3 color laser printers and MFPs as of February 2018; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% color ratio). Learn more at [hp.com/go/pagewideclaims](http://hp.com/go/pagewideclaims).

<sup>5</sup> Energy claim based on TEC data reported on [energystar.gov](http://energystar.gov) as of February 2018. Data normalized to determine energy efficiency of in-class A3 color laser printers and MFPs with published speeds of 20 to 80 ppm, excluding other HP PageWide products. Subject to device settings. Actual results may vary.

<sup>6</sup> Program availability varies. For more information, visit [hp.com/recycle](http://hp.com/recycle).

<sup>7</sup> Comparison of HP PageWide A3 devices with the majority of in-class color ink/laser MFPs (\$3,000-\$10,299 and €2,820-€10,199), and color ink/laser single function printers (\$1,500-\$4,299 and €1,410-€4,099) as of April 2018 excluding other HP PageWide products; competitive set based on market share data as reported by IDC as of Q4 2017, MSRP data provided by gap intelligence and/or Buyers Lab. HP PageWide speeds based on General Office mode and exclude first page. Learn more at [hp.com/go/printerspeeds](http://hp.com/go/printerspeeds).

<sup>8</sup> The HP PageWide Color MFP 779 models print up to 45/65 ppm (Professional mode/General Office mode), letter and A4, simplex. The HP PageWide Color 755dn printer and MFP 774 series models print up to 35/55 ppm (Professional mode/GO mode), letter and A4, simplex. ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see [hp.com/go/printerclaims](http://hp.com/go/printerclaims).

<sup>9</sup> Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

<sup>10</sup> Fax capability is optional on all MFP models.

<sup>11</sup> The HP PageWide Color MFP 774dns and MFP 779 series models have a 9.0-inch (22.8 cm) functional touchscreen with 8.0-inch (20.3 cm) Color Graphics Display. The HP PageWide Color 755dn printer and MFP 774dn have a 4.3-inch (10.9 cm) touchscreen.

<sup>12</sup> Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see [hpconnected.com](http://hpconnected.com).

<sup>13</sup> Standard and optional paper-handling accessories vary by model. See "Series at a glance" tables, pages 7 and 9, for details.

<sup>14</sup> Purchase of optional paper tray(s) required to reach maximum input capacity.

<sup>15</sup> HP Proximity Card Reader (CZ208A) is available for separate purchase for select HP devices with Hardware Integration Pocket (HIP) and touchscreen display. If you use an optional proximity card reader at the device to authenticate and retrieve your print job, an additional solution such as HP Access Control is required.

<sup>16</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at [hp.com/go/printsecurity](http://hp.com/go/printsecurity).

<sup>17</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HIP is supported on all models except the 774dn.

<sup>18</sup> Use of the standard HP Trusted Platform Module accessory (MFP 774 and 779 models only) may require a firmware upgrade.

<sup>19</sup> HP Web Jetadmin is available for download at no additional charge at [hp.com/go/wja](http://hp.com/go/wja).

<sup>20</sup> HP JetAdvantage Security Manager must be purchased separately. For details, see [hp.com/go/securitymanager](http://hp.com/go/securitymanager).

<sup>21</sup> HP JetAdvantage Secure Print works with any network-connected printer or MFP. On-device authentication is available for many HP LaserJet, PageWide, and OfficeJet Pro devices and selected non-HP devices. Some devices may require a firmware upgrade. Internet connection required for cloud storage and retrieval of print jobs. Print-job release from a mobile device requires a network connection and QR code. For more information and a list of supported printers and MFPs, see [hp.com/go/JetAdvantageSecurePrint](http://hp.com/go/JetAdvantageSecurePrint).

<sup>22</sup> Color access control capabilities vary from device to device.

<sup>23</sup> The HP Universal Print Driver is available for download at no additional charge at [hp.com/go/upd](http://hp.com/go/upd).

<sup>24</sup> The 100-sheet ADF can scan documents up to 11.7 x 17 in (297 x 432 mm), as well as up to 11.7 x 34 in (297 x 864 mm) when "long scan size" is selected.

<sup>25</sup> The HP PageWide Color MFP 774 series models have a recommended monthly scan volume (RMSV) of 2,500 to 15,000 pages. The MFP 779 series models have an RMSV of 2,500 to 20,000 pages. HP recommends that the number of scanned pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>26</sup> An administrator must enable the easy-access USB port before use.

<sup>27</sup> Feature works with Microsoft® Word and PowerPoint® 2003 and later. Only Latin language fonts are supported.

<sup>28</sup> A 350-sheet inner finisher is available on the HP PageWide Color MFP 774dns and 779dns models only. Those models have a maximum output capacity of 850 sheets. Models without an inner finisher have a maximum output capacity of 500 sheets.

<sup>29</sup> All models can add wireless networking with the purchase of the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. Wireless operations are compatible with 2.4 GHz routers only.

<sup>30</sup> Bluetooth® Low Energy is optional on all models. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license.

<sup>31</sup> Measured using ISO/IEC 17629. Exact speed for first page out varies depending on the system configuration, software application, driver, and document complexity. Learn more at [hp.com/go/printerclaims](http://hp.com/go/printerclaims).

<sup>32</sup> Measured after 15 minutes in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep.

<sup>33</sup> Upgradeable to 2560 MB with optional DIMM.

<sup>34</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>35</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>36</sup> Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Learn more at [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting).

<sup>37</sup> Supports the following devices running iOS 4.2 or later: iPad®, iPad 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint®-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent on physical environment and distance from the access point.

<sup>38</sup> Touch-to-print capability is optional for all models with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see [hp.com/go/businessmobileprinting](http://hp.com/go/businessmobileprinting).

---

<sup>39</sup> Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from [123.hp.com](http://123.hp.com). Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- and 64-bit) uses a simplified HP print driver built into the RT OS.

<sup>40</sup> Maximum dimensions of the device are measured with MP tray down with extension out, main tray extended, and output tray extension in legal position.

<sup>41</sup> If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer).

<sup>42</sup> Printing or scanning from ready mode, A4 media, simplex color, General Office mode. Acoustic values are subject to change. For current information, see [hp.com/support](http://hp.com/support).

<sup>43</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

<sup>44</sup> HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.

<sup>45</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See [epeat.net](http://epeat.net) for registration status by country.

<sup>46</sup> An administrator must enable the Scan to SharePoint feature before use.

<sup>47</sup> First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>48</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17.

<sup>49</sup> Internal DDR3 DRAM contained on the controller and Scanner board.

<sup>50</sup> Scan software not included in box. HP Scan and TWAIN driver available for download: [hp.com/support](http://hp.com/support).

<sup>51</sup> Cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.

<sup>52</sup> Availability dependent on firmware or software updates or upgrades.

<sup>53</sup> Online Help must be enabled on the printer or MFP. Mobile device must have an Internet connection to access online services.

Sign up for updates  
[hp.com/go/getupdated](http://hp.com/go/getupdated)



Share with colleagues

---

© Copyright 2018-2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

AirPrint, Apple, iPad, iPhone, iPod touch, and Bonjour are trademarks of Apple Inc. Android and Google Cloud Print are trademarks of Google Inc. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Citrix and XenDesktop are registered trademarks of Citrix Systems, Inc. and/or one more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. Microsoft, SharePoint, Windows Windows Server, Windows Vista are U.S. registered trademarks of the Microsoft group of companies. UNIX is a registered trademark of The Open Group.

4AA7-3618ENUC, October 2019, Rev. 2

