

HP Color LaserJet Enterprise M651dn Printer



Count on reliable performance and handle high-volume color printing in the office and on the go.

Count on performance. Print professional-quality, two-sided color documents—letter and A4—with outstanding reliability. Efficient one-touch printing and mobile printing options plus simple management help you be productive wherever work takes you.



HP Color LaserJet Enterprise M651dn

Invest in reliable printing performance

- Tackle printing tasks confidently—with a printer designed for quiet performance and minimal intervention.
- Stay on firm ground—maintain printing productivity thanks to reliable, upgradable firmware.
- Print your best—equip every department with vibrant, consistent, professional-quality printing.

Keep business moving—from virtually anywhere

- Print without wires—or a network. Get easy access to the printer through optional wireless direct printing.¹
- Mobile printing at a touch—enable touch-to-print convenience from mobile devices.²
- Easily print from smartphone, tablets, and notebooks at work, home, or on the go; Mopria-certified.³

Ready for the future

- Keep up with the times. Easily update this printer as solutions advance—with HP FutureSmart Firmware.
- Depend on a printer that can expand with your business, with easy and feature upgrades.
- Take the guesswork out of management—centrally monitor and control all your printers with HP Web Jetadmin.⁴

High-volume productivity

- Get exceptional value from Original HP high-capacity ink cartridges.
- Easy control at your fingertips—select settings using the 4.3-inch color touchscreen.
- Meet the demands of high-volume print jobs—this printer has a paper input capacity of up to 3,100 sheets.⁵

¹ Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/businessmobileprinting. Wireless direct printing requires purchase of optional module. ² Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/businessmobileprinting. Touch-to-print capability requires purchase of optional module. ³ Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no setup. ⁴ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin ⁵ Maximum paper capacity requires purchase of additional paper trays for the HP Color LaserJet Enterprise M651dn.


Product walkaround

- 1 Intuitive 4.3-inch (10.9 cm) color VGA control panel
- 2 Home button (returns to home screen)
- 3 500-sheet output bin
- 4 Front door provides convenient access to HP toner cartridges and drums
- 5 Built-in automatic duplexer
- 6 500-sheet input tray
- 7 Hardware integration pocket
- 8 Easy access USB port to print files directly
- 9 100-sheet multipurpose tray supports media weights up to 58 lb bond (220 g/m²)
- 10 800 MHz processor, 1.5 GB RAM
- 11 Hi-Speed USB 2.0 printing port
- 12 Hi-Speed USB 2.0 port (for connecting third-party devices)
- 13 HP Jetdirect Gigabit Ethernet print server
- 14 Access port for optional Kensington-style lock

HP Color LaserJet Enterprise M651dn shown



Front view



Rear view

Series at a glance



| | |
|---|---------------|
| Model | M651dn |
| Part number | CZ256A |
| 100-sheet multipurpose tray | ✓ |
| 500-sheet tray 2 | ✓ |
| 2 x 500-sheet trays and 1,500-sheet HCI with stand | Optional |
| Touch-to-print and wireless direct mobile printing | Optional |
| HP High-Performance Secure Hard Disk | Not available |
| Automatic duplexer | ✓ |

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware software up and running so employees can stay productive.

Choose from:

Next Business Day Onsite Repair: Makes an HP technician available at customer's premise the next business day, if the issue cannot be resolved remotely.

Same Day Onsite – 4 hour 9 x 5 and 13 x 5: Sends an HP technician to customer's site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For care pack availability visit: hp.com/go/cpc



Top Features

Achieve the results your business demands. Print high-quality color documents page after page and complete printing tasks with confidence.

Help workteams keep up with the pace of business—enable printing from any location in your office or on the go with mobile printing options.

Make a smart investment with a printer that can change with the times. Easily upgrade and extend solutions—and keep sensitive data safe.

Keep work moving—and spend less time reloading supplies—with high-capacity cartridges and room for up to 3,100 sheets. This printer's intuitive color touchscreen makes job setup quick and simple.¹

Accessories

| | |
|--------|---|
| CC497A | HP LaserJet Postcard Media Insert Tray |
| CE246A | HP Color LaserJet 110V Fuser Kit |
| CE265A | HP LaserJet CP4525 Toner Collection Unit |
| CC487A | HP LaserJet MFP Analog 500 Fax Accessory |
| CE247A | HP Color LaserJet 220V Fuser Kit |
| CE249A | HP Color LaserJet Transfer Kit |
| CZ261A | HP Color LaserJet 500-sheet Paper Tray |
| CZ263A | HP Color LaserJet 2 x 500-sheet, 1,500-sheet High-capacity Paper Feeder and Stand |
| CZ264A | 900-sheet, 3-bin stapling mailbox |
| E5K46A | HP NFC/Wireless 1200w Mobile Print Accessory |
| J8029A | HP JetDirect 2800w NFC/Wireless Direct Accessory |

Supplies²

| | |
|--------|---|
| CF330A | HP 653A Black LaserJet Toner Cartridge |
| CF330X | HP 654X High Yield Black LaserJet Toner Cartridge |
| CF331A | HP 654A Cyan Original LaserJet Toner Cartridge |
| CF332A | HP 654A Yellow Original LaserJet Toner Cartridge |
| CF333A | HP 654A Magenta Original LaserJet Toner Cartridge |

Services

| | |
|---------|--|
| U1UJ2E | HP 3-year 4h 9 x 5 Color LaserJet M651 Hardware Support |
| U1UJ3E | HP 3-year 4h 13 x 5 Color LaserJet M651 Hardware Support |
| U1UJ4E | HP 4-year 4h 9 x 5 Color LaserJet M651 Hardware Support |
| U1UJ5E | HP 4-year 4h 13 x 5 Color LaserJet M651 Hardware Support |
| U1UJ6E | HP 5-year 4h 9 x 5 Color LaserJet M651 Hardware Support |
| U1UJ7E | HP 5-year 4h 13 x 5 Color LaserJet M651 Hardware Support |
| U1UJ8E | HP 3-year Next Business Day + DMR Color LaserJet M651 Support |
| U1UJ9E | HP 4-year Next Business Day + DMR Color LaserJet M651 Support |
| U1UK0E | HP 5-year Next Business Day + DMR Color LaserJet M651 Support |
| U1UL1PE | HP 2-year Post Warranty Next Business Day Color LaserJet M651 Hardware Support |
| U1UL4PE | HP 1-year Post Warranty Next Business Day + DMR Color LaserJet M651 Support |

¹ Maximum paper capacity requires purchase of additional paper trays for the HP Color LaserJet Enterprise M651dn. ² Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutequipment.

HP Color LaserJet Enterprise M651dn Printer

| HP Color LaserJet Enterprise M651dn (CZ256A) | |
|---|--|
| Technical specifications | |
| Functions | Print only |
| Duplex print options | Automatic (standard) |
| Print speed¹ | Normal, A4: Up to 42 ppm black, Up to 42 ppm color; Normal, letter: Up to 45 ppm black, Up to 45 ppm color |
| First page out² | Black (ready): As fast as 9 sec; Color (ready): As fast as 9 sec |
| Print resolution | Black (best): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi |
| Print technology | Laser |
| Print resolution technologies | HP ImageREt 4800, 600 x 600 dpi, HP ProRes 1200 (1200 x 1200 dpi), HP on-paper calibration Technology |
| Print cartridges number | 4 (1 each black, cyan, magenta, yellow) |
| Printer smart software features | HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware, Schedule On and Off technology, Instant-on Technology, HP Auto-On/Auto-Off technology, HP EasyColor, Front-facing USB printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs |
| Mobile printing capability³ | HP ePrint; Optional, Wireless direct printing; Apple AirPrint™; Mobile Apps |
| Standard print languages | HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF and AirPrint (URF and PDF) |
| Printer management | HP Web Jetadmin; HP Utility (Mac) |
| Standard connectivity | 1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third party connections); 1 Accessory (for Kensington Lock); 1 Ethernet |
| Network capabilities | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional). Please note: HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W (J8026A) accessories cannot be installed at the same time. |
| Network ready | Standard (built-in Gigabit Ethernet); Included Touch-to-print and Wireless Direct |
| Wireless capability | Yes, NFC/Wireless via HP Jetdirect 2700w & 2800w |
| Memory | 1.5 GB (System Memory) |
| Processor speed | 800 MHz |
| Duty cycle (monthly)⁴ | Up to 120,000 pages; Recommended monthly page volume:⁵ 2,000 to 17,000 pages |
| Paper handling | |
| Input | 500-sheet input tray, 100-sheet multi-purpose tray, automatic two-sided printing |
| Output | 500-sheet output bin |
| Media type | Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy, preprinted, prepunched, colored, rough), color transparency, labels, letterhead, envelope, opaque film |
| Media weight | Multipurpose tray: 60 to 220 g/m ² ; 500-sheet input trays, automatic two-sided printing unit: 60 to 120 g/m ² plain paper, 105 to 220 g/m ² glossy paper |
| Media sizes custom | Multipurpose tray: 76 x 127 to 216 x 356 mm; 500-sheet input trays: 148 x 210 to 216 x 356 mm; Optional HP Postcard Media Insert Tray (must be installed in tray 2): 10 x 15 cm |
| Dimensions (W x D x H) | 550 x 520 x 455 mm (21.7 x 20.5 x 18 in); Max: 819 x 863 x 521 mm (32.3 x 34 x 20.5 in) |
| Weight | 39.1 kg (86.2 lb) |
| What's in the box | HP Color LaserJet Printer; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges (installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Support flyer |
| Warranty features | One-year, onsite warranty |
| Energy efficiency compliance | ENERGY STAR® 2.0; Blue Angel UZ-171; EPEAT® Silver |
| Compatible operating systems | Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit), Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks. For the latest operating system support see: AirPrint support.apple.com/kb/ht4356, Android Citrix and Windows® Terminal Services (hp.com/go/upd), HP ePrint Software Driver hp.com/go/eprintsoftware, Linux (hplip.net), Novell (novell.com/iprint), SAP device types hp.com/go/sap/drivers, SAP Print hp.com/go/sap/print), UNIX hp.com/go/UNIX, UNIX JetDirect hp.com/go/jetdirectunix, software, Unix Model Scripts |
| Compatible network operating system | HP-UX 10.20, 11.x, 11.i, IBM AIX 3.2.5 or higher, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, Microsoft Windows 2000, MPE-iX, Citrix MetaFrame Server, Novell 5.1 or higher, Red Hat Linux 7.x or higher, Solaris 2.5 or higher (SPARC systems only), SuSe Linux 8.x or higher, Windows 2003 SP2+ 64-bit, Windows Server 2003 SP2+, Windows Terminal Services, Windows Vista (32-bit and 64-bit), Windows Vista(R) Ready, Windows XP SP3+ 64-bit, Windows XP SP3+ Home, Windows XP SP3+ Home, Windows XP SP3+ Professional, Windows XP SP3+ Professional and Windows Vista, Windows 7 SP1 or greater (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows Server 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit), (For Microsoft IPv6 compatibility use Windows 2003, Windows XP Home, Windows XP Professional and Windows Vista) |
| Minimum system requirements | PC: Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008; Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Operating system compatible hardware system requirements see microsoft.com; Mac: Mac OS X 10.6 Snow Leopard; Mac OS X 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; Operating system compatible hardware system requirements see apple.com |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts |
| Control panel | STP 10.92 cm WQVGA 480 x 272 resistive touch display with home button |
| Power | Power supply type: Built-in power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption:⁶ Printing: 650 watts, Manual Off: 0.1 watts, Sleep: 8.5 watts, Ready: 67 watts, Auto-Off/Manual On: 0.1W, Auto off/Wake on LAN: 1.9 watts; Typical electricity consumption (TEC) number: 4.7 kWh/Week |
| Software included | Windows: HP Installer/Uninstaller, HP PCL 6 print driver, Wizard, Scan to Folder Setup Wizard, Scan-to-e-mail setup Wizard, HP Send Fax, DXP (Device Experience), HP Help & Learn Center, Product Registration Assist; Mac: HP Installer/Uninstaller, HP Postscript driver, HP Utility, HP Alerts, HP Firmware Updater |
| Acoustic | Acoustic power emissions:⁷ 7.1 B(A); Acoustic power emissions (ready): 4.9B(A); Acoustic pressure emissions bystander (active, printing): 55 dB(A); Acoustic pressure emissions bystander (ready): 34 dB(A) |
| Environmental ranges | Operating temperature range: 10 to 30° C (50 to 86° F); Recommended operating temperature: 15 to 27° C (59 to 80.6° F); Non-operating humidity range: 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH |
| Security management | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Security management: Compatible with HP Imaging and Printing Security Center |
| Safety approvals and requirements | IEC 60950-1:2005 + A1; EN60950-1:2006 + A11:2009 + A1:2010 + A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries |
| Electromagnetic emission standard | CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2:2006 +A1:2009 + A2:2009, EN 61000-3-3:2008, EN 55024:2010, FCC Title 47 CFR, Part 15 Class A(USA), ICES-003, Issue 4 (Canada), EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries |

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
² Exact speed varies depending on the system configuration, software application, driver and document complexity. ³ May require a firmware upgrade to be compatible, download at hp.com/go/support ⁴ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPS to satisfy the demands of connected individuals or groups. ⁵ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁷ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 42 ppm.

To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.

