

# HP LaserJet MFP M436 series



## Affordable A3 copier—your desktop copying workhorse

Count on reliable, affordable A3 MFP productivity to expand potential. Simplify workflows with efficient scan solutions and copying, and get networking plus remote monitoring.<sup>1</sup> Save resources and time with automatic paper-handling features.<sup>2,3</sup>



HP LaserJet MFP M436n



HP LaserJet MFP M436nda

### Set the pace with reliable A3 productivity

- Conserve resources with automatic two-sided printing and copying—consume up to 50% less paper.
- Capture both sides of the page with ease, using the 100-sheet reversing automatic document feeder.
- Launch tasks at the device—streamline copying; capture a two-sided ID; and darken, enlarge, or reduce images.
- Create a one-sided copy of a two-sided ID—quickly capture the front and back on a single-sided page.

### Business copying performance without compromise

- Help save budget and put affordable MFP performance to work for your business.
- Help protect your investment and get affordable running costs, using Original HP toner cartridges.

### Built-in networking and remote monitoring

- Easily set up, print, and share printing resources with built-in Ethernet networking.
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.<sup>1</sup>

## Product walkaround

1. Automatic document feeder (ADF) cover
2. ADF width guide
3. Scanner glass (A3)
4. 250-sheet output bin
5. Front door access to toner cartridges
6. 250-sheet input tray 2
7. 250-sheet input tray 3 (optional)<sup>2</sup>
8. 100-sheet reversing ADF (input)<sup>1</sup>
9. ADF output tray
10. 4-line LCD, 10 key pad, 4-button quick set
11. 100-sheet multipurpose tray 1
12. Tray 3 jam cover
13. Hi-Speed USB 2.0 printing port
14. Built-in Ethernet 10/100 Base TX networking
15. Automatic two-sided printing and copying<sup>3</sup>



**HP LaserJet MFP M436nda**



## Series at a glance



Model	HP LaserJet MFP M436n	HP LaserJet MFP M436nda
<b>Product number</b>	W7U01A	W7U02A
<b>Print/copy speed up to 23 ppm<sup>4</sup></b>	Yes	Yes
<b>Input capacity: 350 sheets (standard), 600 sheets (maximum) with optional 250-sheet tray</b>	Yes	Yes
<b>Output capacity: 250 sheets</b>	Yes	Yes
<b>Built-in Ethernet networking</b>	Yes	Yes
<b>100-sheet reversing ADF</b>	Optional	Yes
<b>Automatic duplex printing and copying</b>	Not available	Yes

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

### Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

### Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

### Basic Care (minimum recommended support):

Next Business Day Onsite Support

### 4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

### Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

### Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

### Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization  
For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit [hp.com/go/printservices](http://hp.com/go/printservices)



Windows 8



## Top Features

Move business forward with reliable A3 printing and copying at up to 23 ppm.<sup>4</sup> Save time and resources with automatic two-sided printing and two-sided scanning.<sup>2,3</sup> Simplify workflows—send scans where they need to go directly from the MFP.

Get high-quality pages with affordable running costs, using Original HP toner cartridges and long-life drums. Print more pages with fewer interruptions, using high-yield cartridges—up to 13,700 pages (ISO)<sup>4</sup>.

Gain connections for the modern work style, and remotely monitor your environment. Quickly share resources with built-in 10/100 Ethernet. Gain fresh insight into your environment with remote discovery and monitoring.<sup>1</sup>

### Product

**W7U01A** HP LaserJet MFP M436n  
**W7U02A** HP LaserJet MFP M436nda

### Accessories Service Part

**SAM -SL-ADF250D** HP LaserJet 100 Sheet Reverse ADF  
**SAM -SL-SCF2080** HP LaserJet 250 Sheet Media Tray  
Only to be installed by qualified service technician.

### Supplies

**CF256A** HP 56A Black Original LaserJet Toner Cartridge (yield ~7,400 ISO pages)  
**CF256X** HP 56X High Yield Black Original LaserJet Toner Cartridge (yield ~13,700 ISO pages)  
**CF257A** HP 57A Original LaserJet Imaging Drum (yield ~80,000 pages)

### HP Care Packs

**U9JT4E** HP 3y Nbd+DMR LJ M436 MFP HW Supp  
**U9JT5E** HP 4y Nbd+DMR LJ M436 MFP HW Supp  
**U9JT6E** HP 5y Nbd+DMR LJ M436 MFP HW Supp  
**U9JT7E** HP 3y 4h 9x5+DMR LJ M436 MFP HW Supp  
**U9JT8E** HP 4y 4h 9x5+DMR LJ M436 MFP HW Supp  
**U9JT9E** HP 5y 4h 9x5+DMR LJ M436 MFP HW Supp  
**U9JU3E** HP 1y PW Nbd+DMR LJ M435 MFP HW Supp  
**U9JU4E** HP 1y PW 4h 9x5+DMR LJ M435 MFP HW Supp  
**U9JT2E** HP Inst SVC w/nw Workgroup Printer

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to [hp.com/go/cpc](http://hp.com/go/cpc)

### Paper

Contact HP via phone: Asia: 65 6253 8500

### Solutions

HP Web Jetadmin: [hp.com/go/wja](http://hp.com/go/wja)  
HP Universal Print Driver: [hp.com/go/upd](http://hp.com/go/upd)  
HP Imaging and Printing Security Center: [hp.com/go/ipsc](http://hp.com/go/ipsc)

# HP LaserJet MFP M436 series

Model	HP LaserJet MFP M436n	HP LaserJet MFP M436nda
Product number	W7U01A	W7U02A
Functions	Print, Copy, Scan	
<b>Print</b>		
Duplex print options	No	Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycled, Intermediate, LetterHead, Prepunched; A4, A5, B5(JIS), Letter, Executive, Statement, A3, B4(JIS), B5(JIS), BK, 16K, 11x17, Legal, Oficio 216x340, Oficio 8.5x13; 16~29 lb, (60~110g)
Print speed	<b>Black (normal, A4):</b> Up to 23 ppm; <b>Black (normal letter):</b> Up to 23 ppm; <b>Black (normal A3):</b> Up to 12 ppm	<b>Black (normal, A4):</b> Up to 23 ppm; <b>Black (normal letter):</b> Up to 23 ppm; <b>Black (normal A3):</b> Up to 12 ppm; <b>Black Duplex (A4):</b> Up to 12 ppm
Print technology	Laser	
First Page Out	<b>Black (A4, ready):</b> Less than 8.8 seconds; <b>Black (A4, sleep):</b> Less than 25 seconds	<b>Black (A4, ready):</b> Less than 8.7 seconds; <b>Black (A4, sleep):</b> Less than 24 seconds
Print resolution	<b>Black (best):</b> Optical: 600 x 600 dpi; Enhanced: 1200 x 1200 dpi; <b>Black (normal):</b> 600 x 600 dpi	
Print cartridges number	1 Black	
Standard print languages	PCL5E, PCL6	
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver; UPD Active Directory Template; AutoUpgradeUPD; Driver Configuration Utility; Driver Deployment Utility; HP Managed Printing Administration; PRNCON.EXE; HPPRLOG; Migrate-Server-Tools; UpdateNow; Remove Plug and Play Drivers; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; HP JetAdvantage Security Manager; HP Web Jetadmin Software	
<b>Scan</b>		
Scan speed	<b>Normal, A4:</b> Up to 30 ipm (With ADF Accessory)	<b>Normal, A4:</b> Up to 30 ipm
Scan resolution	<b>Enhanced:</b> Up to 1200 x 1200 dpi with reduced speed; <b>Hardware:</b> Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 x 600 dpi	
Scan size	<b>Flatbed:</b> 297 x 432 mm; <b>Maximum (ADF):</b> 297 x 432 mm	
Scan input mode	TWAIN, WIA; Scan to PC (Local, Network) from ADF or Platen	
Scan file format	TIFF, JPEG, PDF, BMP	
<b>Copy</b>		
Copy speed	<b>Black (normal, A4):</b> Up to 23 cpm; <b>Black (normal, letter):</b> Up to 23 cpm	
First copy out	<b>Black (A4):</b> Less than 7.4 seconds; <b>Black (A4, sleep):</b> Less than 25 seconds	<b>Ready (platen):</b> Less than 7.8 seconds; <b>Ready (ADF):</b> Less than 10.8 seconds; <b>Black (A4, sleep):</b> Less than 23.9 seconds
Copy resolution	<b>Black (text and graphics):</b> Platen: Scan 600 x 600, Printing 600 x 600; Document feeder: Scan 600 x 600, Printing 600 x 600; <b>Color (text and graphics):</b> Up to 600 x 600 dpi	
Max no of copies	Up to 999	
Copier resize	25 to 400%	
Copier settings	600 x 600 dpi x 2 bit; Originals content settings: Text, Text/Photo, Photo, Map; Reduce/Enlarge scaling: 25% to 400%; Copy quantity settings: 1 to 999; Darkness controls: 11 levels (Light, Normal, Dark); Colation: Yes (Limited); N-up: A3: 2/4/8/16-up; A4: 2/4/8-up	
<b>Connectivity</b>		
Standard connectivity	High speed USB 2.0	
Wireless capability	No	
Network Capabilities	Built-in Ethernet 10/100 Base-TX network	
Memory	<b>Standard:</b> 128 MB; <b>Maximum:</b> Onboard	
Processor speed	600 MHz	
Duty cycle (monthly)	Up to 50,000 pages per month; <b>Recommended monthly page volume:</b> 2,000	
<b>Paper handling</b>		
Output	Up to 250 Sheets	
Media type	Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycled, Intermediate, Letterhead, Prepunched	
Media weight	Tray 1: 60 to 163 g/m <sup>2</sup> ; Tray 2: 60 to 110 g/m <sup>2</sup> ; Optional Tray 3: 60 to 110 g/m <sup>2</sup> ; Optional ADF: 60 to 195 g/m <sup>2</sup>	
Media sizes custom	Tray 1: Minimum: 125 x 102 mm, Maximum: 306 x 914 mm; Tray 2: Minimum: 148 x 182 mm, Maximum: 297 x 432 mm; Optional Tray 3: Minimum: 148 x 172 mm, Maximum: 297 x 432 mm	
Dimensions (W x D x H)	560 x 540 x 413 mm	560 x 583 x 505 mm
Weight	25 kg	30 kg
What's in the box	HP LaserJet MFP M436 series; HP Original Black LaserJet Introductory Toner Cartridge (~4,000 page yield); HP Original LaserJet Imaging Drum (~80,000 page yield); Printer documentation and software on CD-ROM; Quick Install Guide; Power Cord; USB Cable	
Warranty features	One-year, on-site limited warranty	
<b>Systems</b>		
Compatible operating systems	Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit & 64-bit editions, Windows 8/8.1 all 32-bit & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows 7 all 32-bit & 64-bit editions, Windows 8/8.1 all 32-bit & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit & 64-bit editions (excluding RT OS for Tablets); Windows 8/8.1/10 RT; Other OS; UNIX	
Minimum system requirements	<b>PC:</b> CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com)	
Fonts and Typefaces	49 Scalable Fonts (Include OCR-A / OCR-B) / 1 Bitmap	
Control panel	4-Line LCD, 4 Quick-launch buttons	
Display	4-Line LCD	
Hard disk	None	
Power	<b>Power supply type:</b> Internal (Built-in) power supply; <b>Power supply required:</b> AC 220 - 240V: 50/60Hz; Normal Operation 550W, Ready 80W, Max/Peak 1.1kWh; Sleep/Power Off 1W/0.2W, TEC 0.998kWh; <b>Power consumption:</b> TEC: 0.998 kWh; <b>Typical Electricity Consumption number:</b> 0.998kWh	
Software included	For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS; Welcome Screen, (Directs users to HP.com or OS App Source for printer software); HP Device Toolbox, HP Fax Print Driver, HP Fax Setup Wizard, HP Product Improvement Study, HP Scan App and DriversScan to e-mail setup Wizard, Scan to Folder Setup Wizard	
Acoustics	<b>Acoustic Pressure Emissions Bystander (active, printing):</b> Tray 1: 53 dBA; Tray 2: 51 dBA; Tray 3: 53 dBA; <b>Acoustic Pressure Emissions Bystander (ready):</b> 30 dBA	
Environmental ranges	<b>Operating Temperature Range:</b> 10 to 30°C; <b>Recommended Operating Temperature:</b> 10 to 30°C; <b>Non-operating Humidity Range:</b> 10 to 90% RH; <b>Operating Humidity Range:</b> 20 to 80% RH; <b>Recommended Operating Humidity Range:</b> 20 to 80% RH	
Security management	Embedded Web Server: password protection, configurable login failure policy, configurable auto logout, IPv4 address protection, secure browsing via SSL/TLS	
Safety approvals and requirements	GB4943.1-2011	
Supported network protocols	IP Management: DHCP, DHCPv6, BOOTP, AutoIP, Static; Discovery Protocol: SLIP, UPnP, mDNS, DNS, WINS; Printing Protocol: TCP/IP (9100), TCP/IP (9100)v6, LPR, LPR6, IPP WSD; Management Protocol: SNMPv1.2, SNMPv1.2(IPv6), SNMP3, SNMPv3(IPv6, HTTP); Scan Protocol: Twain for Network; Security Protocol: IPsec	

## Footnotes

<sup>1</sup> Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M436. HP Web Jetadmin is available for download at no additional charge at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin).

<sup>2</sup> Automatic two-sided printing is standard on the HP LaserJet MFP M436nda only.

<sup>3</sup> Reversing automatic document feeder is standard on the HP LaserJet MFP M436nda only. Requires a separate purchase for the HP LaserJet MFP M436n.

<sup>4</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

## Product Walkaround disclaimers

<sup>1</sup> Reversing automatic document feeder is standard on the HP LaserJet MFP M436nda only. Requires a separate purchase for the HP LaserJet MFP M436n.

<sup>2</sup> Purchase of optional paper tray required to reach maximum input capacity.

<sup>3</sup> Automatic two-sided printing is standard on the HP LaserJet MFP M436nda only.

<sup>4</sup> Measured using ISO/IEC 24734 and excludes the first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

## To learn more, visit [hp.com](http://hp.com)

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.  
ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

