

### Overview

#### HP Chromebox G2



#### Front

1. Headphone / Microphone Combo Jack
2. USB 3.1 Gen 1
3. USB 3.1 Gen 1
4. MicroSD card slot (Push-pull type)
5. Power button/LED




#### Side

1. Standard Security Lock Slot

### Overview

### HP Chromebox G2



1. Ethernet network port or RJ-45 connector
2. USB-A 2.0
4. USB 3.1 Gen 1
5. HDMI output

#### Back

6. AC-in plug - 4.5mm barrel connector or Power cable connector
7. USB Type-C™ power connector and charging port

### Overview

#### AT A GLANCE

- Chrome™ operating system
- Compatible with Android
- Intel® Celeron®, 7th Gen i5, 8th Gen i7 Processor
- Intel® HD Graphics
- Support up to 16GB DDR4 memory
- Support SATA-3 SDD (NGFF M.2)  
SSD configuration: 32GB/64GB
- MicroSD Multi-Format Digital Media Card Reader"
- Wired Gigabit Ethernet connectivity
- Intel® Dual Band Wireless-AC 7265 802.11 AC 2x2 WiFi
- Bluetooth® 4.2 support
- Combo Mic/Headphone jack
- Attractive black color
- 100 mm VESA mounting capability
- Dual display capability with USB Type-C™ and HDMI outputs
- Environmental Certifications<sup>1</sup>:
  - ENERGY STAR®
  - EPEAT® Silver compliant\*
  - BFR/PVC Free
  - WEEE compliant
  - RoHS 2 compliant
- Standard Security Lock Slot

1. External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

**NOTE: See important legal disclosures for all listed specs in their respective features sections.**

### Features

#### PRODUCT NAME

HP Chromebox G2

#### OPERATING SYSTEM

Preinstalled Google Chrome™ OS

#### PROCESSORS

##### Intel® 8th Generation Core™ i7 Processors

Intel Core i7-8650U 4C/8T 1.9GHz (4.2GHz)<sup>1</sup>

Intel Core i7-7600U 2C/4T 2.8GHz (3.9GHz)<sup>1</sup>

##### Intel® 7th Generation Core™ i5 Processors

Intel Core i5-7300U 2C/4T 2.6GHz (3.5GHz)<sup>1</sup>

Intel Core i5-7200U 2C/4T 2.7GHz (3.1GHz)<sup>1</sup>

##### Intel® 7th Generation Core™ i3 Processors

Intel Core i3-7130U 2C/4T 2.7GHz<sup>1</sup>

##### Intel® Celeron® Processor 3000 Series

Intel Celeron® 3867U Processor 2C/2T 1.8GHz<sup>1</sup>

Intel Celeron® 3865U Processor 2C/2T 1.8GHz<sup>1</sup>

1. Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

#### CHIPSET

Chipset is integrated with processor.

#### GRAPHICS

##### Integrated

Intel® HD Graphics 610 (3865U)

Intel® HD Graphics 610 (3867U)

Intel® HD Graphics 620 (i3-7130U)

Intel® HD Graphics 620 (i5-7300U)

Intel® UHD Graphics 620 (i7-8650U)

#### MEMORY

4GB DDR4 Synchronous Dynamic Random Access Memory (SDRAM) (Up to 2400 MT/s)<sup>2</sup>

8GB DDR4 Synchronous Dynamic Random Access Memory (SDRAM) (Up to 2400 MT/s)<sup>2</sup>

16GB DDR4 Synchronous Dynamic Random Access Memory (SDRAM) (Up to 2400 MT/s)<sup>2</sup>

## Features

2. Shared video memory (UMA) uses part of the total system memory for video performance. System memory dedicated to video performance is not available for other use by other programs.

---

## STORAGE AND DRIVES

### Internal Storage Device

32GB SSD M.2 SATA-3 (Type 2242)<sup>3</sup>

64GB SSD M.2 SATA-3 (Type 2280)<sup>3</sup>

### Removable Storage

Micro SD card slot

3. For storage drives, GB = 1 billion bytes. Actual formatted capacity is less. Up to 5.1 GB of the eMMC are dedicated/allocated to the Chrome OSTM and OS partitions.

---

## NETWORKING/COMMUNICATIONS

### Networking

Wired Gigabit Ethernet (RTL8151GH-CG)

### Wi-Fi and Bluetooth®

Intel Dual Band Wireless-AC 7265 802.11 AC 2x2 WiFi + Bluetooth® 4.2 Combo Adapter, non-vPro<sup>5</sup>

4. Wireless access point required and sold separately. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the product to communicate with other 802.11ac WLAN devices.

---

## AUDIO/MULTIMEDIA

### Audio

Realtek ALC5662-CG

Internal Beeper

Combo Mic/Headphone Jack

---

## PORTS/SLOTS

### Ports

1 - Audio Combo jack - Headphone/Microphone (Front)

2 - USB 3.0 Type A (Front)

1 - Micro SD card slot (Front)

1 - USB Type C™ (Back)

1 - AC Adapter plug (Back)

1 - HDMI, up to 4K@30fps, HDMI version 1.4b (Back)

1 - USB 3.0 Type A (Back)

2 - USB 2.0 Type A (Back)

1 - RJ-45 Connector (Back)

### Features

#### POWER

##### Power Supply

External 65W adapter > 85% efficiency 100-240V, 50-60Hz, power cord (1.8m)<sup>5,6</sup>

External 90W adapter > 85% efficiency 100-240V, 50-60Hz, power cord (1.8m)<sup>5</sup>

5. Not all power supplies are available in every region.

6. 65W is for Celeron only while 90W is for i5 and i7 only

---

#### WEIGHT & DIMENSIONS

##### Weight

570 g (1.26lb)<sup>7</sup>

##### Dimensions (W x D x H)

149.3 x 149.3 x 40 mm (5.87 x 5.87 x 1.57 in)

7. Lowest weight noted. Weight will vary by configuration.

---

#### PACKAGING INFORMATION

##### One Unit

Dimension of single box: 235 x 190 x 110mm (9.25 x 7.48 x 4.33 in)

Weight: 790 g (1.74lb)

##### One Unit + Keyboard / Mouse

Dimension of DIB box: 310 x 190 x 140mm (12.2 x 7.48 x 5.51 in)

Weight: 1330 g (2.92 lb)

---

#### IN THE BOX

HP Chromebox  
External Power Supply  
Quick Start Guide

---

### Technical Specifications

#### SYSTEM UNIT

<b>Temperature</b>	<b>Operating</b>	41°F to 95°F (5°C to 35°C)
	<b>Non-operating</b>	-4°F to 140°F (-20°C to 60°C)
<b>Relative Humidity</b> (noncondensing)	<b>Operating</b>	10% to 90%
	<b>Non-operating</b>	5% to 95%
<b>Altitude</b> (unpressurized)	<b>Operating</b>	-50 ft to 10,000 ft (-15 m to 3,048 m)
	<b>Non-operating</b>	-50 ft to 40,000 ft (-15 m to 12,192 m)
<b>Planned Industry Standard Certifications</b>	<b>UL</b>	Yes
	<b>CSA</b>	No
	<b>FCC Compliance</b>	Yes
	<b>ENERGY STAR 6.0<sup>®</sup></b>	Yes
	<b>EPEAT<sup>®</sup></b>	Yes
	<b>ICES</b>	Yes
	<b>Australia / NZ A-Tick Compliance</b>	Yes
	<b>CCC</b>	Yes
	<b>Japan VCCI Compliance</b>	Yes
	<b>KC</b>	Yes
	<b>BSMI</b>	Yes
	<b>CE Marking Compliance</b>	No
	<b>BNCI or BELUS</b>	Yes
	<b>CIT</b>	No
	<b>GOST</b>	Yes
	<b>Saudi Arabian Compliance (ICCP)</b>	Yes
<b>SABS</b>	No	
<b>UKRSERTCOMPUTER</b>	No	

### Technical Specifications

#### ENVIRONMENTAL & INDUSTRY

**Eco-Label Certifications & declarations** This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:

- IT ECO declaration
- US ENERGY STAR®
- EPEAT® Gold registered in the United States. See <http://www.epeat.net> for registration status in your country.

**System Configuration** The configuration used for the Energy Consumption and Declared Noise Emissions data for the Desktop model is based on a “Typically Configured Desktop”.

<b>Energy Consumption (in accordance with US ENERGY STAR® test method)</b>	<b>115VAC, 60Hz</b>	<b>230VAC, 50Hz</b>	<b>100VAC, 50Hz</b>
Normal Operation (Short idle)	4.836	4.788	4.716
Normal Operation (Long idle)	4.38	4.392	4.284
Sleep	0.708	0.744	0.708
Off	0.228	0.252	0.228

Energy efficiency data listed is for an ENERGY STAR® certified product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® certified configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system. Search keyword generator on HP’s 3rd party option store for solar generator accessories at <http://www.hp.com/go/options>

<b>Heat Dissipation*</b>	<b>115VAC, 60Hz</b>	<b>230VAC, 50Hz</b>	<b>100VAC, 50Hz</b>
Normal Operation (Short idle)	5.836	5.856	5.773
Normal Operation (Long idle)	NA	NA	NA
Sleep	NA	NA	NA
Off	0.149	0.199	0.149

Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.

### Technical Specifications

<b>Declared Noise Emissions (in accordance with ISO 7779 and ISO 9296)</b>	<b>Sound Power (L<sub>WAd</sub>, bels)</b>	<b>Sound Pressure (L<sub>pAm</sub>, decibels)</b>
--	--	---

Typically Configured – Idle	2.7	15.8
Fixed Disk – Random writes	3.4	21.2

**Longevity and Upgrading** This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the product may include:

Spare parts are available throughout the warranty period and or for up to 5 years after the end of production.

**Batteries** This battery(s) in this product comply with EU Directive 2006/66/EC

Batteries used in the product do not contain:  
Mercury greater the 1ppm by weight  
Cadmium greater than 20ppm by weight

Battery size: CR2032 (coin cell)  
Battery type: Lithium

**Additional Information**

- This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC.
- This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC.
- This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).
- This product is in compliance with the IEEE 1680 (EPEAT) standard at the <gold> level, see [www.epeat.net](http://www.epeat.net)
- Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043.
- This product contains 0% post-consumer recycled plastic (by wt.)
- This product is 95.1% recycle-able when properly disposed of at end of life.

<b>Packaging Materials</b>	<b>External:</b>	PAPER/Corrugated	Corrugated
	<b>Internal:</b>	PLASTIC/EPS (Expanded Polyethylene)	EPE for cushion
		PLASTIC/Polyethylene low density	LD PE bag

**Material Usage** This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at <http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf>):

- Asbestos
- Certain Azo Colorants
- Certain Brominated Flame Retardants – may not be used as flame retardants in plastics
- Cadmium
- Chlorinated Hydrocarbons
- Chlorinated Paraffins
- Formaldehyde
- Halogenated Diphenyl Methanes
- Lead carbonates and sulfates
- Lead and Lead compounds

### Technical Specifications

- Mercuric Oxide Batteries
- Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user.
- Ozone Depleting Substances
- Polybrominated Biphenyls (PBBs)
- Polybrominated Biphenyl Ethers (PBBEs)
- Polybrominated Biphenyl Oxides (PBBOs)
- Polychlorinated Biphenyl (PCB)
- Polychlorinated Terphenyls (PCT)
- Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications.
- Radioactive Substances
- Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)

### Packaging Usage

HP follows these guidelines to decrease the environmental impact of product packaging:

- Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.
- Eliminate the use of ozone-depleting substances (ODS) in packaging materials.
- Design packaging materials for ease of disassembly.
- Maximize the use of post-consumer recycled content materials in packaging materials.
- Use readily recyclable packaging materials such as paper and corrugated materials.
- Reduce size and weight of packages to improve transportation fuel efficiency.
- Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.

HP Inc. offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: <http://www.hp.com/go/reuse-recycle> or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: <http://www.hp.com/go/recyclers>. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

Global Citizenship Report

<http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html>

Eco-label certifications

<http://www8.hp.com/us/en/hp-information/environment/ecolabels.html>

ISO 14001 certificates:

[http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/PC\\_GBU\\_Product\\_Design\\_ISO\\_14K\\_Certificate.pdf](http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/PC_GBU_Product_Design_ISO_14K_Certificate.pdf)

and

<http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf>

## Technical Specifications

### **COUNTRY OF ORIGIN**

China

---

### Options and Accessories (sold separately and availability may vary by country)

Type	Description	Part #
<b>Display</b>	HP ProDisplay P232 23-inch Monitor	K7X31AA
	HP EliteDisplay E273 27-inch Monitor	1FH50AA
	HP ProDisplay P240va 23.8-inch Monitor	N3H14AA
	HP ProDisplay P203 20-inch Monitor	X7R53AA
	HP ProDisplay P223 21.5-inch Monitor	X7R61AA
	HP Compaq L2206tm 21.5-inch LED Backlit Touch Monitor	B0L55AA
	HP B321 31.5-inch LED Digital Signage Display	F6N37AA
	HP EliteDisplay E230t – touch	W2Z50AA
	<b>Input/Output</b>	HP USB-C to DP
HP USB-C to HDMI 2.0 Adapter		1WC36AA
HP HDMI-to-DVI Adapter		F5A28AA
HP USB-C to HDMI Adapter		N9K77AA
HP USB-C to VGA Adapter		N9K76AA
HP PC Mounting Bracket for Monitors		N6N00AA
HP B300 PC Mounting Bracket		2DW53AA
HP Quick Release 2		EM870AA
HP Desktop Mini Security/Dual VESA Sleeve v2		2JA32AA
<b>Mounts and Stands</b>		HP Integrated Work Center for Desktop Mini
	HP Quick Release Bracket	EM870AA
	HP Desktop Mini Security/Dual VESA Sleeve	G1K22AA
<b>Power Adapters</b>	HP 65W Smart AC Adapter (4.5mm)	H6Y89AA
	HP 90W Smart AC Adapter (4.5mm)	H6Y90AA
<b>Security</b>	HP Keyed Cable Lock 10mm	T1A62AA

### Summary of Changes

Date of change:	Version History:		Description of change:
March 7, 2018	Pre V1	Update	Header and callouts
April 18, 2018	V1 to V2	Update	Ports section
May 16, 2018	V2 to V3	Update	Power section
May 23, 2018	V3 to V4	Update	Packaging information added
June 7, 2018	V4 to V5	Update	Packaging information
December 18, 2018	V5 to V6	Update	Displays added to AMO
January 2, 2019	V6 to V7	Update	HP EliteDisplay E230t – touch to AMO
April 15, 2019	V7 to V8	Update	AMO updated
May 9, 2019	V8 to V9	Update	Intel Celeron 3867U with Intel HD Graphics 610 and Intel Core i3-7130U with Intel HD Graphics 620 added to processors
August 15, 2019	V9 to V10	Update	Standard security lock slot name replacement applied
December 18, 2019	V10 to V11	Update	Intel Core i5-7200U and Intel Core i7-7600U added to processors section

Copyright © 2019 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor, used by HP Inc. under license. NVIDIA®, GeForce® and NVS are trademarks and/or registered trademarks of NVIDIA® Corporation in the U.S. and other countries. AMD and Radeon™ are trademarks of Advanced Micro Devices, Inc. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Bluetooth is a trademark of its proprietor and used by HP Inc. under license. Intel, Core and Intel vPro are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. Google, Android, Chrome OS, Google Drive and the Google logo are registered trademarks of Google Inc., used with permission.