

4XEM 6-in-1 4 HDMI port USB-C Dock

4XEM Part- 4XUSBCHUB09



4XEM's USB-C Docks are designed to improve the capabilities of your single monitor displays and laptops. 4XEM's 6-in-1 4 HDMI port USB-C Dock offers a unique opportunity to vastly expand your display capabilities. Fitted with 4 HDMI ports, capable of supporting 4K video resolution, this 6-in-1 device can connect a whole host of displays into one comprehensive network. Either connect one display to two or use this device to serve as a hub to multiple displays and device. Additionally, fitted with USB-A and USB-C ports this device is also able to charge and transfer data through USB enabled device.

Problem it solves: Create a comprehensive hub for 4 HDMI enabled devices or expand your laptop or single monitor displays swiftly with 4XEM's 6-in-1 4 HDMI Port USB-C Dock.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- USB-C connector and port
- 4x HDMI ports
- USB-A (USB 3.0) port
- Supports resolution up to 4K with USB-C and HDMI
- Transfers data at 5Gbps
- Supports Mac OS, Windows, and Linux
- Compatible with a variety of HDMI enabled products

Application

- Home
- Office
- Networks
- Charging
- Transferring

4XEM Products Are Available At Your Favorite Online Retailers



Warranty Information	Warranty	3 Years
Hardware	4K Support	Yes
	Fast-Charge Port(s) Displays Supported Interface Bus Type Industry Standards	No 4 *see Notes* USB 3.0 USB-C HDMI 1.4 Power Delivery - PD 2.0 Algoitek - AG9311 Lontium Semiconductor - LT86104SX
Connector(s)	Host Connector	USB Type-C
	Host Connector Type Connector Type(s)/Rate(s)	Detachable Cable 4x HDMI 1.4 (10.2 Gbps) 1x USB 3.0 Type-A (5 Gbps) 1x USB Type-C (used for PD only)
Performance	Maximum Digital Resolutions	3840 x 2160 @ 30Hz
Software	OS Compatibility	Windows® 10 Mac OS® 11
Power	Power Source Power Delivery	Bus Powered PD Pass-Through - Max 100W
Physical Characteristics	Weight of Product	3.81 oz [108 g]
	Color	Grey
	Material	Aluminum
	Cable Length	38.27 in [972 mm]
	Product Height	0.62 in [15.7 mm]
	Product Width Product Length	4.72 in [120.0 mm] 2.21 in [56.2 mm]
Environmental	Operating Temperature	0°C to 55°C (32°F to 131°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
	Humidity	40~50% RH
Packaging Information	Shipping (Package) Weight	5.50 oz [156 g]
	Package Height	6.78 in [172.3 mm]
	Package Width	3.00 in [76.2 mm]
	Package Length	0.73 in [18.5 mm]
What's in the Box	Included in Package	1x USB-C Hub 1x USB Type-C to Type-C Cable
Notes	<p>Adapter does NOT function as an MST hub. Although this adapter supports 4 concurrently connected displays, the host OS only recognizes a single display head resulting in the same image on all connected screens (mirror effect). A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support DP alt mode and Power Delivery 2.0) A 4K-capable display is required to achieve 3840 x 2160p resolution (4K is also known as 4K x 2K) Uses 2 data lanes for DP alt mode @ HBR2 for video output and 2 data lanes for other functions</p>	

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

