HP EliteDisplay E273d 27-inch Docking Monitor



Streamlined connectivity, big-screen display, cleaner ocean.

Simplify your desk and get room to work with the HP EliteDisplay E273d 27-inch Docking Monitor. Set up your devices and network one time and connect a notebook through USB-C^{™1} or USB-A. Help prevent ocean waste with a display created with the equivalent of more than three plastic water bottles.²



Command your workspace from one connection

Create a space for your entire notebook fleet to touch down immediately through USB-C[™] or USB-A and

access devices and a wired network. This docking display will even power your PC through USB-C[™].¹

The docking display you can feel good about

Be a better global citizen with our first display manufactured with oceanbound plastics² to help reduce

waterway pollution. We go one step further with 100% fiber recyclable packaging.

Take meetings from your display.

Quickly videoconference—even with your notebook closed—using the integrated, high-resolution, pop-up

webcam that retracts into the bezel when not in use. Conveniently join web calls by connecting your headset at the display.³

Featuring

Add a second display daisy-chained through your PC's USB-C[™] connection. 3-sided micro-edge bezels

ensure a virtually seamless view on one or dual displays.

Clear your clutter by mounting your HP EliteDesk Mini Desktop PC directly behind the display and powering it through USB-C[™]. Or, lift the whole solution and mount it on a wall or arm.

Work comfortably with adjustable tilt, height, and swivel settings. Use pivot rotation to conveniently customize portrait or landscape views on multiple displays.

Filter blue light emission and shift colors to a warmer spectrum for more comfortable viewing with HP Low Blue Light mode.

Manage your display and make it work for you. HP Display Assistant allows you to quickly resize screen partitions so you can work in separate regions of the screen and helps deter theft by dimming a display that's disconnected without approval.

Rest assured that your IT investment is supported with our three-year standard limited warranty. To extend your protection, select an optional HP Care service.





Monitor connectivity options



HP TrueVision HD Webcam

Integrated USB hub

Port: USB-C[™]

Mar you

HP EliteDisplay E273d 27-inch Docking Monitor Specifications Table







Display type	IPS with LED backlight
Panel Active Area	23.53 x 13.24 in 59.78 x 33.63 cm
Display size (diagonal)	27"
Viewing angle	178° horizontal; 178° vertical
Brightness	250 cd/m ²¹
Contrast ratio	1000:1 static; 5000000:1 dynamic ¹
Response Ratio	5 ms gray to gray ¹
Product colour	Silver bezel, Black stand
Aspect ratio	16:9 ¹
Native resolution	FHD (1920 x 1080 @ 60 Hz)
Resolutions supported	1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 640 x 480; 720 x 400; 800 x 600
Display features	Anti-glare; LED backlights; On-screen controls; Plug and Play
User controls	Brightness; Color control; Contrast; Exit; Image control; Information; Management; Power control; Input control; Menu control; USB host selection
Input signal	1 DisplayPort™ 1.2; 1 HDMI (with HDCP support)
Ports and Connectors	1 USB Type-C™ (DisplayPort™ 1.2, power delivery up to 65 W); 5 USB 3.1 (4 downstream, 1 upstream, power delivery up to 7.5 W)
Camera	720p integrated HD with dual array microphone and LED
Environmental	Operating temperature: 5 to 35°C; Operating humidity: 20 to 80% non-condensing
Power	Input voltage 100 to 240 VAC
Power consumption	170 W (maximum), 40 W (typical), 0.5 W (standby)
Dimensions	24.05 x 1.8 x 14.29 in 61.09 x 4.63 x 36.3 cm (Without stand.)
Weight	16.58 lb 7.52 kg (With stand.)
Ergonomic features	Swivel: ±45°; Tilt: -5 to +20°; Pivot rotation: 90°
Physical security features	Security lock-ready ³
Certification and compliance	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CEL; EAC; FCC; ICES; ISO 9241-307; KC; KCC; NOM; PSB; TUV/GS; VCCI; Vietnam MEPS; WEEE; ISC
Environmental specifications	Arsenic-free display glass; Low halogen; Mercury-free display backlights ²
What's in the box	AC power cord; USB cable; USB Type-C™ cable; DC-DC cable; DC jack dongle; External power supplier; QSP; Product notice

HP EliteDisplay E273d 27-inch Docking Monitor

Accessories and services (not included)



HP EliteDisplay E273d 27-inch Docking Monitor

Messaging Footnotes

¹ Video over USB-C™ requires a PC with USB-C™ DisplayPort™ Alt mode or Thunderbolt™. Power delivery over USB-C™ up to 65 Watts. Refer to Power Output in product QuickSpecs for exact specifications, PC must be compatible with the display's power output.

² Display contains 5% ocean bound plastics, the equivalent of more than three 16 oz. recycled plastic water bottles.

³ Internet access required and sold separately.

⁴ Additional display sold separately. Source PC must have a USB-C^M or USB-A connector. PC connection to the display through USB-C^M is only supported up to 65 Watts power delivery. USB-A connection requires source PC to support DisplayLink. Not compatible over DisplayPort^M, VGA or HDMI connections.

⁵ HP EliteDesk Mini Desktop PC sold separately. Requires HP B300 PC Mounting Bracket for Monitors, sold separately

⁵ HP EliteDesk Mini Desktop PC sold separately, Requires HP B300 PC mounting Bracket for Monitors, sold separately Municipal bandware and accounting the second secon

⁶ Mounting hardware sold separately.
⁷ Each accessory sold separately.

⁸ HP Care Packs sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.
External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.
Lock is sold separately.

Sign up for updates hp.com/go/getupdated

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. DisplayPort[™] and the DisplayPort[™] logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. USB Type-C[™] and USB-C[™] are trademarks of USB Implementers Forum.