

EB-L1500U



The world's first 12,000 lumens WUXGA 3LCD laser projector¹ offers superior images and a long-lasting, low maintenance performance

Promising long-life laser projection for large venues, the EB-L1500U is the world's first 12,000 lumens WUXGA LCD laser projector¹. Images will have rich, vivid colours thanks to Epson's 3LCD technology and equally high White and Colour Light Output. With flexible installation and low maintenance, this 4K enhanced projector offers a fit-and-forget solution for scenarios in which only superior projections will do.

Laser-sharp images


Ensure superb quality and the best possible delivery of presentations with this laser installation projector for large venues. Featuring 3LCD technology and equally high White and Colour Light Output, its WUXGA resolution images are vivid and bright, even in daylight. Including a newly developed inorganic phosphor wheel, the projector offers superior light and heat resistance to deliver excellent reliability. For a next-level viewing experience, the projector features 4K enhancement, giving images exceptional sharpness and clarity that lasts for up to 56,000 hours² thanks to a long laser life. A built-in camera is also included to ensure accurate image calibration.

Flexible positioning

Thanks to a new range of motorised lenses, including optional ultra-short throw (UST) lens, the projector benefits from true 360° installation flexibility, allowing it to be placed virtually anywhere - without loss of brightness or distortion of image.



DATASHEET



KEY FEATURES

- **Laser light source technology**
Reliable and long-lasting picture quality (up to 56,000 hours²)
- **Superior picture quality**
Enhanced light output; superior white balance; better colour matching
- **HD images with 4K enhancement**
Exceptional sharpness, clarity and detail for the real 4K effect
- **Flexible 360° installation**
True flexibility without distortion or loss of brightness
- **Added peace of mind**
Product comes with 5-year, 20,000 hour warranty



EPSON
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	1.03 inch with C2 Fine

IMAGE

Colour Light Output	12,000 lumen-8,400 lumen (economy) In accordance with IDMS15.4
White Light Output	12,000 lumen - 8,400 lumen (economy) In accordance with ISO 21118:2012
Resolution	WUXGA, 1920 x 1200, 16:10
High Definition	4K enhancement
Aspect Ratio	16:10
Contrast Ratio	2,500,000 : 1
Native Contrast	2,000 : 1
Laser Light source	20,000 Hours Durability High,30,000 Hours Durability Eco
Portrait Colour Light Output	12,000 lm
Portrait White Light Output	12,000 lm
Keystone Correction	Manual vertical: $\pm 45^\circ$, Manual horizontal $\pm 30^\circ$
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Projection Ratio	1.57 - 2.56:1
Zoom	Motorized, Factor: 1 - 1.6
Lens Shift	Motorized - Vertical $\pm 60\%$, horizontal $\pm 18\%$
Lens position memory	10 positions
Projection Size	60 inches - 500 inches
Projection Lens F Number	1.8 - 2.5
Focal Distance	36 mm - 57.35 mm
Focus	Motorized
Projection Distance Wide	2 m - 17.2 m
Projection Distance Tele	3.3 m - 27.8 m
Projection Distance Wide/Tele	1.99 m - 27.77 m
Projection Lens Zoom Ratio	1.57 - 2.56 : 1

CONNECTIVITY

Interfaces	Stereo mini jack audio in (3x), Stereo mini jack audio out, HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, Ethernet interface (100 Base-TX / 10 Base-T), RS-232C, USB 2.0 Type B (Service Only), HD-SDI
Epson iProjection App	Ad-Hoc / Infrastructure

ADVANCED FEATURES

Features	4K enhancement, Absolute Black, Auto Calibration, Customizable user logo, Frame interpolation, Lens position memory
Video Colour Modes	Cinema, Dynamic, Presentation, sRGB, DICOM SIM, Multi Projection
Projector control	via: AMX, Crestron, Control4
Security	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection

GENERAL

Energy Use	908 W, 597 W (economy), 0.5 W (standby), On mode power consumption as defined in JBMS-84 833 W
Supply Voltage	AC 100 V - 240 V,50 Hz - 60 Hz
Product dimensions	586 x 492 x 211 mm (Width x Depth x Height)
Product weight	23.6 kg
Noise Level	Normal: 39 dB (A) - Economy: 33 dB (A) (4K enhancement OFF)
Colour	White
Included Software	EasyMP Monitor, EasyMP Multi PC Projection

OTHER

Warranty	60 months Carry in or 20,000 h
----------	--------------------------------

EB-L1500U

WHAT'S IN THE BOX

- Remote control incl. batteries
- Quick Start Guide
- Power and signal cable (3 m)
- VGA cable
- Cable cover
- CD Manual

OPTIONAL ACCESSORIES

- Air Filter - ELP AF51 - EB-L1000 series
V13H134A51
- Ceiling Mount - ELPMB47 Low EB-G7000/L1000
V12H802010
- Ceiling Mount - ELPMB48 High EB-G7000/L1000
V12H803010
- 3D Polarizer - ELPPL01
V12H618A01
- Adapter - ELPAP10 Wireless LAN b/g/n
V12H731P01
- Cable - ELPKC02 - 1.8M
V12H005C02
- HDBaseT Transmitter - ELPHD01
V12H547041
- Quick Wireless Connect USB key - ELPAP09
V12H005M09

EB-L1500U

OPTIONAL LENSES

- Lens - ELPLU04 - G7000 & L1000 Series ST off axis 2
V12H004U04
- Lens - ELPLU03 - G7000 & L1000 Series ST off axis 1
V12H004U03
- Lens - ELPLW05 - G7000 & L1000 Series wide zoom 1
V12H004W05
- Lens - ELPLW06 - L1500U/1505U wide zoom 2
V12H004W06
- Lens - ELPLL08 - Long throw - G7000/L1000 series
V12H004L08
- Lens - ELPLM10 - Mid throw 3 - G7000/L1000 series
V12H004M0A
- Lens - ELPLM11 - Mid throw 4 - G7000/L1000 series
V12H004M0B
- Lens - ELPLM09 - Mid throw 2 - G7000/L1000 series
V12H004M09

LOGISTICS INFORMATION

SKU	V11H792040
EAN code	8715946616841
Country of Origin	China

For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

1. - The EB-L1505U / EB-L1500U is the first and only 12,000Lm WUXGA LCD laser projector on the market as of February 2016.
2. - Laser life of up to 56,000h hours in custom mode

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

EPSON[®]