

20 Pack Cable Raceway Inside Corner Connectors for CBMWWD3211 - Cable Management Accessories - Channel Raceway Fitting - Wiring Duct 90 Degree Inside Elbow - Plastic - UL

Product ID: CBMWWD3211I



This 20-pack of raceway inside elbows work with the StarTech.com CBMWWD3211 raceway system.

Join Two Raceways Together Inside Corners at a 90 Degree Angle

Use these cable raceway inside elbows with the StarTech.com CBMWWD3211 raceway to join two of them together at a 90 degree angle to extend the length of your raceway inside corners of your office or server room.

Industrial Strength

Made from sturdy self-extinguishing ABS that's also warp proof, these wiring duct elbow connectors are UL approved with 94HB Flamability (Horizontal Burning) Rating.





Use in Combination with Other Raceway Accessories

Combine this inside elbow with other StarTech.com CBMWWD3211 raceway system accessories to give your cable management solution a finished look.

The Coupler (CBMWWD3211C) (20-Pack), joins two raceways together and extends the length of your raceway.

The End Piece (CBMWWD3211E) (20-Pack), cleanly caps off the end of your raceway.

The Lateral Elbow (CBMWWD3211L) (20-Pack), joins two raceways together and runs them up the wall at a 90 degree angle.

The Outside Elbow (CBMWWD32110) (20-Pack), joins two raceways together around corners at a 90 degree angle.

The T Connector (CBMWWD3211T) (20-Pack), joins three raceways together in T-bar.

These cable management raceway inside elbows are TAA compliant and backed by a StarTech.com Lifetime warranty and free 24/5 technical support. StarTech.com has been the IT professionals choice for over 30 years.





Certifications, Reports and Compatibility





Applications

 Protects cables from damage while neatly routing them in your office or server room

Features

- GIVE YOUR CABLE MANAGEMENT RACEWAY A FINISHED LOOK: Use cable raceway inside corner connectors (20 pack) w/StarTech.com CBMWWD3211 raceways to join them together inside corners in your workspace
- INDUSTRIAL STRENGTH: Made from sturdy warp-proof ABS, these inside elbow cable/wiring duct connectors are UL approved with 94HB Flamability (Horizontal Burning) Rating, self-extinguishing
- OTHER RACEWAY ACCESSORIES: Coupler (CBMWWD3211C), End Piece (CBMWWD3211E), Lateral Elbow (CBMWWD3211L), Outside Elbow (CBMWWD3211O), T Connector (CBMWWD3211T); sold separately
- TECHNICAL SPECIFICATIONS: 90° Angle | Connector Width: 1.26"
 (32mm) | Connector Height: 0.43" (11mm) | White | UL approved | UL 94HB rated | RoHS
- STARTECH.COM ADVANTAGE: IT professionals choice for over 30 years; These raceway inside elbows are backed for life by StarTech.com, including free 24/5 North America based multi-lingual tech support



Data Sheet

	Warranty	2 Years
Physical Characteristics	Color	White
	Material	ABS
	Product Height	33.960
	Product Length	44.970
	Product Width	44.920
	Weight of Product	5.000
Packaging Information	Package Height	45.000
	Package Length	222.000
	Package Width	240.000
	Shipping (Package) Weight	100.000

Product appearance and specifications are subject to change without notice.