



Model : W2343T

Your Gateway to Originality

This an impeccably beautiful glossy finish and your world of entertainment never looked so good. Withness the clearer picture you always wished for.



## Features

### ❖ Overwhelming Excitement of Full HD

- LG W43 series supports HD and Full HD (1920x1080 pixels) resolution and reproduces visuals in more detailed and vivid colors. (\*Full HD resolution only for models 21.5" or larger)

### ❖ 30000:1 Contrast Ratio

- The display reproduces even the fine details of various complex images of films and games-from the brightest indoors to the darkest settings-to support excellent depth perception and vividness.

### ❖ Key Features

- Aspect ratio: 16:9
- Brightness: 300 cd/m<sup>2</sup>
- Resolution: 1920 x 1080
- Ultra High Contrast Ratio: 30000:1 (DFC)
- Ultra Fast Response Time: 5ms (Typical)
- Signal input: D-Sub, DVI-D (with HDCP)
- Fun Key (4:3 in Wide, Photo Effect)

## Specifications

### General

Inch : 23

Color Gamut : 72%

Color Depth (Num of Colors) : 16.7M colors

Pixel Pitch (mm) : 0.266 x 0.266

Aspect Ratio : 16:9

Resolution : 1920 x 1080

Brightness : 300

Contrast Ratio(Original) : 1000:1

Contrast Ratio(DFC) : 30000:1

Response Time : 2ms (GTG)

Viewing Angle(CR $\geq$ 10) : 170/160

Viewing Angle(CR $\geq$ 5) : 176/170

Lamp Qty : 4

Inverter(with/without) : without

surface Treatment : Anti-Glare,3H

### Jack Input / Output

D-Sub : ✓

DVI-D : ✓

Composite : ✗

S-Video : ✗

HDMI : ✓

Component : ✗

SCART : ✗

DisplayPort : ✗

Others : ✗

(Jack Position) : Bottom

Audio Input : RCA: ✗

PC Audio In: ✗

Mic In: ✗

Others: ✗

[Jack Location]: ✗

Audio Output : RCA: ✗

Headphone Out: ✗

Line-out: ✗

Optical out: ✗

Others: ✗

[Jack Location]: ✗

### Speaker

Audio Output : ✗

### Power

Power Type (Adapter or LIPS) : LIPS

Input : 100~240V

Output(for Speaker) : ✗

Normal On(Typ.) : 42W

Power Save/Sleep Mode : 1W under

DC Off : 1W under

### Frequency

H-Frequency (Analog) : 30-83kHz

V-Frequency (Analog) : 56-75Hz

H-Frequency (Digital) : 30-83kHz

V-Frequency (Digital) : 56-75Hz

### Resolution

PC : Analog: 1920 x 1080

Digital: 1920 x 1080

Video : HDMI: ✘

Component: ✘

Video: ✘

### Control

OSD Language : English, Germanic, French, Spanish, Italian, Swedish, Finnish, Portuguese, Polish, Russian, Greek, Chinese, Japanese, Korean, Ukrainian

Key Number : 6

Key Type : Tact

LED color : RED(On mode), RED(BLINKING)-(Power save mode)

Key Location : Front

### Set Color

Front : Black Glossy

B/Cover : Black

Stand : Black Glossy

Base : Black Glossy

Others : Black Glossy

### Stand

Base detachable : ✔

Tilt : ✔ / -5° (front) ~ 15° (rear)

Swivel : ✘

Height : ✘

Pivot : ✘

Dual Hinge : ✘

### Stuffing

Individual (20ft/40ft/40ft HC) : 756/1548/1720

Pallet (20ft/40ft/40ft HC) : 640/1344/1596

### Dimension (W x H x D) (mm)

Set (with Stand) : 555.5(W) x 198.0(D) x 418.5(H)

Set (without Stand) : 555.5(W) x 63.0(D) x 357.4(H)

Box : 632(W) x 470(D) x 126(H)

Wall Mount : 100mm x 100mm (Wall mount : Available, VESA: Inavilable)

### Weight(Kg)

Set (with Stand) : 4.42

Set (without Stand) : 4.1

Box : 5.63

### Special Features

USB\_Up : ❌

USB\_down : ❌

F Engine : ✔️

ez-Zooming : ❌

ARC : PC: ✔️ Video: ❌

Photo Effect : ✔️

Sound : ❌

sRGB : ✔️

DDC/CI : ✔️

HDCP : ✔️

Intelligent Auto (Auto Resolution) : ✔️

Remote Control : ❌

PIP : ❌

POP : ❌

PBP : ❌

Auto Pivot : ❌

Auto Mirror : ❌

Tilling : ❌

Deep Colour(xvYCC) : ❌

Plug & Play : DDC2B

Forte Manager : ❌

Forte Pivot : ❌

### Wrap

Packing Material : EPS

Stacking Type : Face down

Stand Packing Type : Base/Body Detach

Box Printing Type : Flexography (Normal)

Handle : ❌

## Standard

TCO03 : ✘

TCO99 : ✘

UL(cUL) : ✔

TUV-GS : TUV-Type

SEMKO : ✔

FCC-B, CE : ✔

EPA : ✔

VESA Mounting : ✔

ISO13406-2 : ✘

Medical Certification : ✘

Vista(Premium/Basic) : Vista Premium

## Accessory

Power Cord : ✔

D-Sub : ✔

DVI-D : Option

HDMI : ✘

PC Audio : ✘

RCA 3Line : ✘

RCA 5Line : ✘

