

Aspire 5738 S	pecifications
Operating system ¹	Genuine Windows Vista [®] Home Premium 64-bit ² (Service Pack 1)
	Genuine Windows Vista [®] Home Premium (Service Pack 1)
	Genuine Windows Vista [®] Home Basic 64-bit ² (Service Pack 1)
	Genuine Windows Vista [®] Home Basic (Service Pack 1)
Platform ¹	Intel [®] Centrino [®] 2 Mobile processor technology, featuring:
	 Intel[®] Core[™]2 Duo processor P7350/P7450/P7550 (3 MB L2 cache, 2/2.13/2.26 GHz, 1066 MHz FSB, 25 W), supporting Intel[®] 64 architecture
	Intel [®] Centrino [®] Mobile processor technology, featuring:
	 Intel[®] Core[™]2 Duo processor T6400/T6500/T6600 (2 MB L2 cache, 2/2.10/2.20 GHz, 800 MHz FSB, 35 W), supporting Intel[®] 64 architecture
	• Mobile Intel [®] GM45 Express Chipset
	 Intel[®] Wireless WiFi Link 5100/5300 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED[®] network connection, featuring MIMO technology, supporting Acer SignalUp[™] with Nplify^{™3, 4} wireless technology
	 Intel[®] Wireless WiFi Link 5150/5350 Wi-Fi[®]/WiMAX[™] dual-mode module⁵, supporting Acer SignalUp[™] with Nplify^{™3, 4} wireless technology
	o Wi-Fi [®] (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED [®] network connection, featuring MIMO technology
	o WiMAX [™] (single-band 802.16e/2.5G) WiMAX Forum Certified [™] WAN (Wide Area Network) connection ⁵ , featuring Mobile WiMAX [™] and MIMO technology
System memory ¹ '	Dual-channel DDR3 SDRAM support
6, 7	Up to 4 GB of DDR3 1066 MHz memory, upgradeable to 8 GB using two soDIMM modules (for 64-bit OS)
	Up to 2 GB of DDR3 1066 MHz memory, upgradeable to

Aspire 5738 S	pecifications
	4 GB using two soDIMM modules (for 32-bit OS)
Display	15.6" HD 1366 x 768 pixel resolution, high-brightness (220-nit) Acer CineCrystal [™] TFT LCD, supporting simultaneous multi-window viewing via Acer GridVista [™]
	16:9 aspect ratio
	8 ms high-def response time
	60% color gamut

Aspire 5738 S	pecifications
Graphics	Mobile Intel [®] GM45 Express Chipset with integrated 3D graphics, featuring Intel [®] Graphics Media Accelerator 4500MHD (Intel [®] GMA 4500MHD) with up to 1759 MB of Intel [®] Dynamic Video Memory Technology 5.0 (64 MB of dedicated video memory, up to 1695 MB of shared system memory), supporting Microsoft [®] DirectX [®] 10
	Dual independent display support
	16.7 million colors
	External resolution/refresh rate:
	• 2048 x 1536: 60 Hz
	• 1920 x 1440: 75/60 Hz
	• 1920 x 1080: 100/85/75/60 Hz
	• 1856 x 1392: 75/60 Hz
	• 1792 x 1344: 75/60 Hz
	• 1600 x 1200: 100/85/75/60 Hz
	• 1600 x 900: 60 Hz
	• 1400 x 1050: 60 Hz
	• 1366 x 768: 85/75/60 Hz
	• 1280 x 1024: 120/100/85/75/60 Hz
	• 1280 x 960: 85/60 Hz
	• 1280 x 768: 60 Hz
	• 1152 x 864: 100/85/75 Hz
	• 1024 x 768: 120/100/85/75/60 Hz
	• 800 x 600: 120/100/85/72/60 Hz
	• 640 x 480: 120/100/85/75/60 Hz
	MPEG-2/DVD decoding
	WMV9 (VC-1) and H.264 (AVC) decoding
	HDMI ["] (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support Acer Arcade ["] Deluxe featuring Acer CinemaVision ["]
	and Acer ClearVision [™] technologies ⁸
Audio	Dolby ^{®9} -optimized surround sound system with two built-in stereo speakers
	Optimized 3 rd Generation Dolby Home Theater ^{®9} audio enhancement, featuring Dolby [®] Digital Live, Dolby [®] Pro Logic [®] IIx, Dolby [®] Headphone, Dolby [®] Natural Bass, Dolby [®] Sound Space Expander, Dolby [®] Audio

Aspire 5738 S	pecifications
	Optimization, Dolby [®] High Frequency Enhancer technologies ¹⁰
	True5.1-channel surround sound output
	High-definition audio support
	S/PDIF (Sony/Philips Digital Interface) ¹¹ support for digital speakers
	MS-Sound compatible
	Built-in microphone
Storage	160/250/320/500 GB or larger hard disk drive $^{1, 12}$
	Multi-in-1 card reader, supporting Secure Digital [™] (SD) Card, MultiMediaCard (MMC), Memory Stick [™] (MS), Memory Stick PRO [™] (MS PRO), xD-Picture Card [™] (xD)
Optical media	8X DVD-Super Multi double-layer drive:
drive ¹	 Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM
	 Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-R DL (double-layer), 4X DVD+R DL (double-layer), 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM
Communication	Acer Video Conference ¹ , featuring:
	 Integrated Acer Crystal Eye webcam supporting enhanced Acer PrimaLite[™] technology
	• Optional Acer Xpress VoIP phone
	WLAN ^{1, 4} : Intel [®] Wireless WiFi Link 5100/5300 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED [®] network connection, featuring MIMO technology, supporting Acer SignalUp [™] with Nplify ^{™3} wireless technology
	Wi-Fi [®] /WiMAX ^{™1, 4} : Intel [®] Wireless WiFi Link 5150/5350 Wi-Fi [®] /WiMAX [™] dual-mode module ⁵ , supporting Acer SignalUp [™] with Nplify ^{™3} wireless technology
	 Wi-Fi[®]: (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED[®] network connection, featuring MIMO technology
	 WiMAX[™]: (single-band 802.16e/2.5G) WiMAX Forum Certified[™] WAN (Wide Area Network) connection⁵, featuring Mobile WiMAX[™] and MIMO technology

Aspire 5738 S	pecifications
	WPAN ¹ : Bluetooth [®] 2.0+EDR (Enhanced Data Rate)
	LAN: Gigabit Ethernet, Wake-on-LAN ready
	Modem: 56K ITU V.92 with PTT approval ¹³ ,
	Wake-on-Ring ready
Privacy control	Acer Bio-Protection fingerprint solution ¹ , featuring Windows [®] logon, computer protection,
	Acer FingerLaunch, ProfileLaunch, MusicLaunch,
	Password Bank, MyLaunch, FingerNav
	BIOS user, supervisor, HDD passwords
	Kensington lock slot
Dimensions and weight	383 (W) x 250 (D) x 26/37 (H) mm (15.1 x 9.9 x $1.03/1.5$ inches)
	2.8 kg (6.16 lbs.) with 6-cell battery pack
Power	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes
	48.8 W 4400 mAh 6-cell Li-ion battery pack:
	 3.5-hour battery life¹⁴
	2.5-hour rapid charge system-off, 3.5-hour charge-in-use
	3-pin 65 W AC adapter
	ENERGY STAR [®] 5.0
Special keys and controls	103-/104-/107-key keyboard, with inverted "T" cursor layout, 1.8 mm (minimum) key travel
	Multi-gesture touchpad pointing device, supporting:
	• Circular-motion scrolling
	• Pinch-action zoom
	• Page flip
	Acer Bio-Protection fingerprint reader ¹ , featuring Acer FingerNav 4-way control function
	11 function keys, four cursor keys, two Windows [®] keys, hotkey controls, independent standard numeric keypad, international language support
	Acer PowerSmart key
	Easy-launch keys: Acer Backup, WLAN, Bluetooth ^{®1} , volume up/down, touchpad lock
	Media keys (printed on keyboard): play/pause, stop, previous, next
I/O ports	Multi-in-1 card reader (SD [™] , MMC, MS, MS PRO, xD)
	Four USB 2.0 ports

Aspire 5738 S	pecifications
	Acer Bio-Protection fingerprint reader ¹
	HDMI [™] port with HDCP support
	External display (VGA) port
	Headphone/speaker/line-out jack with S/PDIF support
	Microphone-in jack
	Line-in jack
	Ethernet (RJ-45) port
	Modem (RJ-11) port
	DC-in jack for AC adapter
Software	Acer Arcade [™] Deluxe featuring Cinema, Album, Music, Acer HomeMedia, Online Media
	Acer Backup Manager
	Acer PowerSmart Manager
	Acer eRecovery Management
	Acer Bio-Protection ¹
	Acer Crystal Eye ¹
	Acer GridVista [™]
	Acer GameZone
	Acer Game Console
	Adobe® Reader®
	Adobe Flash [®] Player
	Google Toolbar [™]
	Google Desktop [™]
	McAfee [®] Internet Security Suite Trial ¹⁵
	NTI Media Maker [™]
	Microsoft [®] Works with Office Home and Student 2007 Trial (Service Pack 1)
Optional items	Acer Xpress VoIP phone featuring Acer Video Conference Manager
	1 GB / 2 GB DDR3 1066 MHz soDIMM module
	6-cell Li-ion battery pack
	3-pin 65 W AC adapter
	External USB floppy disk drive
Warranty	One-year International Travelers Warranty (ITW)
Acer recommends W	Vindows Vista [®] Home Premium.
1. Specificatio	ons vary depending on model.

Aspire 5738 Specifications

- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. Acer Nplify[™], a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED[®], it supports Acer SignalUp[™] wireless technology and is compliant with 802.11a/b/g/Draft-N and 802.11b/g standards.
- 4. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 5. Subject to availability.
- 6. Up to 1 GB of available system memory may be allocated for system resource requirements.
- 7. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.
- 8. Powered by CyberLink® technology.
- 9. Dolby[®] is a registered trademark of Dolby[®] Laboratories. Dolby Home Theater[®] is a trademark of Dolby[®] Laboratories.
- 10. Dolby[®] Pro Logic[®] and the double-D symbol are registered trademarks of Dolby[®] Laboratories.
- 11. Supports 7.1-channel surround sound and 2-channel stereo output (multiple streaming).
- 12. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 13. PTT countries: Asia: China, Hong Kong, Japan, Korea, Malaysia, Singapore, Taiwan. Europe: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Holland, Iceland, Italy, Luxembourg, Norway, Portugal, Spain, Sweden, Switzerland. Oceania: Australia, New Zealand. N. America: Canada, USA.
- 14. Your computer's battery life may vary depending on product specifications, computer settings, and applications or features launched. The listed battery life is for individual battery packs tested with MobileMark 2007 in productivity test mode and with wireless connection on. All batteries' maximum capacity will diminish with time and use.
- 15. Trial periods vary depending on the geographic region and specifications: 365-day trial for China, Hong Kong (Simplified Chinese and Traditional Chinese OS models), Taiwan and Singapore; 60-day trial for other regions.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations

Aspire 5738 Specifications

of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2009. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel is a registered trademark of Intel Corporation.

About Acer

Since its founding in 1976, Acer has constantly pursued the goal of breaking the barriers between people and technology. Focused on marketing its brand-name IT products around the globe, Acer ranks as the world's No. 3 vendor for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful mergers of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S. and enhancing its strong position in Europe. The Acer Group employs more than 6,000 people worldwide. 2008 revenues reached US\$16.65 billion. See www.acer.com for more information.





Aspire 5738Z Specifications	
Operating system ¹	Genuine Windows Vista [®] Home Premium 64-bit (Service Pack 1) ²
	Genuine Windows Vista [®] Home Premium (Service Pack 1)
	Genuine Windows Vista [®] Home Basic 64-bit (Service Pack 1) ²
	Genuine Windows Vista [®] Home Basic (Service Pack 1)
Platform ¹	Intel [®] Pentium [®] mobile processor T4200 (1 MB L2 cache, 2 GHz, 800 MHz FSB, 35 W), or T3200/T3400 (1 MB L2 cache, 2/2.16 GHz GHz, 667 MHz FSB, 35 W), supporting Intel [®] 64 architecture
	Mobile Intel [®] GL40 Express Chipset
	Acer InviLink [™] Nplify ^{™3, 4} 802.11b/g/Draft-N Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology
	Acer InviLink ^{™4} 802.11b/g Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology
System memory ^{1, 5, 6}	Dual-channel DDR3 SDRAM support
	Up to 4 GB of DDR3 1066 MHz memory, upgradeable to 8 GB using two soDIMM modules (for 64-bit OS)
	Up to 2 GB of DDR3 1066 MHz memory, upgradeable to 4 GB using two soDIMM modules (for 32-bit OS)
Display	15.6" HD 1366 x 768 pixel resolution, high-brightness (220-nit) Acer CineCrystal [™] TFT LCD, supporting simultaneous multi-window viewing via Acer GridVista [™]
	16:9 aspect ratio
	8 ms high-def response time
	60% color gamut
Graphics	Mobile Intel [®] GL40 Express Chipset with integrated 3D graphics, featuring Intel [®] Graphics Media Accelerator 4500M (Intel [®] GMA 4500M) with up to 1759 MB of Intel [®] Dynamic Video Memory Technology 5.0 (64 MB of dedicated video memory, up to 1695 MB of shared system memory), supporting Microsoft [®] DirectX [®] 10
	Dual independent display support
	16.7 million colors
	External resolution/refresh rate:
	• 2048 x 1536: 75/60 Hz

Aspire 5738Z Spec	Aspire 5738Z Specifications	
	• 1920 x 1440: 85/75/60 Hz	
	• 1920 x 1200: 75/60 Hz	
	• 1920 x 1080: 100/85/75/60 Hz	
	• 1680 x 945: 100/85/75/60 Hz	
	• 1600 x 1200: 120/100/85/75/60 Hz	
	• 1600 x 900: 120/100/85/75/60 Hz	
	• 1400 x 1050: 85/75/60 Hz	
	• 1366 x 768: 85/75/60 Hz	
	• 1280 x 1024: 120/100/85/75/60 Hz	
	• 1280 x 960: 85/75/60 Hz	
	• 1280 x 768: 85/75/60 Hz	
	• 1280 x 720: 100/85/75/60 Hz	
	• 1024 x 768: 120/100/85/75/60 Hz	
	• 800 x 600: 120/100/85/72/60 Hz	
	MPEG-2/DVD acceleration	
	WMV9 (VC-1) acceleration	
	HDMI [™] (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support	
	Acer Arcade [™] featuring Acer CinemaVision [™] and Acer ClearVision [™] technologies ⁷	
Audio	Dolby ^{®8} -optimized surround sound system with two built-in stereo speakers	
	Optimized 3 rd Generation Dolby Home Theater ^{®8} audio enhancement, featuring Dolby [®] Digital Live, Dolby Pro Logic [®] IIx, Dolby [®] Headphone, Dolby [®] Natural Bass, Dolby [®] Sound Space Expander, Dolby [®] Inverse Filtering, Dolby [®] High Frequency Enhancer technologies ⁹	
	True5.1-channel surround sound output	
	High-definition audio support	
	S/PDIF (Sony/Philips Digital Interface) ¹⁰ support for digital speakers	
	MS-Sound compatible	
	Built-in microphone	
Storage	160/250/320/500 GB or larger hard disk drive ^{1, 11}	
	5-in-1 card reader, supporting Secure Digital [™] (SD) Card, MultiMediaCard (MMC), Memory Stick [™] (MS), Memory Stick PRO [™] (MS PRO), xD-Picture Card [™] (xD)	

Aspire 5738Z Specifications	
Optical media drive ¹	4X Blu-ray Disc [™] /DVD-Super Multi double-layer drive:
	 Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 8X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 8X DVD-RW, 8X DVD+RW, 5X DVD-RAM, 4X BD-ROM, 4X BD-R, 2X BD-RE, 4X BD-ROM DL (double-layer), 4X BD-R DL (double-layer), 2X BD-RE DL (double-layer)
	 Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM, 4X DVD+R DL (double-layer), 4X DVD-R DL (double-layer)
	8X DVD-Super Multi double-layer drive:
	 Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM
	 Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-R DL (double-layer), 4X DVD+R DL (double-layer), 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM
Communication	Acer Video Conference ¹ , featuring:
	 Integrated Acer Crystal Eye webcam supporting enhanced Acer PrimaLite[™] technology
	Optional Acer Xpress VoIP phone
	WLAN ^{1, 4} : Acer InviLink [™] Nplify ^{™3} 802.11b/g/Draft-N Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology
	WLAN ^{1, 4} : Acer InviLink [™] 802.11b/g Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology
	WPAN ¹ : Bluetooth [®] 2.0+EDR (Enhanced Data Rate)
	LAN: Gigabit Ethernet, Wake-on-LAN ready
	Modem: 56K ITU V.92 with PTT approval ¹² , Wake-on-Ring ready
Privacy control	Acer Bio-Protection fingerprint solution ¹ , featuring Windows [®] logon, computer protection, Acer FingerLaunch, ProfileLaunch, MusicLaunch, Password Bank, MyLaunch, FingerNav
	BIOS user, supervisor, HDD passwords
	Kensington lock slot

Aspire 5738Z Spec	cifications
Dimensions and weight	383 (W) x 250 (D) x 26/37 (H) mm (15.1 x 9.9 x 1.03/1.5 inches)
	2.8 kg (6.16 lbs.) with 6-cell battery pack
Power	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes
	48.8 W 4400 mAh 6-cell Li-ion battery pack:
	• 3.5-hour battery life ¹³
	2.5-hour rapid charge system-off, 3.5-hour charge-in-use
	3-pin 65 W AC adapter
	ENERGY STAR [®] 5.0
Special keys and controls	103-/104-/107-key keyboard, with inverted "T" cursor layout, 1.8 mm (minimum) key travel
	Multi-gesture touchpad pointing device, supporting:
	Circular-motion scrolling
	Pinch-action zoom
	• Page flip
	Acer Bio-Protection fingerprint reader ¹ , featuring Acer FingerNav 4-way control function
	11 function keys, four cursor keys, two Windows [®] keys, hotkey controls, independent standard numeric keypad, international language support
	Easy-launch buttons: WLAN, Bluetooth ^{®1} , Acer PowerSmart, file backup, volume up/down, touchpad lock
	Media keys (printed on keyboard): play/pause, stop, previous, next
I/O ports	5-in-1 card reader (SD [™] , MMC, MS, MS PRO, xD)
	Four USB 2.0 ports
	Acer Bio-Protection fingerprint reader ¹
	HDMI [™] port with HDCP support
	External display (VGA) port
	Headphone/speaker/line-out jack with S/PDIF support
	Microphone-in jack
	Line-in jack
	Ethernet (RJ-45) port
	Modem (RJ-11) port
	DC-in jack for AC adapter

Aspire 5738Z Spec	ifications
Software	Acer Arcade [™] Deluxe featuring Cinema, Album, Music, Acer HomeMedia, Online Media
	Acer Bio-Protection ¹
	Acer Crystal Eye ¹
	Acer eRecovery Management
	Acer GridVista [™]
	Acer GameZone
	Acer Game Console
	Adobe [®] Reader [®]
	Adobe Flash [®] Player
	Google Toolbar [™]
	Google Desktop [™]
	McAfee [®] Internet Security Suite
	NTI Media Maker™
	Microsoft [®] Works with Office Home and Student 2007 Trial (Service Pack 1)
Optional items	Acer Xpress VoIP phone and Acer Video Conference Manager pack
	1 GB / 2 GB DDR3 1066 MHz soDIMM module
	6-cell Li-ion battery pack
	3-pin 65 W AC adapter
	External USB floppy disk drive
Warranty	One-year International Travelers Warranty (ITW)

Acer recommends Windows Vista[®] Home Premium.

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. Acer InviLink[™] Nplify[™], a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED[®], it supports Acer SignalUp[™] wireless technology and is compliant with 802.11b/g/Draft-N and 802.11b/g standards.
- 4. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 5. Up to 1 GB of available system memory may be allocated for system resource requirements.
- 6. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system

Aspire 5738Z Specifications

memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.

- 7. Powered by CyberLink[®] technology.
- 8. Dolby[®] is a registered trademark of Dolby[®] Laboratories. Dolby Home Theater[®] is a trademark of Dolby[®] Laboratories.
- 9. Dolby[®] Pro Logic[®] and the double-D symbol are registered trademarks of Dolby[®] Laboratories.
- 10. Supports 7.1-channel surround sound and 2-channel stereo output (multiple streaming).
- 11. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 12. PTT countries: Asia: China, Hong Kong, Japan, Korea, Malaysia, Singapore, Taiwan. Europe: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Holland, Iceland, Italy, Luxembourg, Norway, Portugal, Spain, Sweden, Switzerland. Oceania: Australia, New Zealand. N. America: Canada, USA.
- 13. Battery life varies depending on product specifications, computer settings, and applications or features launched, and may be reduced if Windows Aero[™] is enabled. All batteries' maximum capacity diminishes with time and use.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2009 Acer Inc. All rights reserved. Acer, the Acer logo, and Aspire are registered trademarks of Acer Inc. Other trademarks, registered trademarks, and/or service marks, indicated or otherwise, are the property of their respective owners.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are registered trademarks of Intel Corporation.

About Acer

Since its founding in 1976, Acer has constantly pursued the goal of breaking the barriers between people and technology. Focused on marketing its brand-name IT products around the globe, Acer ranks as the world's No. 3 vendor for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful mergers of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S., and enhancing its strong position in Europe. Acer Inc. employs 5,000 people worldwide. 2007 revenues reached US\$14.07 billion. See www.acer.com for more information.
















Aspire 5738ZG Specifications	
Operating system ¹	Genuine Windows Vista [®] Home Premium 64-bit (Service Pack 1) ²
	Genuine Windows Vista [®] Home Premium (Service Pack 1)
	Genuine Windows Vista [®] Home Basic 64-bit (Service Pack 1) ²
	Genuine Windows Vista [®] Home Basic (Service Pack 1)
Platform ¹	Intel [®] Pentium [®] mobile processor T4200 (1 MB L2 cache, 2 GHz, 800 MHz FSB, 35 W), or T3200/T3400 (1 MB L2 cache, 2/2.16 GHz GHz, 667 MHz FSB, 35 W), supporting Intel [®] 64 architecture
	Mobile Intel [®] GM45 Express Chipset
	Acer InviLink [™] Nplify ^{™3, 4} 802.11b/g/Draft-N Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology
	Acer InviLink ^{™4} 802.11b/g Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology
System memory ^{1, 5, 6}	Dual-channel DDR3 SDRAM support
	Up to 4 GB of DDR3 1066 MHz memory, upgradeable to 8 GB using two soDIMM modules (for 64-bit OS)
	Up to 2 GB of DDR3 1066 MHz memory, upgradeable to 4 GB using two soDIMM modules (for 32-bit OS)
Display	15.6" HD 1366 x 768 pixel resolution, high-brightness (220-nit) Acer CineCrystal [™] TFT LCD, supporting simultaneous multi-window viewing via Acer GridVista [™]
	16:9 aspect ratio
	8 ms high-def response time
	60% color gamut
Graphics	NVIDIA [®] GeForce [®] G105M with up to 2303 ⁷ MB of TurboCache [™] (512 MB of dedicated DDR2 VRAM, up to 1791 MB of shared system memory), supporting NVIDIA [®] CUDA [™] , PureVideo [®] HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft [®] DirectX [®] 10
	Dual independent display support
	16.7 million colors
	External resolution/refresh rate:
	• 2048 x 1536: 75/60 Hz

Aspire 5738ZG Sp	ecifications					
	• 1920 x 1440: 85/75/60 Hz					
	• 1920 x 1200: 75/60 Hz					
	• 1920 x 1080: 100/85/75/60 Hz					
	• 1680 x 945: 100/85/75/60 Hz					
	• 1600 x 1200: 120/100/85/75/60 Hz					
	• 1600 x 900: 120/100/85/75/60 Hz					
	• 1400 x 1050: 85/75/60 Hz					
	• 1366 x 768: 85/75/60 Hz					
	• 1280 x 1024: 120/100/85/75/60 Hz					
	• 1280 x 960: 85/75/60 Hz					
	• 1280 x 768: 85/75/60 Hz					
	• 1280 x 720: 100/85/75/60 Hz					
	• 1024 x 768: 120/100/85/75/60 Hz					
	• 800 x 600: 120/100/85/72/60 Hz					
	MPEG-2/DVD decoding					
	WMV9 (VC-1) and H.264 (AVC) decoding					
	HDMI [™] (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support Acer Arcade [™] Deluxe featuring Acer CinemaVision [™] and Acer ClearVision [™] technologies ⁸					
Audio	Dolby ^{®9} -optimized surround sound system with two built-in stereo speakers					
	Optimized 3 rd Generation Dolby Home Theater ^{®9} audio enhancement, featuring Dolby [®] Digital Live, Dolby Pro Logic [®] IIx, Dolby [®] Headphone, Dolby [®] Natural Bass, Dolby [®] Sound Space Expander, Dolby [®] Inverse Filtering, Dolby [®] High Frequency Enhancer technologies ¹⁰					
	True5.1-channel surround sound output					
	High-definition audio support					
	S/PDIF (Sony/Philips Digital Interface) ¹¹ support for digital speakers					
	MS-Sound compatible					
-	Built-in microphone					
Storage	160/250/320/500 GB or larger hard disk drive ^{1, 12}					
	5-in-1 card reader, supporting Secure Digital [™] (SD) Card, MultiMediaCard (MMC), Memory Stick [™] (MS), Memory Stick PRO [™] (MS PRO), xD-Picture Card [™] (xD)					

Aspire 5738ZG Sp	Aspire 5738ZG Specifications				
Optical media drive	4X Blu-ray Disc [™] /DVD-Super Multi double-layer drive:				
	 Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 8X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 8X DVD-RW, 8X DVD+RW, 5X DVD-RAM, 4X BD-ROM, 4X BD-R, 2X BD-RE, 4X BD-ROM DL (double-layer), 4X BD-R DL (double-layer), 2X BD-RE DL (double-layer) 				
	 Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM, 4X DVD+R DL (double-layer), 4X DVD-R DL (double-layer) 				
	8X DVD-Super Multi double-layer drive:				
	 Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM 				
	 Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-R DL (double-layer), 4X DVD+R DL (double-layer), 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM 				
Communication	Acer Video Conference ¹ , featuring:				
	 Integrated Acer Crystal Eye webcam supporting enhanced Acer PrimaLite[™] technology 				
	Optional Acer Xpress VoIP phone				
	WLAN ^{1, 4} : Acer InviLink [™] Nplify ^{™3} 802.11b/g/Draft-N Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology				
	WLAN ^{1, 4} : Acer InviLink [™] 802.11b/g Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology				
	WPAN ¹ : Bluetooth [®] 2.0+EDR (Enhanced Data Rate)				
	LAN: Gigabit Ethernet, Wake-on-LAN ready				
	Modem: 56K ITU V.92 with PTT approval ¹³ , Wake-on-Ring ready				
Privacy control	Acer Bio-Protection fingerprint solution ¹ , featuring Windows [®] logon, computer protection, Acer FingerLaunch, ProfileLaunch, MusicLaunch, Password Bank, MyLaunch, FingerNav				
	BIOS user, supervisor, HDD passwords				
	Kensington lock slot				

Aspire 5738ZG Sp	ecifications	
Dimensions and weight	383 (W) x 250 (D) x 26/37 (H) mm (15.1 x 9.9 x 1.03/1.5 inches)	
	2.8 kg (6.16 lbs.) with 6-cell battery pack	
Power	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes	
	48.8 W 4400 mAh 6-cell Li-ion battery pack:	
	• 3-hour battery life ¹⁴	
	2.5-hour rapid charge system-off, 3.5-hour charge-in-use	
	3-pin 65 W AC adapter	
	ENERGY STAR [®] 5.0	
Special keys and controls	103-/104-/107-key keyboard, with inverted "T" cursor layout, 1.8 mm (minimum) key travel	
	Multi-gesture touchpad pointing device, supporting:	
	Circular-motion scrolling	
	Pinch-action zoom	
	Page flip	
	Acer Bio-Protection fingerprint reader ¹ , featuring Acer FingerNav 4-way control function	
	11 function keys, four cursor keys, two Windows [®] keys, hotkey controls, independent standard numeric keypad, international language support	
	Easy-launch buttons: WLAN, Bluetooth ^{®1} , Acer PowerSmart, file backup, volume up/down, touchpad lock	
	Media keys (printed on keyboard): play/pause, stop, previous, next	
I/O ports	5-in-1 card reader (SD [™] , MMC, MS, MS PRO, xD)	
	Four USB 2.0 ports	
	Acer Bio-Protection fingerprint reader ¹	
	HDMI [™] port with HDCP support	
	External display (VGA) port	
	Headphone/speaker/line-out jack with S/PDIF support	
	Microphone-in jack	
	Line-in jack	
	Ethernet (RJ-45) port	
	Modem (RJ-11) port	
	DC-in jack for AC adapter	

Aspire 5738ZG Sp	ecifications					
Software	Acer Arcade [™] Deluxe featuring Cinema, Album, Music, Acer HomeMedia, Online Media					
	Acer Bio-Protection ¹					
	Acer Crystal Eye ¹					
	Acer eRecovery Management					
	Acer GridVista [™]					
	Acer GameZone					
	Acer Game Console					
	Adobe [®] Reader [®]					
	Adobe Flash [®] Player					
	Google Toolbar [™]					
	Google Desktop [™]					
	McAfee [®] Internet Security Suite					
	NTI Media Maker™					
	Microsoft [®] Works with Office Home and Student 2007 Trial (Service Pack 1)					
Optional items	Acer Xpress VoIP phone and Acer Video Conference Manager pack					
	1 GB / 2 GB DDR3 1066 MHz soDIMM module					
	6-cell Li-ion battery pack					
	3-pin 65 W AC adapter					
	External USB floppy disk drive					
Warranty	One-year International Travelers Warranty (ITW)					

Acer recommends Windows Vista[®] Home Premium.

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. Acer InviLink[™] Nplify[™], a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED[®], it supports Acer SignalUp[™] wireless technology and is compliant with 802.11a/b/g/Draft-N and 802.11b/g standards.
- 4. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 5. Up to 1 GB of available system memory may be allocated for system resource requirements.
- 6. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system

Aspire 5738ZG Specifications

memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.

- 7. For systems with 4 GB of system memory. The total graphics memory visible to the OS is less than the actual size allocated from the physical memory installed and varies depending on the configuration under a 32-bit OS.
- 8. Powered by CyberLink[®] technology.
- 9. Dolby[®] is a registered trademark of Dolby[®] Laboratories. Dolby Home Theater[®] is a trademark of Dolby[®] Laboratories.
- 10. Dolby[®] Pro Logic[®] and the double-D symbol are registered trademarks of Dolby[®] Laboratories.
- 11. Supports 7.1-channel surround sound and 2-channel stereo output (multiple streaming).
- 12. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- PTT countries: Asia: China, Hong Kong, Japan, Korea, Malaysia, Singapore, Taiwan. Europe: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Holland, Iceland, Italy, Luxembourg, Norway, Portugal, Spain, Sweden, Switzerland. Oceania: Australia, New Zealand. N. America: Canada, USA.
- 14. Battery life varies depending on product specifications, computer settings, and applications or features launched, and may be reduced if Windows Aero[™] is enabled. All batteries' maximum capacity diminishes with time and use.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2009 Acer Inc. All rights reserved. Acer, the Acer logo, and Aspire are registered trademarks of Acer Inc. Other trademarks, registered trademarks, and/or service marks, indicated or otherwise, are the property of their respective owners.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are registered trademarks of Intel Corporation.

About Acer

Since its founding in 1976, Acer has constantly pursued the goal of breaking the barriers between people and technology. Focused on marketing its brand-name IT products around the globe, Acer ranks as the world's No. 3 vendor for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful mergers of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S., and enhancing its strong position in Europe. Acer Inc. employs 5,000 people worldwide. 2007 revenues reached US\$14.07 billion. See www.acer.com for more information.

Aspire 5738z	G Specification	S		
Pentium	Windows Vista*	Windows Vista= BASIC	OVIDIA GEFORCE' G105M CUDA'' • 512MB	With TurboCache Technology
THE WAY NVIDIA , IT'S MEANT TO BE PLAYED'	NVIDIA. PUREVIDEO HD	33% more color range	True cinematic view	High-def response
	Crystal Eye	CERTIFIED		Signal Up
@plify"	🛞 Bluetooth	TRUES.T	DOLBY HOME THEATER* V3	
	Blu-ray Disc	MULTI RECORDER		R
VIDEO	MEMORY STICK	🐣 PRO	Sõ	MULTIMEDIACARD
xD-Picture Card	PCI >> •• express	Bio- Protection	ISO 14001	ISO 9001
1 Year Warranty	UNE SELL ENERGY STAR			