# **B700 Series**




B710n B710dn B720n

B720dn

B730n

B730dn













# Enhanced performance, ease of use and security features make the B700 Series perfect for productivity-minded companies.

## **Highlights:**

- Feature-rich black & white printing solutions, adaptable to any environment—models include network-ready and network-ready with duplex<sup>1</sup>
- Up to a rapid 52 ppm<sup>2</sup> for increased productivity
- As fast as 7.9 seconds to first page<sup>3</sup>
- 700-sheet standard paper input expands to 1,800 sheets with options
- Easy-to-read backlit control panel with easy-to-use alphanumeric keypad
- USB 2.0 host port for walk-up printing
- Standard USB 2.0 and 10/100 Base-TX Ethernet connectivity
- Rock-solid performance: monthly duty cycle of 200,000 pages
- High-quality 1200 x 1200 dpi resolution for crisp, clear output
- Powerful 600 MHz processor
- 128 MB standard RAM, upgradable to 640 MB
- Options include 3rd and 4th 550-sheet Paper Trays, 40 GB Hard Disk Drive, 1 GB Network I/F Card, Offset Catch Tray, and Compact Flash Kit
- 1-Year On-Site warranty<sup>4</sup>
- Live, toll-free technical support 24/7/3654

B700 Series printers from OKI Printing
Solutions are designed to enhance productivity
in demanding environments. These digital
monochrome printers can deliver powerful,
cost-effective performance. They provide crisp,
clear documents with high speed and low levels
of user intervention. They're a powerful, reliable
solution for your workgroup printing needs.

Feature-rich and up to any task – Perfect for high-volume applications, B700 Series printers have a monthly duty cycle of 200,000 pages. That translates into 10,000 pages per work day<sup>5</sup>—proposals, reports, memos, spreadsheets, schedules, you name it. These are the printers for the job.

They're not just reliable, they're also fast—printing at up to 52 ppm², with the first page appearing in under 8 seconds³. Users will spend less time waiting for their documents—which print at a crisp and clear 1200 x 1200 dpi.

With duplex-equipped models<sup>1</sup>, you can double your efficiency by printing on both sides of the paper. And with the in-tray envelope feeding

capability, all six B700 Series models can print up to 95 envelopes—without the need for a separate external feeder.

LCD display and alphanumeric keypad – The B700 Series is extremely user friendly. A 5-line, blue backlit graphical display and alphanumeric keypad make menu settings and navigation a snap. Messages on the display are easy to read. Administrators can use the printer's keypad to control user access, and end users can enter PIN numbers to release secure print jobs.

Print from a USB Flash drive – Simply insert a USB memory stick into the USB port conveniently located on the control panel of all B700 Series printers. Print select file formats without the need for a PC. Just follow the directions on the LCD display, and you're on your way in seconds.

At home in your environment – B700 Series printers are compatible with current Windows® and Mac® operating systems, and all are equipped with USB and Ethernet connectivity so that everyone can take advantage of the productivity and cost savings.

# Keeping up with your needs—and environmental concerns.

The B700 Series fits the way you work—today and, through an array of performance-enhancing options and upgrades, it can adapt to match your future printing needs.

All B700 Series models come with 128 MB of memory and 700-sheet paper capacity. Increase memory to 640 MB for processing large files, and boost the paper capacity to a max of 1,800 sheets with two 550-sheet trays—which can be used to hold different types of media. An optional offset catch tray lets you separate your output for easy retrieval.

With a duplex unit (standard on the B710dn, B720dn and B730dn, optional on the other B700 Series models), you can improve your bottom line and save paper by printing on both sides of a sheet.

You can also add a 40 GB hard disk drive for file storage and to support productivity features such as Secure Print, Proof & Print and Delayed Print.

Need a higher level of security? The B700 Series has what you're looking for. Standard security features offered by these printers include:

#### **Security Protocols**

- 802.1x Authentication Authenticates device prior to accessing the network
- SNMP v3 Industry-standard network management security protocol
- IP Security (IPSec and IPv6) Maximum protection of data traffic; all network traffic is encrypted and authenticated

#### **Storage Device Security**

- 6-digit Strong PIN Required for access to stored jobs on hard disk drive or flash memory
- Auto Delete Automatic deletion of stored jobs after designated expiration date
- Secure Erase For data on hard disk or flash; Mil Spec 5220-22.M compliant for Clear and Sanitize operation

#### **Administrative Management**

- Password Access via the Web Two levels: general administrative control, and access to library of secure print jobs
- Protocol Admin Enables/disables individual protocols, including SNMP, TCP/IP, IPv6, IPSec, EtherTalk, NetWare, HTTP and FTP

#### **User Access Controls**

 Registered User Database – Works in conjunction with OKI® Job Accounting software (standard) to limit user access

These printers can also help control your impact on the environment. The B700 Series offers a number of environmentally friendly features, including:

- ENERGY STAR® compliance With their lower power consumption and available duplexing, B700 Series printers meet the government's standards for energy efficiency.
- Toner-Save Mode A user-selectable setting that enables B700 Series printers to reduce consumables use and waste when lower resolution output can be utilized.
- **Duplex (2-sided) printing** This technology allows for savings in energy and resources, in addition to using less media.
- One-piece consumables Long-lasting, user-replaceable toner cartridges remain friendly to your budget while lowering the number of items to dispose of or store.
- Low Power Consumption Finely engineered, all B700 Series printers perform with low power requirements during regular operation, especially in Standby mode.


### Backed by legendary service and support -

OKI Printing Solutions is so confident in the performance of all B700 Series printers that they come with a 1-Year On-Site warranty that can be increased up to 3 years with options.

And, for live technical support 24/7/365, you can call, toll-free, **800.OKI.DATA** (800.654.3282) and speak to an expert located in North America.<sup>4</sup>

B700 Series printers from OKI Printing Solutions: full-featured and energy-efficient monochrome printers that can enhance the performance of your demanding small- to mid-size workgroups.

## THE B700 SERIES AT A GLANCE



<sup>&</sup>lt;sup>1</sup> B710dn, B720dn and B730dn. Duplex optional on other models.

<sup>&</sup>lt;sup>2</sup> B730n/dn only. B720n/dn up to 47 ppm. B710n/dn up to 42 ppm. Published performance results based on laboratory testing of simplex (1-sided) print speed. Individual results may vary.

 $<sup>^{\</sup>rm 3}$  All models. Published performance results, as above.

<sup>&</sup>lt;sup>4</sup> Available in the U.S. and Canada only.

<sup>&</sup>lt;sup>5</sup> Based on a 20-workday month.

<sup>&</sup>lt;sup>6</sup> B730n/dn models only. 20,000-page (B720n/dn only) and 15,000-page cartridges (all models) also available.

# **B700 Series**

Specifications		
Performance	Print Speed	B710n/dn: up to 42 ppm; B720n/dn: up to 47 ppm; B730n/dn: up to 52 ppm¹
	Time to First Page	Simplex: 7.9 seconds; Duplex: 11.1 seconds <sup>1</sup>
	CPU	600 MHz
	Print Resolution	1200 x 1200 dpi
	Duty Cycle (Reliability)	200,000 pages/month
Compatibility	Emulations	PCL® 5e and PCL 6; Adobe® PostScript® 3™; Epson® FX-80
	Operating Systems	Windows® 7 (32-/64-bit), Vista® (32-/64-bit), XP (32-/64-bit), Server 2008 (32-bit), Server 2008 R2 (64-bit), Server 2003 (32-/64-bit), Win 2000; Mac® OS X 10.3 and higher
Connectivity	Interfaces	Standard: High-Speed USB v2.0, RJ45 Ethernet print server (10/100 Base-TX), IEEE Bi-directional Parallel, and RS232-C Serial; Optional: 1 GB Ethernet print server (10/100/1000 Base-TX)
Operator Panel	Operator Panel	Alphanumeric keypad; 5-line, blue backlight graphical display; Host USB v2.0 port
Memory	Standard RAM	128 MB
	Max RAM	640 MB <sup>2</sup>
	Memory Storage	Optional: 40 GB Hard Disk Drive and 512 MB Compact Flash Kit
Paper Handling	Duplex	Standard: B710dn, B720dn and B730dn Optional: B710n, B720n and B730n
	Standard Paper Capacity	700-sheets (150-sheet 1st Tray + 550-sheet 2nd Tray, standard)
	Additional Paper Capacity	Optional 550-sheet 3rd and 4th Trays
	Maximum Paper Capacity	1,800 sheets
	Paper Types	Letter, Legal 13/13.5/14, Executive, Statement, A4, A5, A6, B5; C5, DL, Com 9, Com 10 and Monarch envelopes
	Paper Size	3" x 5" min. to 8.5" x 14" and up to 8.5" x 48" banners
	Standard Paper Output	500 sheets, face-down
	Alternate Paper Output	70 sheets, face-up
	Paper Weight	17.1 lb. bond – 80 lb. cover (64 – 216 gsm)
Resident Fonts	Scalable Fonts	100 PCL fonts; 136 Adobe PostScript fonts
	Barcodes	Interleaved 2 of 5, Code 3 of 9, UPC/EAN, Code 128, PostNet ZiP+4
Supplies	Toner Cartridges <sup>3</sup>	All models – 15,000 pages; B720n/dn only – 20,000 pages; B730n/dn only – 26,000 pages
Environmental	Size (WxDxH)	16.6" x 18.3" x 15.9" (42.2 cm x 46.5 cm x 40.4 cm)
	Weight	46.5 lb. (21 kg)
	Power Consumption	120V Models: Deep Sleep 8.4W, Standby 114W, Simplex Average 904W, Duplex Average 784W, Peak 1300W; 220V Models: Deep Sleep 10.3W, Standby 169W, Simplex Average 904W, Duplex Average 854W, Peak 1200W
	ENERGY STAR® TEC (KWh/week)	120V Models: B710dn 3.44, B720dn 3.859, B730dn 4.170; 220V Models: B720dn 3.922, B730dn 4.204
Warranty	Printer and Printhead	1-Year limited On-Site warranty <sup>4</sup>

<sup>1</sup> Published performance results based on laboratory testing of print speed on letter-size sheets.	
i abilished performance results based on laboratory testing or print speed on letter-size sheets.	•
Individual results may vary	

 $<sup>^{\</sup>mathrm{2}}$  Memory DIMM sold separately.







Implementers Forum, Inc.



**Ordering Information** 

**Part Numbers** 

62435504

62435506

62435604

62435605

62435606 62435607

62435704

62435705

62435706

62435707

70062501

70062601

70062701

70048502

70048703

70051802

70052501

38018812

38018813

38018612

38018613

52123601

52123602

52123603

52206101

52205901

52206301

52206302

38018802

38018803

38018602

38018603

**Sheets Per Box** 

500

100

500

Canada

Description

B710n (120V)

B710dn (120V)

B720n (120V)

B720n (220V)

B720dn (120V)

B720dn (220V) B730n (120V)

B730n (220V)

B730dn (120V)

B730dn (220V)

Duplex (2-Sided) Printing Unit

512 MB DIMM Memory Expansion<sup>2</sup>

1 GB Network I/F Card (Ethernet Print Server)

High-Capacity Toner Cartridge (B720n/dn only)

High-Capacity Toner Cartridge (B730n/dn only):

SynFlex™ Paper (Waterproof and Tear-resistant)

Specifications are subject to change without notice.

Featured products may not be available in all countries.
Please contact your local office for regional availability.

© 2010 Oki Data Americas, Inc. OKI, OKIcare Reg. T.M.,
Oki Electric Industry Co., Ltd. On-Site logo, 7-Day/24-Hour logo,
SynFlex T.M., Oki Data Americas, Inc. Windows, Vista, Reg.
T.M., Microsoft Corp. PCL Reg. T.M., Hewlett-Packard Co. Adobe,
PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc.
Epson Reg. T.M., Seiko Epson Corp. Mac Reg. T.M., Apple, Inc.
PostNet Reg. T.M., USPS. USB-IF logo T.M., Universal Serial Bus

For more information on Digital Monochrome Printers and supplies from OKI Printing Solutions, including OKIcare® Extended Service Programs: 1.800.OKI.DATA

Bright White Proofing Sheets (32 lb.):

Premium Envelopes (size #10):

Premium Envelopes (size #10):

500-Sheet Offset Catch Tray

3rd/4th Tray Paper Tray

40 GB Hard Disk Drive

512 MB Compact Flash Kit

B700 Srs. 2-Year Exchange B700 Srs. 3-Year Exchange

B700 Srs. 2-Year On-Site

B700 Srs. 3-Year On-Site

Avg. life - 20,000 pg.3

Avg. life - 26,000 pg.<sup>3</sup>

**Print Media** 

8.5" x 11"

8.5" x 11"

(800.654.3282).4

Toner Cartridge (all models): Avg. life – 15,000 pg.<sup>3</sup>

**Supplies** 

OKIcare® Warranty Extensions4

Ontions





## OKI DATA AMERICAS, INC.

**USA**2000 BISHOPS GATE BLVD.
MOUNT LAUREL, NJ 08054-4620
TEL: 800.0KI.DATA (800.654.3282)
FAX: 856.222.5320

CANADA 4140B SLADEVIEW CRESCENT UNITS 7 & 8 MISSISSAUGA, ONTARIO L5L 6A1 Tel: 905.608.5000 FAX: 905.608.5040 LATIN AMERICA
2000 BISHOPS GATE BLVD.
MOUNT LAUREL, NJ 08054-4620
TEL: 856.231.0002
FAX: 856.222.5071

OKI DATA DE MÉXICO, S.A. DE C.V.
MARIANO ESCOBEDO, 748 8º PISO
COL. NUEVA ANZURES C.P. 11590
MÉXICO, D.F.
TEL: 55.5263.8780
FAX: 55.5250.3501

OKI DATA DO BRASIL INFORMÁTICA LTDA.

AV. Alfredo Egídio de Souza Aranha, 100 Bloco C – 4º andar 04726-170 – São Paulo – SP – Brasil Tel: 11.3444.3500

Fax: 11.3444.3502





<sup>&</sup>lt;sup>3</sup> Declared yield in accordance with ISO/IEC 19752. All models ship with 10,000-page "starter" toner cartridge.

<sup>&</sup>lt;sup>4</sup> Available in the U.S. and Canada only.