# QuickSpecs

## **Technical specifications**

## **HP USB Slim Business Keyboard**



Part Number N3R87AA

#### Introduction

Get fast data entry and quick USB connectivity with the HP USB Business Slim Keyboard, designed to complement the HP Business PCs.



## QuickSpecs

#### **Technical** specifications

Part Number N3R87AA

**Dimensions** 171.97 x 68.35 x 8.27 in (436.8± 1.5 x 137.6± 1.0 x 21.0± 1.0 cm)

**Weight** 1.32 lb (0.6± 0.08 kg)

**Keys** 104, 105, 106, 107, 109 layouts (depending upon country)

Operating voltage + 4.4 – 5.25VDC

**Power consumption** 50-mA maximum (with 5 VDC power supplied and three LEDs ON)

System interface USB Type A plug connector

**ESD** Contact Discharge: 2, 4,6,8KV Air Discharge: 2, 4, 8,10,12.5KV

**EMI - RFI** Conforms to FCC rules for a Class B computing device

Microsoft® PC 99 - 2001Functionally compliantKeycapsLow-profile design

**Switch actuation** 60±12.5g nominal peak force with tactile feedback

**Switch life** 10 million keystrokes (Life tester)

**Switch type**Contamination-resistant switch Membrane **Key-leveling mechanisms**For all double-wide and greater-length Keys

Cable length 6 ft (1.8 m)

Microsoft PC 99 - 2001 Mechanically compliant

**Acoustics** 43-dBA maximum sound pressure level

**Operating temperature** 50° to 122° F (10° to 50° C) **Non-operating temperature** -22° to 140° F (-30° to 60° C)

**Operating humidity** 10% to 90% (non-condensing at ambient) **Non-operating humidity** 20% to 80% (non-condensing at ambient)

Operating shock40 g, six surfacesNon-operating shock80 g, six surfacesOperating vibration2-g peak accelerationNon-operating vibration4-g peak acceleration

Drop (out of box)26 in (66 cm) on carpet, six-drop SequenceDrop (in box)30 in (76.2 cm) on concrete, 16-drop SequenceApprovalsUL, FCC, CE Mark, TUV, TUV GS, VCCI, BSMI, C-Tick, KC

**Ergonomic compliance** ANSI HFS 100, ISO 9241-4, and TUVGS

Kit contents HP USB Slim Business Keyboard, Installation Guide, Warranty Card, Safety and Comfort

Guide

\*NOTE: The functional keys for brightness adjustment are only available with notebook and Integrated displays with HP hot key support software.



## QuickSpecs

## Change log

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel and Optane are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

Date of change:	Version History:		Description of change:
August 19, 2019	From v1 to v2	Update	NOTE added to specs

