

## **Note to Editors**

Samsung NX mini Product Specifications

	Samsung NX mini Product Specifications		
Image Sensor	20.5 effective megapixel BSI CMOS sensor		
Display	75.2mm (3.0-inch) Flip up and Touch LCD Screen		
	HVGA(320x480) 460.8k dots		
View finder	N/A		
	Built-in Flash: Guide Number 4.9 (at ISO160, 24mm), Guide Number 4 (at		
Flash	ISO100, 24mm)  [Optional] External Flash / SEF7A: Guide Number 8 (at ISO160, 24mm),		
	Guide Number 7 (at ISO100, 24mm)		
100	Auto, 160, 200, 400, 800, 1600, 3200, 6400, 12800		
ISO	*Extension settable 100,25600		
	JPEG (3:2): 20.0M (5472x3648), 10.1M (3888x2592), 5.9M (2976x1984),		
	2.0M (1728x1152),		
	JPEG (16:9): 16.9M (5472x3080), 7.8M (3712x2088), 4.9M (2944x1656), 2.1M (1920x1080)		
	,		
Image	JPEG (1:1: 13.3M (3648x3648), 7.0M (2640x2640), 4.0M (2000x2000),		
	1.1M (1024x1024) 5.0M Burst mode only		
	JPEG Burst mode: 5.0M (2736x1824)		
	RAW: 20.0M (5472x3648)		
	MP4 (H.264, Audio AAC): Full HD 1920x1080/30p, 1280x720/30p,		
Video	640x480/30p, 320x240/30p		
Video Output	HDMI 1.3a		
	Tag & Go (NFC/Wi-Fi)		
	SMART Mode: Beauty Face, Best Face, Landscape, Macro, Action Freeze,		
	Rich Tone, Panorama, Waterfall, Silhouette, Sunset, Night, Firework, Light		
Value-added	Trace, Continuous Shot, Kids Shot, Food, Parties and Indoors		
Features	Image SMART Filter ( Capture mode): Miniature, Vignetting, Sketch, Fish Eye		
. Gata. GG	Image SMART Filter (Edit mode): Miniature, Vignetting, Soft Focus, Sketch,		
	Fish Eye, Classic, Retro, Oil Paint, Cartoon, Ink Painting, Cross Filter,		
	Zooming Shot Video SMART Filter (Capture mode): Miniature, Vignetting, Sketch, Fish Eye		
	IEEE 802.11b/g/n support (Smart Camera 3.0)		
	. AutoShare		
	. SNS & Cloud		
	. Email		
W. E. O	. Auto Backup		
Wi-Fi Connectivity	. Remote View finder Pro . Mobile Link		
	. Samsung Link		
	. Group Share		
	. Photo Beam		
	. Baby Monitor		
NFC	Advanced Passive NFC(Wired NFC)		
Bundle PC software	Adobe® Photoshop® Lightroom® 5, i-Launcher		
Storage	MicroSD, MicroSDHC, MicroSDXC, UHS-I MicroSD Support		
_	B740AE/B740AC/B740AU/B740AK (3.8V/ 2330mAh)		
Battery	* The battery specifications or model may differ by region		

	B740AE(Global-2330mAh)
	B740AK(Korea)
	B740AU(USA)
	B740AC(China)
Dimension (WxHxD)	110.4 x 61.9 x 22.5mm (excluding the projection part)
Weight	158g (196g with battery)

Samsung NX-M 9mm F3.5 ED Lens Specifications

Curricuring 1121 III Ciri	m reie 22 2010 epochicatione
Focal Length	9mm (equivalent to 24.3mm in 35mm format)
Elements in Groups	6 elements in 5 groups (1 Aspherical lens, 1 Extra-low Dispersion lens, 1 Xtreme High Refractive lens)
Angle of View	83.4°
Aperture	F3.5 (Min. F13), (Number of Blades : 5, Circular Aperture Diaphragm)
Minimum Focus Distance	0.11m
Maximum Magnification	Approx. 0.11x
Mount Type	NX M Mount
Dimension (DxL)	50.0 x 12.5mm
Weight	31g

Samsung NX-M 9-27mm F3.5-5.6 ED OIS Lens Specifications

Danioung HX III C 2	samoung tox in a 21 min t ala ala 25 ala 25 ala apadinadiana	
Focal Length	9-27mm (equivalent to 24.3-72.9mm in 35mm format)	
Elements in Groups	9 elements in 8 groups (2 Aspherical lens, 1 Extra-low Dispersion lens)	
Angle of View	83.4° - 33.1°	
Aperture	F3.5 - 5.6 (Min. F11), (Number of Blades : 7, Circular Aperture Diaphragm)	
Optical Image Stabilizer	Yes	
Minimum Focus Distance	Wide 0.14m, Tele 0.2m	
Maximum Magnification	Approx. 0.1x (Wide), 0.18x (Tele)	
Filter Size	Ø39	
Mount Type	NX M Mount	
Dimension (DxL)	50.0 x 29.5mm	
Weight	73g	

Samsung NX-M 17mm F1.8 OIS Lens Specifications

Focal Length	17mm (equivalent to 45.9mm in 35mm format)
Elements in Groups	8 elements in 5 groups (2 Aspherical lens, 1 Xtreme High Refractive lens)
Angle of View	50.5°
Aperture	F1.8 (Min. F11), (Number of Blades : 5, Circular Aperture Diaphragm)
Optical Image Stabilizer	Yes
Minimum Focus Distance	0.18m
Maximum Magnification	0.11x
Filter Size	Ø39

Mount Type	NX M Mount
Dimension (DxL)	50.0 x 27.5mm

\*All functionality, features, specifications and other product information provided in this document including, but not limited to, the benefits, design, pricing, components, performance, availability, and capabilities of the product are subject to change without notice or obligation.

## About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. is a global leader in technology, opening new possibilities for people everywhere. Through relentless innovation and discovery, we are transforming the worlds of TVs, smartphones, tablets, PCs, cameras, home appliances, printers, LTE systems, medical devices, semiconductors and LED solutions. We employ 286,000 people across 80 countries with annual sales of US\$216.7 billion. To discover more, please visit <a href="https://www.samsung.com">www.samsung.com</a>.