

Aspire 7730G Specifications		
Operating system ¹	Genuine Windows Vista® Ultimate (Service Pack 1)	
	Genuine Windows Vista® Home Premium (Service Pack 1)	
	Genuine Windows Vista® Home Basic (Service Pack 1)	
Platform ¹	Intel® Centrino® 2 processor technology, featuring:	
	 Intel[®] Core[™]2 Duo processor T9400/T9550/T9600 (6 MB L2 cache, 2.53/2.66/2.80 GHz, 1066 MHz FSB, 35 W), P9500 (6 MB L2 cache, 2.53 GHz, 1066 MHz FSB, 25 W) or higher, P7350/P7450/P8400/P8600/P8700 (3 MB L2 cache, 2/2.13/2.26/2.40/2.53 GHz, 1066 MHz FSB, 25 W), or T6400/T660 (2 MB L2 cache, 2/2.20 GHz, 800 MHz FSB, 35 W), supporting Intel[®] 64 architecture 	
	Mobile Intel® PM45 Express Chipset	
	 Intel[®] WiFi Link 5100/5300 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED[®] network connection, featuring MIMO technology, supporting Acer SignalUp[™] with Nplify^{™2, 3} wireless technology 	
System memory ^{1, 4, 5}	Dual-channel DDR2 SDRAM support	
	Up to 2 GB of DDR2 667 MHz memory, upgradeable to 4 GB using two soDIMM modules ⁶	
	Up to 2 GB of DDR3 1066 MHz memory, upgradeable to 4 GB using two soDIMM modules ⁶	
Display	17" WXGA+ high-brightness (220-nit), Acer CrystalBrite [™] TFT LCD, high-def 1440 x 900 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista [™]	
	8 ms high-def response time	
TV-tuner ¹	Acer TV-tuner options:	
	Digital TV-tuner supporting DVB-T (Digital Video Broadcasting-Terrestrial) standard (6 to 8 MHz)	
	TV-tuner I/O:	
	 RF-in jack for digital TV antenna cable input 	
	TV-tuner cable:	
	PAL cable for digital TV input	
	Acer DVB-T antenna (UHF/VHF reception) supporting Acer SignalUp™ technology	

Aspire 7730G Specifications

Graphics¹

NVIDIA® GeForce® 9600M GT with up to 2303⁷/2815⁷ MB of TurboCache™ (512/1024 MB of dedicated GDDR3/DDR2 VRAM, up to 1791 MB of shared system memory), supporting NVIDIA® PureVideo™ HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft® DirectX® 10

NVIDIA® GeForce® 9600M GS with up to 2303⁷ MB of TurboCache™ (512 MB of dedicated DDR2 VRAM, up to 1791 MB of shared system memory), supporting NVIDIA® PureVideo™ HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft® DirectX® 10

NVIDIA® GeForce® 9300M GS with up to 2047⁷/2303⁷ MB of TurboCache™ (256/512 MB of dedicated DDR2 VRAM, up to 1791 MB of shared system memory), supporting NVIDIA® PureVideo™ HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft® DirectX® 10

Dual independent display support

16.7 million colors

External resolution/refresh rate:

- 2048 x 1536: 75/60 Hz
- 1920 x 1440: 85/75/60 Hz
- 1920 x 1200: 75/60 Hz
- 1920 x 1080: 100/85/75/60 Hz
- 1680 x 945: 100/85/75/60 Hz
- 1600 x 1200: 120/100/85/75/60 Hz
- 1600 x 900: 120/100/85/75/60 Hz
- 1400 x 1050: 85/75/60 Hz
- 1366 x 768: 85/75/60 Hz
- 1280 x 1024: 120/100/85/75/60 Hz
- 1280 x 960: 85/75/60 Hz
- 1280 x 768: 85/75/60 Hz
- 1280 x 720: 100/85/75/60 Hz
- 1024 x 768: 120/100/85/75/60 Hz
- 800 x 600: 120/100/85/72/60 Hz

MPEG-2/DVD decoding

WMV9 (VC-1) and H.264 (AVC) decoding

HDMI[™] (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support

Acer Arcade[™] Deluxe featuring Acer CinemaVision[™] and Acer ClearVision[™] technologies⁸

Aspire 7730G Specifications		
Audio	Dolby®9-optimized surround sound system with two built-in stereo speakers and one subwoofer supporting low-frequency effects	
	Optimized 2 nd Generation Dolby Home Theater ^{®9} audio enhancement, featuring Dolby [®] Digital, Dolby [®] Digital Live, Dolby [®] Pro Logic [®] IIx, Dolby [®] Headphone, Dolby [®] Natural Bass, Dolby [®] Sound Space Expander technologies ¹⁰	
	True5.1-channel surround sound output	
	High-definition audio support	
	S/PDIF (Sony/Philips Digital Interface) ¹¹ support for digital speakers	
	MS-Sound compatible	
	Built-in microphone	
Storage	One or two hard disk drives ^{1, 12}	
	• Main HDD: 120 - 500 GB	
	• 2nd HDD: 120 - 500 GB	
	5-in-1 card reader, supporting Secure Digital [™] (SD) Card, MultiMediaCard (MMC), Memory Stick [®] (MS), Memory Stick PRO [™] (MS PRO), xD-Picture Card [™] (xD)	
Optical media drive ¹	2X Blu-ray Disc [™] /DVD-Super Multi double-layer combo drive:	
	 Read: 24X CD-ROM, 24X CD-R, 24X/16X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X/4X DVD-ROM DL (double-layer), 6X/4X DVD-R DL (double-layer), 6X/4X DVD+R DL (double-layer), 6X/4X DVD+RW, 6X/4X DVD+RW, 5X DVD-RAM, 2X BD-ROM, 2X BD-R, 2X BD-RE, 2X BD-ROM DL (double-layer), 2X/1.6X BD-R DL (double-layer), 2X BD-RE DL (double-layer) 	
	 Write: 16X/8X CD-R, 10X/4X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-RW, 4X DVD+RW, 5X DVD-RAM, 4X/2.4X DVD+R DL (double-layer), 4X/2X DVD-R DL (double-layer) 	
	8X DVD-Super Multi double-layer drive:	
	 Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM 	
	 Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-R DL (double-layer), 4X DVD+R DL (double-layer), 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM 	

Aspire 7730G Specifications		
Communication	Acer Video Conference ¹ , featuring:	
	 Integrated Acer Crystal Eye webcam, supporting enhanced Acer PrimaLite[™] technology 	
	Optional Acer Xpress VoIP phone	
	WLAN ^{1, 3} : Intel [®] Wireless WiFi Link 5100/5300 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED [®] network connection, featuring MIMO technology, supporting Acer SignalUp [™] with Nplify ^{™2} wireless technology	
	WPAN ¹ : Bluetooth® 2.0+EDR (Enhanced Data Rate)	
	LAN: Gigabit Ethernet supporting ASF (Alert Standard Format) 2.0, Wake-on-LAN ready	
	Modem: 56K ITU V.92 with PTT approval ¹³ , Wake-on-Ring ready	
Privacy control	Acer Bio-Protection fingerprint solution ¹ , featuring Windows [®] logon, computer protection, Acer FingerLaunch, ProfileLaunch, MusicLaunch, Password Bank, MyLaunch, FingerNav	
	BIOS user, supervisor, HDD passwords	
	Kensington lock slot	
Dimensions and weight ¹	402 (W) x 297 (D) x 41/43.9 (H) mm (15.83 x 11.69 x 1.61/1.73 inches)	
	3.90 kg (8.59 lbs.) with two HDDs and 8-cell battery pack	
	3.80 kg (8.37 lbs.) with one HDD and 6-cell battery pack	
Power ¹	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes	
	71 W 4800 mAh 8-cell Li-ion battery pack:	
	• 3.5-hour battery life ¹⁴	
	48.8 W 4400 mAh 6-cell Li-ion battery pack:	
	• 2.5-hour battery life ¹⁴	
	Acer QuicCharge [™] technology:	
	80% charge in 1 hour	
	2-hour rapid charge system-off	
	3-hour charge-in-use	
	3-pin 90 W AC adapter	
	ENERGY STAR [®] 4.0	
Special keys and controls	105-/106-key keyboard with inverted "T" cursor layout, 2.5 mm (minimum) key travel	
	Touchpad pointing device with Acer Bio-Protection	

Aspire 7730G Specifications		
,	fingerprint reader ¹ , featuring Acer FingerNav 4-way control function	
	12 function keys, four cursor keys, two Windows® keys, hotkey controls, embedded numeric keypad, international language support, independent US dollar and Euro symbol keys	
	Empowering Key	
	Easy-launch buttons: WLAN, Bluetooth ^{®1} , email, Internet, Acer Arcade [™]	
	Media keys (printed on keyboard): play/pause, stop, previous, next	
	Volume wheel	
	Acer Media Center remote control ¹	
I/O ports	Acer EasyPort IV connector	
	ExpressCard [™] /54 slot	
	5-in-1 card reader (SD [™] , MMC, MS, MS PRO, xD)	
	Four USB 2.0 ports	
	HDMI [™] port with HDCP support	
	Consumer infrared (CIR) port	
	External display (VGA) port	
	RF-in jack	
	Headphone/speaker/line-out jack with S/PDIF support	
	Microphone-in jack	
	Line-in jack	
	Ethernet (RJ-45) port	
	Modem (RJ-11) port	
	DC-in jack for AC adapter	
Software	Acer Empowering Technology (Acer eAudio, ePower, eDataSecurity ¹ , eRecovery, eSettings Management)	
	Acer Arcade [™] Deluxe, featuring Cinema, Album, Music, Acer HomeMedia	
	Acer Bio-Protection ¹	
	Acer Crystal Eye ¹	
	Acer GridVista [™]	
	Acer Launch Manager	
	Acer GameZone ¹	
	Adobe® Reader®	
	CyberLink® PowerDirector® trial version	

Aspire 7730G Specifications		
	McAfee [®] Internet Security Suite	
	NTI Media Maker [™]	
	Microsoft® Works 8.5 with Office Home and Student 2007 Trial ¹	
Optional items	Acer EasyPort IV	
	Acer Xpress VoIP phone and Acer Video Conference Manager pack	
	Acer Media Center remote control	
	512 MB/1 GB/2 GB DDR2 667 MHz soDIMM module	
	8-cell Li-ion battery pack	
	3-pin 90 W AC adapter	
	External USB floppy disk drive	
Warranty	One-year International Travelers Warranty (ITW)	

Acer recommends Windows Vista® Business.

- 1. Specifications vary depending on model.
- 2. Acer Nplify[™], a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED[®], it supports Acer SignalUp[™] wireless technology and is compliant with 802.11a/b/g/Draft-N and 802.11b/g standards.
- 3. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 4. Up to 1 GB of available system memory may be allocated for system resource requirements.
- 5. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.
- 6. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB memory.
- 7. For systems with 4 GB of system memory. The total graphics memory visible to the OS is less than the actual size allocated from the physical memory installed and varies depending on the configuration under a 32-bit OS.
- 8. Powered by CyberLink® technology.
- 9. Dolby® is a registered trademark of Dolby® Laboratories. Dolby Home Theater® is a trademark of Dolby® Laboratories.
- 10. Dolby® Pro Logic® and the double-D symbol are registered trademarks of Dolby® Laboratories.

Aspire 7730G Specifications

- 11. Supports 7.1-channel surround sound and 2-channel stereo output (multiple streaming).
- 12. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 13. PTT countries: **Asia**: China, Hong Kong, Japan, Korea, Malaysia, Singapore, Taiwan. **Europe**: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Holland, Iceland, Italy, Luxembourg, Norway, Portugal, Spain, Sweden, Switzerland. **Oceania**: Australia, New Zealand. **N. America**: Canada, USA.
- 14. Battery life varies depending on product specifications, computer settings, and applications or features launched, and may be reduced if Windows Aero™ is enabled. All batteries' maximum capacity diminishes with time and use.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2008 Acer Inc. All rights reserved. Acer, the Acer logo, and Aspire are registered trademarks of Acer Inc. Other trademarks, registered trademarks, and/or service marks, indicated or otherwise, are the property of their respective owners.

About Acer

Since its founding in 1976, Acer has constantly pursued the goal of breaking the barriers between people and technology. Focused on marketing its brand-name IT products around the globe, Acer ranks as the world's No. 3 vendor for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful mergers of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S., and enhancing its strong position in Europe. Acer Inc. employs 5,000 people worldwide. 2007 revenues reached US\$14.07 billion. See www.acer.com for more information.

Aspire 7730G Specifications



























































































