



4XEM's 3-in-1 USB-C Docking Station with VGA port and USB 3.0

#### 4XEM Part- 4XUSBCHUB03

WWW.4XEM.COM



4XEM's 3-in-1 USB-C Docking station creates a high functioning center for any tech space. Fitted with an VGA port, USB 3.0 port with USB-C connectors this Docking station is a premier central hub for multiple devices. The station offers the ability to charge with the USB 3.0 Power delivery while simultaneously connecting VGA devices. Through the USB ports this station is able to support 4K video transferring and video resolution.

**Problem it solves:** Complete multiple functions with 4XEM's 3-in-1 USB-C Docking Station. The Docking Station enables charging and transferring with USB-C and USB power delivery, it also allows you to connect VGA enabled devices with only one device.

# 4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





## **DATA SHEET**

# **Features**

- USB-C connector and port
- VGA port
- USB power delivery port
- Supports resolution up to 4K with USB-C
- Transfers data at 5Gbps
- Supports Mac OS, Windows, and Linux

### Application

- Home
- Office
- Networks
- Charging
- Transferring

# 4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





# **DATA SHEET**

Warranty Information	Warranty	3 Years
Hardware	4K Support	Yes
	Fast-Charge Port(s)	No
	Displays Supported	1
	Interface	USB 3.0
	Bus Type	USB-C
	Industry Standards	HDMI 1.3
		USB 3.0
	Objection	Power Delivery - PD 3.0
	Chipset ID	Realtek - RTD2166
Connector(s)	Host Connector	USB 3.0 Type-C (5 Gbps)
	Host Connector Type	Fixed Attached Cable
	Connector Type(s)/Rate(s)	1x VGA
		1x USB 3.0 Type-A (5 Gbps)
		1x USB Type-C (For Power Delivery Input Only)
Performance	Maximum Digital Resolutions	1920 x 1080 @ 60Hz
Software	OS Compatibility	Windows® 10
		Mac OS® 11
Power	Power Source	Bus Powered
	Power Delivery	PD Pass-Through - Max 100W
Physical Characteristics	Weight of Product	1.55 oz [44 g]
	Color	Grey, White
	Material	Aluminum, Plastic, PVC
	Cable Length	2.95 in [75.0 mm]
	Product Height	0.60 in [15.3 mm]
	Product Width	2.93 in [74.3 mm]
	Product Length	1.29 in [38.2 mm] (incl cable - 6.00 in [152.5 mm])
Packaging Information	Shipping (Package) Weight	1.90 oz [54 g]
	Package Height	9.74 in [247.5 mm]
	Package Width	5.12 in [130.0 mm]
	Package Length	0.61 in [15.5 mm]
What's in the Box	Included in Package	1x USB-C Hub
Notes	A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support USB Power Delivery and DP alt mode) Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery and DP alt mode.	
Optional: USB-C power adapter (for example, your laptop's USB-C based power adapter)		
	The adapter can connect to a host laptop's USB-C port that doesn't support USB Power Delivery 2.0. However, in this configuration if a power adapter is connected to the multifunction adapter, it will not pass power through to your host laptop. USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps.	
	Your laptop might have specific charging requirements. For	r example, if your laptop requires exactly 60W of power and an adapter consumes some of the
	60W, your laptop might not recognize that it is getting enough power. For more information about Power Delivery, refer to the manufacturer of your hardware	

\* Product appearance and specifications are subject to change without notice.

hardware.

\* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers** 

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com