

Entry level projector

PJ S2440
PJ X2440
PJ WX2440

RICOH
imagine. change.



All affordable. All connected.

Offering great connectivity options, this range of projectors form the bedrock of our comprehensive array of devices. Low cost, yet offering great value for money, each option is affordable without compromising on the quality of image or ease-of-use. There's no loss in colour quality between PC screen and what's shown in projection and you can connect via HDMI or MHL with your smart device. And because they're compact and weigh only 2.6kg, their unique design and visual appeal complement their intuitive interface.

- Affordable model options include the PJ S2440 (SVGA), PJ X2440 (XGA) & PJ WX2440 (WXGA)
- Excellent connectivity with HDMI and MHL
- Compact and lightweight, with unique and visually appealing design
- Suitable for multi-room sites including corporate meeting rooms and classrooms
- High-contrast colour and 5,000h lamp-life



Projectors with no strings attached.

Sublime design. Accessible to all.

Quick to set up and very easy-to-use, these projectors offer real value for money without compromising on quality. Each model in this range is uniquely designed for quick and easy projection and suits any budget. Their innovative style integrates into any office or classroom setting too.



Connectivity that captures your audience.

Offering a variety of connection methods you might not expect in such affordable models, you get two HDMI ports with one supporting MHL. With MHL you can mirror mobiles and tablets directly to the projector. So you can use an array of different devices to get your message across.



The quality and durability you need.

With a lamp-life that offers up to 5,000h of projection, the PJ S2440, PJ X2440 & PJ WX2440 are reliable and there for you day after day. Their high-contrast colour means you can create content and presentations the way you want them, knowing they will transmit without loss of quality to the screen.



The perfect set-up. Wherever you are.

Thanks to their considered design and ease of operation, you can position any of these projectors almost anywhere. In fact, each device is so suited for quick and easy projection, they're perfect for classrooms, meeting rooms and boardrooms – or for almost any other projection need.



PJ S2440/PJ X2440/PJ WX2440

MAIN SPECIFICATIONS

GENERAL

Interface (input):	Video: HDMI, Composite, HDM/MLL (PJ WX2440, PJ X2440), D-sub15 (Computer) Audio: 3.5mm ST mini jack
Interface (output):	Audio: 3.5mm ST mini jack
Projection system:	Single chip DLP
Resolution:	SVGA (800x600) (PJ S2440) XGA (1024x768) (PJ X2440) WXGA (1,280x800) (PJ WX2440)
Brightness:	3,000 lumen (PJ S2440) 3,000 lumen (PJ X2440) 3,100 lumen (PJ WX2440)
Contrast ratio:	2,200:1 (PJ S2440) 2,200:1 (PJ X2440) 2,000:1 (PJ WX2440)
High contrast ratio:	10,000:1
Projection screen size:	30" to 300"
Projection distance (from rear of unit to projection surface):	119 to 1,311 cm (PJ S2440) 119 to 1,311 cm (PJ X2440) 101 to 1,111 cm (PJ WX2440)
Lamp life:	Standard: 5,000 hours Eco mode: 6,000 hours
Light source:	Mercury Lamp
Zoom ratio:	1.1
Primary features:	Password protection
Built-in speaker:	2 W mono
Dimensions (W x D x H):	298 x 237 x 101 mm
Weight:	2.6 kg
Lens:	Built-in
Control:	RS-232C(PC-control) USB type A (Firm update)
3D:	DLP link Blu-ray 3D
Keystone:	+/- 40degree

ECOLOGY

Power consumption (max):	at 110 V: 262 W at 220 V: 255 W
Operating temperature:	5°C - 40°C
Operating humidity (PJ S2440, PJ WX2440, PJ X2440):	80%
Noise level:	Eco Mode: 31 dB

ACCESSORIES

Power cable, VGA cable, CD-ROM and manual, Remote control with batteries, Lens cap

For availability of models, options and software, please consult your local supplier.

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2017 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

RICOH
imagine. change.

www.ricoh-europe.com