



# Dell Color Cloud Multifunction Printer - H625cdw

## Versatile and full-featured for cloud collaboration

Increase workplace efficiency and collaboration with this affordable, easy-to-use color multifunction printer that lets you connect to the cloud.

- Print, Fax, Scan, Copy and connect to popular cloud services with built-in Dell Document Hub, and print from compatible mobile devices.
- Get set up easily using the Dell Printer Easy Installer<sup>1</sup>.
- Simplify maintenance with the Dell Printer Hub<sup>2</sup>.

## Easy set-up

Get your printer up and running easily with the Dell Printer Easy Installer – the simplest printer WiFi installation<sup>1</sup>, ideal for smaller organizations with minimal IT support.

## Comprehensive productivity features

Print crisp text and vivid colors at fast speeds of up to 25 ppm<sup>3</sup> (simplex, black/color), and quickly scan documents at up to 32 ipm in mono or up to 15 ipm in color.

Launch tasks quickly using the intuitive 4.3-inch touchscreen. Simply swipe or tap the apps on the newly designed, time-saving onscreen dock menu to launch common tasks instantly. And with one touch of the 'Recent' icon, up to 8 of your last printer tasks can be executed – saving you time and effort.



Newly designed Dock Menu

Copy and scan more efficiently with the H625cdw's intelligent scanning capabilities. When you insert a document into the Duplex Automatic Document Feeder (DADF) or open the scanner lid, the printer control panel will display up to 8 of the most recent copying- or scanning-related tasks performed.

Other enhanced features enable you to do more, easily:

- Scan large volumes of documents easily and quickly using the single-pass, dual head 50-sheet DADF.
- Keep sensitive documents private using the Secure Print feature. With this security feature, print jobs are password protected and released using a valid user PIN.
- Rely on your H625cdw to handle everyday work demands with a duty cycle of up to 38,000 pages per month<sup>4</sup>.



## Collaborate efficiently on the cloud

Increase workplace efficiency and collaboration with built-in Dell Document Hub. With a single sign-on, you can connect to a variety of cloud services. Use the cloud-based Optical Character Recognition (OCR) feature to convert scans into editable, searchable files for storing and sharing on the cloud.

## Print on-the-go

Print directly from compatible smartphones, tablets, and other mobile devices with the Dell Document Hub app, available on the App Store, Google Play and the Windows Store. The H625cdw also supports AirPrint<sup>TM5</sup>, Google Cloud Print<sup>TM</sup> and Mopria<sup>TM</sup>, so you can print from virtually anywhere.<sup>6</sup>

## One-stop solution to do more

Simplify your printing tasks and maintenance with the Dell Printer Hub<sup>2</sup>. This convenient, one-stop solution features an intuitive interface that integrates printer essentials and cloud connectivity for easy document management and control of your printer.

Easily customize scan shortcuts or access the Dell Document Hub cloud solution with one click. Receive automatic alerts when firmware and software updates are available, or when the toner runs low. Conveniently re-order toner via Dell Printer Hub.

## Improved Dell toner technology

Improved low-melt toner reduces energy consumption by up to 30%.<sup>7</sup>, and enables cartridges to be 25% smaller in size.<sup>7</sup> So you gain savings in energy use and storage space, and help minimize the burden of waste to the environment.

## Eco-conscious design

The H625cdw meets the latest regulatory and environmental standards, including ENERGY STAR<sup>®</sup> qualification<sup>8</sup>, Restriction of Hazardous Substances (RoHS) compliance<sup>9</sup> and EPEAT Silver registration<sup>10</sup>.

## Comprehensive services

Contact technical support for any printing issues via phone or online during your standard 1-year Limited Hardware Warranty<sup>11</sup>, and enjoy 1-year Advanced Exchange<sup>12</sup> or On-Site Service<sup>12</sup> after Remote Diagnosis Service<sup>13</sup>.

Stay covered longer when you choose optional 2-, 3-, 4-, or 5-year extended Limited Hardware Warranty<sup>11</sup>. Dedicated support 24/7 is available with Dell ProSupport<sup>TM14</sup> service options.

Learn more at [Dell.com/printers](https://Dell.com/printers)

## Dell Color Multifunction Printer - H625cdw

<b>Printer specifications</b>	<b>Printer type</b>	Color multifunction printer (print, copy, scan, fax)
	<b>Print speed (Mono / Color)<sup>3</sup></b> (600 x 600 dpi)	Simplex - Up to 25 ppm mono/color (letter), up to 23 ppm mono/color (A4) Duplex - Up to 16 ppm mono/color (letter/A4)
	<b>First page out time from Ready state</b>	From Ready state: 12.0 sec / 12.5 sec (mono/color) From Sleep (Power Save Mode): 24.0 sec / 24.5 sec (mono/color) From Deep Sleep: 28.0 sec / 28.5 sec (mono/color)
	<b>Print resolution</b>	Default: 300 x 300 dpi; High resolution: 600 x 600 dpi
	<b>Operation panel</b>	4.3" Color Touch Screen (Capacitive)
	<b>Print language</b>	Printer driver language: PCL 6 (5c/5e supported), PostScript™ Level 3 Emulation, XPS Printer data stream: PCL 5c/5e, PCL 6 (PCLXL 2.1), PostScript Level 3 Emulation, XPS, PDF v1.7, PWG Raster - for GCP/Mopria, URF Fonts: HP PCL@ 6 Emulation: 86 scalable fonts, PostScript 3: 89 scalable fonts
	<b>Processor speed</b>	525 MHz
	<b>Memory, standard</b>	1 GB RAM
	<b>Mobile printing support<sup>6</sup></b>	Dell Document Hub (for Android, iOS and Windows 8 and later), AirPrint <sup>5</sup> , Google Cloud Print, Mopria-certified
<b>Usage rate</b>	<b>Duty cycle</b>	Up to 38,000 pages per month <sup>4</sup>
	<b>Recommended monthly print volume</b>	500 - 2,500 pages per month
<b>Scan specifications</b>	<b>Scan type</b>	Flatbed, ADF / Contact Image Sensor (CIS)
	<b>Scan speed</b> (Single-page document, 600 x 600 dpi)	Simplex: Up to 32 ppm mono/ up to 15 ppm color (Letter)
	<b>Scan resolution</b>	600 x 600 dpi, up to 9600 x 9600 dpi (software enhanced)
	<b>Scan depth (Color)</b>	24-bit
	<b>Scan depth (Mono)</b>	1 bit for lineart and 8 bit for gray scale
	<b>Scan size (max)</b>	Flatbed: 8.5" (216 mm) x 11.7" (297 mm); ADF: 8.5" (216 mm) x 14" (356 mm)
	<b>Scan to media (file format)</b>	PDF, TIFF, JPEG
	<b>Scan-to options</b>	Dell Document Hub (Google Drive, Evernote, Sharepoint Online, OneDrive, Dropbox, Box, SalesForce.com), SMB (Network folder), FTP (Network server), Email, USB Host, Application
	<b>Scan utilities &amp; applications</b>	Dell Printer Hub <sup>2</sup>
<b>Copy specifications</b>	<b>Copy speed</b> (Single-page document, 600 x 600 dpi)	Simplex: Up to 25 ppm mono/color (letter), Up to 23 ppm mono/color (A4) Duplex: Up to 16 ppm mono/color (letter/A4)
	<b>Maximum copies</b>	99
	<b>Enlarge</b>	25 to 400%
	<b>Copy settings</b>	Multiple-Up (2-in-1 only), Collate, ID Copy, Job Cancel, Sharpness, Color Balance, Background Removal, Color Saturation
<b>Fax specifications</b>	<b>Fax transmission speed</b>	Up to 33.6 Kbps
	<b>Speed dial</b>	Up to 200 entries
	<b>Memory size</b>	4MB
	<b>Fax feature</b>	Transmit: Broadcast, Delay/Schedule, Forward Receive: Secure, Remote, Polling, Fax Forward To Email (with/without printing)
<b>Paper handling</b>	<b>Input sources</b>	Standard: 250-sheet standard tray Multipurpose tray: 50 sheets Optional tray: 550 sheets Maximum: 850 sheets (when using the optional tray)
	<b>Automated Document Feeder (ADF) Specifications</b>	
	Capacity	50 sheets
	Media size	A4 SEF, B5 SEF, A5 SEF, Letter SEF, Executive SEF, Folio (8.5" x 13") SEF, Legal SEF Custom paper size Max: 8.5" x 14" (215.9mm x 355.6mm) Custom paper size Min: 5.5" x 5.5" (139.7mm x 139.7mm)
	Types	Single Pass Duplex Automatic Document Feeder
	<b>Output destinations</b>	Standard: 150-sheet bin
	<b>Standard tray</b>	
	Types and weights supported	Plain (Paper weight: 60gsm - 90gsm), Plain Thick (Paper weight:91 - 105gsm) Covers (106 - 176gsm) / Covers Thick (177 ~ 220gsm) Preprinted (Paper weight: 60gsm - 90gsm), Letterhead (Paper weight: 60gsm - 90gsm) Prepunched (Paper weight: 60gsm - 90gsm), Recycled Paper (Paper weight: 60gsm - 90gsm) Coated (Paper Weight : 106 - 176gsm) / Coated-Thick (177 - 220gsm)
	Sizes	A4 SEF, B5 (JIS/ISO) SEF, A5 SEF, Statement SEF, Letter SEF, Executive SEF, Folio (8.5" x 13") SEF, Legal SEF, A6 SEF, B6(JIS/ISO) SEF, Monarch Env SEF, COM10 Env SEF, DL Env SEF, C5 Env SEF, Custom size: 76 mm – 216 mm (W), 148 mm - 356mm (L)
	<b>Duplexer</b>	Automatic
	<b>Page layout options</b>	Portrait or Landscape orientation, Multiple copies, Multi-page printing (N-up), Duplex printing, Poster (only for Windows Driver), Booklet printing (only for Windows Driver), Watermarks (only for Windows Driver), Collate, Rotation
	<b>Printable area</b>	8.19" x 13.69" (207.9 mm x 347.6 mm)

<b>Connectivity</b>	<b>Interfaces</b>	USB 2.0 (high speed) Client port, USB 2.0 Host Port, Ethernet port (Gigabit) NFC <sup>15</sup> (Internal)
	<b>Wireless<sup>16</sup></b>	802.11 (b/g/n), WiFi Direct, WPS 2.0, WPA 2.0 (Personal), WPA 2.0 (Enterprise)
<b>Operating systems</b>	<b>Windows</b>	Microsoft® Windows® 10 32 bit/64 bit Microsoft® Windows® 8.1 32 bit/64 bit Microsoft® Windows® 8.0 32 bit/64 bit Microsoft® Windows® 7 32 bit/64 bit Windows Vista® 32 bit/64 bit Windows Server 2012 R2 Windows Server 2008 R1 and R2 Windows Server 2003 32 bit/64 bit Windows Cluster Server Environment
	<b>Macintosh</b>	Apple Mac OS®: 10.7 ~ 10.10
	<b>Others</b>	SUSE Linux Enterprise Desktop 11.3 (32/64 bit) Red Hat Enterprise Linux 6.4 Desktop (32/64 bit) Ubuntu 12.04 (32/64 bit) SAP R/3 Release 4.6B onwards Windows Server® 2012 R2: Citrix® XenApp™ 7.5 Windows Server 2012: Citrix® XenApp™ 7.0 Windows Server 2008 R2: Citrix® XenApp™ 6.5
<b>Physical specifications</b>	<b>Printer dimensions (W x D x H)</b>	16.9" x 19.8" x 19.7" (429mm x 503.5mm x 500mm)
	<b>Printer weight</b>	69.9 lbs (31.7kg) (with consumables)
	<b>Shipping dimensions (W x D x H)</b>	22.8" x 25.0" x 26.0" (580mm x 634mm x 659mm)
	<b>Shipping weight</b>	79.4 lbs (36.0kg)
	<b>Operating environment</b>	Temperature: 41°F to 90°F (5°C to 32°C); Relative Humidity: 15% to 85% RH, non-condensing; Altitude: ≤ 10,170 ft (3,100 m)
	<b>Storage (packaged)</b>	Temperature: 32°F to 95°F (0°C to 35°C); Relative Humidity: 5% to 90% RH; Altitude: ≤10,170 ft (3,100 m)
	<b>Acoustics (Sound Pressure - LpAm / Power - LwAd)<sup>17</sup></b>	Printing (mono/color): 6.8 dB / 6.8 dB (LwAd) Standby: 4.2 dB / 4.2B (LWAd)
<b>Power specifications</b>	<b>Voltage</b>	120 vac model - 110 to 127 vac, 50Hz ± 3Hz / 60Hz ± 3Hz
	<b>Power consumption</b>	Printing mode: 610W Standby mode: 52W Power Saver mode (Sleep): 20W Power Saver mode (Deep Sleep): 2.5W Off: 0.3W
	<b>Average power consumption (printing)</b>	115V: 12A or less
<b>Consumables</b>	<b>Ship-with toner capacity<sup>18</sup></b>	Up to 1200 page capacity (Black); Up to 1200 page capacity (Cyan, Magenta, Yellow)
	<b>Toner capacity<sup>18</sup></b>	Standard Toner: Up to 1,200 pages (Black); up to 1,200 pages (Cyan Magenta, Yellow) High Capacity: Up to 3,000 page capacity (Black); Up to 2,500 page capacity (Cyan Magenta, Yellow)
<b>Network Protocols</b>	<b>Transport</b>	IPv4, IPv6, TCP, UDP, IPSEC w/ IPv4, IPSEC w/ IPv6, ICMP, 802.1x (Wired) : PEAPv0
	<b>Print</b>	Port 9100, LPD/LPR, FTP, SMB, IPP 2.0, Google Cloud Print 2.0, AirPrint, WSD, IPP over TLS, Mopria 1.1
	<b>Management &amp; Device Discovery</b>	HTTP, HTTPS, TLS 1.2, SNMP (v1 / v2 / v3), MIBv2 (RFC1213 compliant), BOOTP, DHCP, RARP, Auto IP, WINS, DNS, Bonjour (mDNS), Telnet
<b>Security</b>	<b>Print job management</b>	Secure Print with 4 Digit Pin, Virtual Mail Box (Public and Private), Print Job disable/enable scheduling
	<b>Network transport &amp; authentication</b>	HTTPS, Ipsec (IKE V1), IPP Over TLS
	<b>Data encryption</b>	IPsec (IKE)/Pre-Shared Key, 802.1x Wired Security
	<b>Access control management</b>	Embedded Web Server access control for network port, protocol, printer settings and reports; Operator panel access
	<b>Physical security</b>	Kensington lock for printer, primary input tray and optional input tray
	<b>Color Control</b>	ColorTrack 2.2
	<b>Directory Access</b>	Local Authentication with multiple user profile; Remote Authentication(LDAP/Kerberos) for Address Book
<b>Product certifications</b>	<b>Environmental compliance:</b> RoHS Compliant <sup>9</sup> ; WEEE; REACH; ENERGY STAR qualified <sup>8</sup> ; EPEAT Silver Registered <sup>10</sup> ; ErP Lot 4; ErP Lot 6 and 26; Blue Angel Certified; GS Certified <b>Safety &amp; EMC:</b> EN 60950-1/IEC 60950-1; EN 55022 (Class B); EN55024; EN61000-3-2 (Class A); EN 61000-3-3; CE Mark (EU); UL 60950-1 / CAN/CSA-C22.2 No. 60950-1-07; ICES-003 (Canada); US CFR Title 47, FCC Part 2 and 15B, Part 15C and Part 68; FDA/DHHS (21CFR, Chapter 1, Subchapter J; RCM (Australia); Telepermit (New Zealand); Singapore Mark; SABS/ ICASA (South Africa); NOM NYCE (Mexico); GS Mark (Germany) and other certifications required by individual country. <b>Others:</b> WHQL, Citrix, SAP, Novell YES, USB, WiFi, WiFi Direct, Google Cloud Print, Mopria, AirPrint	

<b>Supported languages</b>	English, French, German, Italian, Spanish, Danish, Norwegian, Dutch, Swedish
<b>Printer management</b>	Dell Printer Configuration Web Tool, Standard Printer MIB, ColorTrack 2.2, Dell Printer Hub <sup>2</sup> , Dell Open Print Driver (OPD), Dell Open Manage Printer Manager (OMPM), Dell Document Hub Application
<b>Contents in box</b>	Dell Color Cloud Multifunction Printer - H625cdw, Software and Documentation CD, Ship-With Black Cartridge (1,200 page yield <sup>18</sup> ), Ship-With Color Cartridges (1,200 page yield <sup>18</sup> ), Power Cord, USB Cable, RJ11 Cable, Setup Guide

## Available consumables



### Standard yield toner

H625/H825/S2825 series Black Toner Cartridges, 1,200 page yield<sup>18</sup>

H625/H825/S2825 series Cyan/Magenta/Yellow Toner Cartridges, 1,200 page yield<sup>18</sup>



### Imaging drum

H625/H825/S2825 series Imaging drum  
50,000 page yield<sup>18</sup>  
(each drum ships individually)



### Fuser maintenance kit

H625/H825/S2825 series Fuser maintenance kit  
100,000 page yield<sup>18</sup>

### High yield toner

H625/H825/S2825 series High Yield Black Toner Cartridges, 3,000 page yield<sup>18</sup>

H625/H825/S2825 series High Yield Cyan/Magenta/Yellow Toner Cartridges, 2,500 page yield<sup>18</sup>



### Toner Waste Container

H625/H825/S2825 series Toner Waste Container  
30,000 page yield<sup>18</sup>



### Optional paper tray

H625/H825/S2825 series 550-sheet lockable input paper tray

- Using the Dell Printer Easy Installer, based on the number of clicks to complete Wi-Fi printer installation. Dell Printer Easy Installer works with Windows 7, 8 and above only. For wireless printing information, visit [Dell.com/support/wireless\\_printing](http://Dell.com/support/wireless_printing)
- Supports Windows 7, 8 and later only.
- Actual print speed may vary with use. Measured in accordance with ISO/IEC 24734 methodology.
- Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This number can be used to compare potential workload capabilities of different Dell printers and multifunction printers.
- AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.
- The printer and the mobile device must be connected on the same network. AirPrint and Mopria do not work on WiFi Direct mode.
- Available on H625cdw, H825cdw, S2825cdn. Based on Dell internal testing using published TEC values against the Dell Color Multifunction Printer C2665dnf. Actual results may vary.
- For details on energy efficiency of ENERGY STAR<sup>®</sup> qualified products, refer to: [www.energystar.gov](http://www.energystar.gov).
- Meets the requirements of the EU RoHS Directive 2011/65/EU on the Restriction of the use of certain Hazardous Substances (RoHS).
- EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.
- For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).
- Replacement system or replacement part will be dispatched, if necessary, following phone-based troubleshooting, in advance of receipt of returned defective part or system. Replacements may be refurbished. Defective unit must be returned. Availability varies. Other conditions apply.
- Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of unit and multiple or extended sessions. If issue is covered by Limited Hardware Warranty and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- Availability and terms of Dell Services vary by region. For more information, visit [Dell.com/servicecontracts/global](http://Dell.com/servicecontracts/global).
- NFC detection may vary by device.
- For wireless printing information, please refer to [dell.com/support/wireless\\_printing](http://dell.com/support/wireless_printing).
- Tested in accordance with ISO 7779 and reported in accordance with ISO 9296. Acoustics - Declared noise emission values of computer and business equipment.
- Black and color toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

©2015 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks or trademarks of Microsoft Corporation. Android and Google Cloud Print are registered trademarks of Google Inc. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Specifications are subject to change without notice. Dell cannot be responsible for errors and omissions in typography or photography.

